

# — THIRD –

# Melbourne General Catalogue

# 3068 STARS

... OF ...

## FOR THE EQUINOX 1890,

FROM OBSERVATIONS MADE AT

# MELBOURNE OBSERVATORY

#### DURING THE PERIOD 1884'7 TO 1894'0,

UNDER THE DIRECTION OF

R. L. J. ELLERY, C.M.G., F.R.S., GOVERNMENT ASTRONOMER TO 1895.

REVISED AND PREPARED FOR PRESS UNDER THE DIRECTION OF

> PIETRO BARACCHI, GOVERNMENT ASTRONOMER, 1895-1915.



移換 Authority: ALBERT J. MULLETT. GOVERNMENT PRINTER, MELBOURNE. 1917.

## M4 1890

#### Astron. Dept.

# 

## ASTRONOMY DEPT.

ERRATA.

No.	Column.	Correction.	No.	Column.	Correction.
6	3	a Andromedæ	1492	3	Muscæ L 4828
23	10	167 2 27.39	2034	2	5.2
27	3	Toucani M <sub>1</sub> 13	2049	2	5.8
29	7	- 1.0535	2138	7	+ 4.2223
125	8	- 0.0002	2160	12	3
171	7	+ 3.1843	2164	12	3
272	5	91.93	2263	15	- 1.285
278	8	+ 0.0204	2333	3	e Sagittarii
472	3	ε Eridani	2509	3	D.M. – 4° 4883
497	2	8.9	2708	2	6.3
575	3	43 Eridani v <sup>5</sup>	2736	14	-15.191
971	2	8.8, and delete footnote	2782	7	+ 4.7950
1083	3	σ Hydræ	2905	3	Octantis L 9203
1214	1	1214	2980	2	7.8
1235	Footnote	Cape 1880	3011	3	Toucani M <sub>1</sub> 1200
1310	15	+0.066		1.	

#### THIRD MELBOURNE GENERAL CATALOGUE.

#### INTRODUCTION.

The Second Melbourne General Catalogue of 1,211 Stars for the Equinox of 1880 was published in 1889, and comprised the results of observations made with the "old" transit circle of 5 inches aperture in the years 1871.0–1884.7. In 1884 a new transit circle, by Troughton and Simms, of larger dimensions and power, was installed, and all the observations upon which is based the Third Melbourne General Catalogue, now presented, were made with the new instrument during the period 1884.7–1894.0.

The MS. of this catalogue was prepared fifteen years ago. The reason for its long delayed publication is that, since 1889, and until recently, the Government of Victoria found it inexpedient to authorize the printing of any astronomical work of the Melbourne Observatory.

It was intended, in accordance with previous practice, to publish at the proper time, the annual catalogues of the stars observed in the years 1884–1894, the MSS. of which had been regularly prepared for the purpose, in continuation of the series of volumes entitled *Melbourne Results of Astronomical Observations*, which contain, among other records, all our Annual Star Catalogues to the end of 1883; but, for the reason stated above, no further volumes were added to this series after the issue, in 1889, of Volume VII., and, under the circumstances, it seemed desirable to give precedence to the publication of the Third General Catalogue.

- (1) Fundamental stars used for the determination of clock-error and azimuth;
- (2) Guide-stars for the astrophotographic zones  $(-11^{\circ} \text{ to } -14^{\circ})$  and  $(-65^{\circ} \text{ to } -90^{\circ})$ ;
- (3) Stars used in connexion with observations of comets ;
- (4) Some stars of the "Connaissance des Temps" and "Berliner Jahrbuch" observed at the request of the Bureau des Longitudes and of the late Prof. Auwers;
- (5) Various lists of stars observed for the late Sir David Gill in connexion with his heliometer investigations at the Cape Observatory.

The general routine which was followed throughout in making and reducing the observations, and in computing, from the separate results, the mean places for the annual catalogues of the period 1884.7-1894.0, was practically similar to that which has been fully described in Vols. V., VI., and VII. of the "Melbourne Results of Astronomical Observations." The processes employed in combining the separate star places in the *Annual Catalogues* to form the concluded mean places referred to the Equinox of 1890, as given in the present catalogue, are identical with those described in the Second Melbourne General Catalogue for the Equinox of 1880, to all of which publications reference can be made.

An account of the instrument with which the observations were made will be found in the Report of the Government Astronomer attached to the Nineteenth Report of the Board of Visitors to the Melbourne Observatory (1884), from which the following abstract has been taken :—

"The instrument is a fine specimen of Troughton and Simms' well known skill in the construction of astronomical instruments of this class, and is very similar in form and dimensions to those constructed by the same firm for the Cambridge Observatory in England, as well as for the Cambridge Observatory of Boston, United States of America. The telescope has an aperture of 8 inches, and focal length of 108 inches; axis, 52 inches long, with steel pivots of  $4\frac{1}{2}$  inches diameter. The pivot-bearings are carried on two short iron pillars, resting on massive stone piers, which rise about 5 feet above the floor. The axis carries two divided circles, one on each side of the telescope, of which one is fixed, the other movable about the axis. The circles—3 feet in diameter—are read by a reading telescope and four microscopes carried on gun-metal circles, attached to the short iron pillars already mentioned. . . . .

The form of axis of this instrument differs considerably from others of this class, and is an innovation designed to obviate the troublesome flexure of the axis, to which large transit instruments are often subject. Instead of the casting forming the axis being in the form of two cones with a central cube as usual, it takes the form of two cones united by a cylinder, crossed by another cylinder for carrying the eye and object ends of the telescope. . . . .

. . . The collimators, which rest on piers at the north and south end of the Transit Room, have objectives of 6 inches in diameter, and are reciprocally visible through a perforation of the same aperture in the central part of the axis of the transit instrument.

The arrangements for the illumination of the circles and telescope are well designed and very effective, one source of light opposite either end of the axis giving illumination to the four microscopes and reader of the circle, as well as bright or dark field illumination for the telescope micrometer wires."

Throughout the observations the instrument has been used in the position fixed circle W., and the readings of the fixed circle taken with its four microscopes.

The adopted position of the instrument is-

λ 9h. 39m. 54s. 20 E.

φ 37° 49' 53·35" S.

The *personnel* who, under the supervision of the Director, the late R. L. J. Ellery, took part in the observations and carried out the computations, so far as the preparation of the annual catalogues for the years 1884–1894 required, comprised the late Mr. E. J. White, Chief Assistant of the Observatory, in charge of the Meridian Department till 30th September, 1892, on which date he retired, having reached the age limit prescribed by the Public Service Act, and the following :—

Mr. J. E. Gilbert, from the beginning of the period till May, 1887;

Mr. G. A. M. Pringle, from the beginning of the period till March, 1890;

Mr. W. J. Swan, from September, 1887, to the end of the period ;

Mr. F. N. Ingamells, from January, 1888, to August, 1892;

Mr. E. T. Quayle, from May, 1890, to the end of the period.

After 30th September, 1892, the Meridian Department was placed in my charge, and the actual preparation of this catalogue was commenced and completed under my direct supervision, after the retirement of the Government Astronomer, R. L. J. Ellery, which took place on 30th June, 1895, most of the computations having been made by the Rev. E. J. White, jun.

In later years, the whole of the work was gradually revised, and several extracts and a copy of the full MS. were supplied, at their request, to the late Prof. Auwers and to the late Prof. Boss, at various times between 1902 and 1915. The work of revision was conducted by Mr. C. J. Merfield and other Observatory assistants.

The plan adopted in the earlier catalogues of this Observatory in regard to the extent and distribution of the data for each catalogued star has not been entirely followed. The third term of the precession, in both coordinates, has been omitted, and the secular variation of the annual precession has been substituted for the "second term of the precession P'or p'" as previously adopted. Other omissions were made to enable all the essential data to be tabulated, for each star, in fifteen columns, occupying a single page, instead of 32 columns, which required two pages in the older form. These omissions are—the number of observations of the star's magnitude, Bessel's star numbers, and the reference numbers to the stars in earlier catalogues of southern stars.

The following additional remarks will further explain the formation and arrangement of the data tabulated under the various columns of the catalogue with the exception of the first, sixth, and twelfth columns, which require no elucidation.

In the second column the star magnitudes which are printed in ordinary type depend on the estimations noted by the transit observers, being the mean of all the magnitude observations made. The heavier type or an asterisk represents magnitudes adopted from other authorities as shown in the list given. The magnitudes of fundamental stars were taken from Newcomb's *Catalogue of Fundamental Stars for* 1875–1900, or from the *Revised Harvard Photometry*. These are printed in larger heavy type.

-	Mag.	Authority.	No.	Mag.	Authority.	No.	Mag.	Authority.
14	7.8	B.D.	107	7.8	A.G. Wa.	272	6.4	B.D.
19	8.3	>7	120	8.7	B.D.	320	7.5	37
24	9.0	79	125	8.0	,,,	322	8.5	32
25	8.3	>>	126	8.2	,,	329	8.0	32
34	8.7	>>	132	7.0	3.9	338	8.0	37
46	6.2	79	146	8.8	37	341	8.2	37
48	8.5	>>	176	8.4	**	347	8.9	,,,
51	8.2	,, (8.2 A.G. Camb.)	182	8.2	"	358	7.5	,,,
54	9.1	>7	188	8.4	25	361	8.8	**
60	8.8	93	198	8.3	53	363	8.1	
67	9.3	>>	217	8.3	>>	368	5.1	Boss, 1900
73 75	9.1	>>	220	8.0	Gou.	369	8.7	B.D.
75	8.5	,	228	8.5	"	382	8.8	3.9
83	7.3	"	237	8.9	B.D.	386	6.3	2.2 *
84	6.7	Cp. 80	245	8.2	>3	395	6.5	>>
92	6.0	Boss, 1900	253	7.5	**	410	8.1	>>
97 105	5·8 8·9	B.D.	$\begin{array}{c} 257 \\ 265 \end{array}$	$9.2 \\ 8.5$	"	418 430	8.8 8.4	"

#### MAGNITUDES ADOPTED FROM OTHER AUTHORITIES.

iv

#### INTRODUCTION.

.

MAGNITUDES ADOPTED FROM OTHER AUTHORITIES—continued.

No.	Mag.	Authority.	No.	Mag.	Authority.	No.	Mag.	Authority.
438	8.9	B.D.	1732	8.0	B.D.	2314	5.8	Boss, 1900
430	. 7.2	and the second se	1748	8.9		2314 2325	8.6	B.D.
	9.0	>>	1784	8.6	>>	2320	8.3	
447 450	8.8	>>	1794	5.0	Cp. 80	2345	8.0	,,
		29	1829	8.0		2345	7.0	~ eo
456	8.5	"	1854	9.5	B.D.		8.5	Cp. 80
458	8.9	"	1855	8.2	33	2354		B.D.
466	7.6	27	1855	8.8	>>	2358	8.2	>>
467	6.0	>>			22	2363	9.0	>>
476	9.7	22	1877	8.5	22	2372	8.5	>>
478	5.8	"	1881	7.3	>>	2380	7.8	>>
491	8.9	39	1902	7.8	>>	2387	8.0	
506	8.5	37	1907	9.1	"	2393	var.	3.4-4.1 H.V.
510	8.8	>>	- 1922	8.6	22	2396	7.8	B.D.
514	7.8	29	1935	8.0	**	2405	8.8	>>
515	7.8	22	1944	9.0	13	2411	8.9	>7
520	6.8	23	1952	7.5		2413	8.8	>>
524	8.9	>>	1958	7.3	33	2420	8.9	>>
531	8.4		1970	8.0	,,	2424	8.8	>>
538	9.5	>>	1976	7.2	>>	2425	8.3	Gou.
539	8.9		1982	8.8		2431	8.9	B.D. (9.0 A.G. Wa.)
550	8.8	>>	1986	6.3	Boss, 1900	2432	8.0	,,
562	9.0	>>	1992	8.8	B.D.	2434	8.8	>>
573	8.5	>>	2005	6.8	17	2443	8.8	22
657	9.3		2021	8.5	,,	2445	8.8	>>
757	9.2	Gi.Z.	2027	8.5		2452	7.3	>>
850	7.0	Cp. 80 Gou.	2034	5.2	H.R.	2461	8.7	99
854	9.1	B.D.	2040	8.5	B.D.	2471	8.3	>>
865	6.1	Boss, 1900	2049	5.8	H.R.	2479	8.7	,,
867	var.	3.7-4.3 H.R.	2053	7.0	B.D.	2505	8.3	>>
886	8.8	Gi.Z.	2063	8.9	22	2511	7.2	59
956	8.3	B.D.	2064	8.5	>>	2529	7.0	
967	8.3	>>	2085	8.3	,, (9·2 A.G. Wa.)	2531	6.5	A.G. Strb.
976	7.8	33	2091	8.5	>>	2539	8.5	B.D.
978	8.8	39	2105	7.7	32	2542	8.0	A.G. Strb.
012	7.6	31	2109	8.1	37	2548	7.5	B.D.
086	8.0		2112	7.1	23	2558	7.5	,,
117	5.8	Boss, 1900	2118	7.5		2570	8.2	
122	9.0	B.D.	2120	9.5	5 9 1 9	2584	8.4	23
137	7.0	Cp. 80	2121	7.8		2591	7.8	"
166	7:0	»	2127	8.7	>>	2592	7.8	"
172	8.7	B.D.	2132	8.5	>>	2594	4.9	Boss, 1900
178	6.8		2141	8.3	"	2595	3.9	
199	9.0	G.Z.	2142	8.3	", (9.0 A.G. Wa.)	2600	7.7	B.D.
210	5.5	Boss, 1900	2144	6.5		2608	8.3	
235	6.7	Cp. 80	2149	9.0	25	2609	6.2	Gi.Z.
237	var.	3.6-5.0 Boss, 1900	2155	7.0	22	2619	8.5	B.D.
253	7.0	Cp. 80	2156	8.7	23	2629	7.5	
255	7.6	1	2157	8.8	22	2630	8.9	
302	7.0	>>	2159	9.3	77	2635	8.5	
326	8.4	B,D.	2168	9.0	37	2643	7.0	Cp. 80
333	9.4	1,1,	2108	7.1	>>	2643	8.6	- p
356	7.0	Cp. 80	2171	8.2	Gi.Z.	2651	8.2	B.D.
398	4.9	Boss, 1900	2171	8.4	B.D.		8.8	" (0.2 A C Wa)
402	4 9 6·8	B.D.	2176	8.4		2656		,, (9·3 A.G. Wa.)
402 461	7.2			8.8	3.2	2657	8.3	>>
	5.4	", Boss 1000	2192		27	2669	6.3	>>
472		Boss, 1900	2194	8.5	,,	2675	9.3	
474	7.0	Cp. 80	2197	7.3	"	2681	9.0	Gou.
475	8.8	B.D. Boss 1000	2201	7.8	- >>	2686	8.5	B.D.
519	6.7	Boss, 1900	2204	8.3	"	2700	8.8	," oo
527	9.0	B.D.	2206	9.0	>>	2706	7.0	Cp. 80
577	8.6	29	2209	9.5	"	2708	6.3	H.R.
584	7.0	>>	2211	9.0	99	2716	7.5	B.D.
595	8.2	33	2222	8.9	23	2718	6.5	,,
602	8.5	>>	2228	9.3	>>	2724	9.0	33
607	8.7	57	2230	8.8	>>	2728	9.5	>>
634	8.8	>>	2241	6.2	>>	2732	8.8	37
645	2.8	Boss, 1900	2247	9.0	>>	2742	9.1	23
665	6.2	B.D.	2248	8.8	»»	2746	8.7	,,,
668	6.5	Cp. 80	2255	9.1	19	2755	8.0	,, (7.7 A.G. Wa.)
678	7.0	B.D.	2262	7.8	**	2772	8.0	,,, (, , , , , , , , , , , , , , , , ,
683	8.7	23	2271	6.5	**	2773	9.1	
709	8.0	Gou.	2275	5.2	Boss, 1900	2778	8.5	>>
720	8.5		2299	8.0	B.D. (8.4 A.G. Wa.)	2781	6.8	21 "
726	7.8	Cp. 80	2302	8.8		2789	8.5	"
730	5.3	Boss, 1900	2302	7.3	>> >>	2789	7.3	Gou.
(30 -							1 0	

v

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

		Magnitui	DES ADOPTI	ED FROM	OTHER AUTHORITIES-	continued.		· · · · · · · · · · · · · · · · · · ·
No.	Mag.	Authority.	No.	Mag.	Anthority.	No.	Mag.	Authority.
$\begin{array}{c} 2791\\ 2793\\ 2797\\ 2804\\ 2805\\ 2813\\ 2814\\ 2824\\ 2834\\ 2834\\ 2834\\ 2846\\ 2853\\ 2861\\ 2866\\ 2866\\ 2866\\ 2867\\ 2881\\ \end{array}$	9.5 8.3 6.8 6.0 8.3 7.6 8.9 9.1 8.7 9.0 8.7 9.0 8.7 9.0 8.7 9.0 8.7 9.5 8.3	B.D. " Cp. 80 B.D. Cp. 80 B.D. " " " " " " " " " " " " "	2890 2902 2907 2908 2909 2915 2916 2919 2929 2937 2942 2946 2947 2950 2951 2954	$8.0 \\ 8.0 \\ 8.7 \\ 7.3 \\ 6.7 \\ 8.8 \\ 10.0 \\ 8.5 \\ 8.5 \\ 8.5 \\ 5.6 \\ 7.3 \\ 8.5 \\ 8.5 \\ 8.9 \\ 8.8 $	B.D. (8·2 A.G. Wa.) ", (8·8 A.G. Wa.) "Cp. 80 B.D. Gi.Z. B.D. " " " " " " " " " " " " "	$\begin{array}{c} 2955\\ 2958\\ 2960\\ 2967\\ 2975\\ 2980\\ 2983\\ 3002\\ 3006\\ 3013\\ 3014\\ 3015\\ 3024\\ 3025\\ 3030\\ 3057\\ \end{array}$	$7 \cdot 5 \\ 8 \cdot 7 \\ 8 \cdot 0 \\ 7 \cdot 5 \\ 7 \cdot 8 \\ 8 \cdot 9 \\ 6 \cdot 5 \\ 9 \cdot 1 \\ 6 \cdot 5 \\ 9 \cdot 1 \\ 6 \cdot 5 \\ 9 \cdot 1 \\ 8 \cdot 3 \\ 7 \cdot 0 \\ 8 \cdot 3 \\ 8 \cdot 0 \\ 9 \cdot 0 $	B.D. (7 · 4 A.G. Wa.) " " " (8 · 1 A.G. Wa.) " " " " " " " " " " " " " " " " " " "

The system employed in the nomenclature of stars and the notation, as shown in the third column, the method of computing the mean year of observation in the fifth and eleventh column, and the authorities and rules followed in deriving the proper motions, noted in the ninth and fifteenth columns, are completely in accord with the description of these particular items given in the introduction of the Second Melbourne General Catalogue for 18800, from which all desired information in these respects may be gathered.

In the third column, M.Z. indicates that the star was one selected, to serve as guide star for the astrographic catalogue, from an MS. catalogue of zone observations made at the Melbourne Observatory, and D.M. refers to the Bonner Durchmusterung, 1855. In the footnotes, Wa. Z. refers to Gilliss's zone observations, made at Santiago de Chile.

In regard to the concluded Mean Right Ascensions for 1890.0, in the fourth column, it is proper to point out that the right ascensions of the clock stars are involved in the determination of the clock errors, for which purpose the right ascensions of these stars, given by the Nautical Almanac (with the corrections provided by the Royal Observatory of Greenwich applied), were used, and that the catalogued right ascensions of such stars are not, therefore, independent. This limitation affects also the right ascensions of stars which have been employed for the determination of the azimuth error.

Sets of at least six clock stars and four circumpolar stars, two at upper and two at lower meridian passage, were usually observed in each night's programme.

		Star's N	ame.		Mag.	Right Ascenaion.	μ	South Polar Distance.	μ'
						h. m. s.	8.	0 / #	11
<sup>3</sup> Ootantis				 	5.5	0 5 2.31	-0.009	7 9 51.5	-0.01
3.A.C. 40				 	6.0	0 9 8.19	0.000	4 23 37.0	0.00
Octantis	• •			 	7.0	0 12 39.56	-0.002	1 1 31.2	0.00
8 4091				 	6.5	12 37 41.10	-0.029	0 48 16.8	+0.01
Octantis				 	5.5	12 43 29.40	+0.021	5 28 27.6	0.00
293				 	8.0	0 45 46.01	+0.135	3 30 28.2	+0.02
5325				 	6.5	12 55 53.70	-0.280	3 1 53.6	-0.18
360				 	7.5	1 5 58.42	0.000	5 49 16.8	0.00
Octantis				 	5.0	13 23 14.82	-0.067	4 46 43 .2	-0.05
3.A.C. 557				 	6.0	1 40 52.71	+0.080	6 27 54.7	+0.12
B.A.C. 584				 	6.0	1 43 48.33	-0.002	4 40 30.2	+0.11
5691				 	7.0	13 55 20.94	0.000	5 58 49.2	0.00
B.A.C. 655				 	7.0	1 59 16.41	+0.020	7 57 59.0	+0.08
3 4614				 	7.0	14 7 7.96	-0.100	1 7 34.7	0.00
Octantis				 	5.0	14 9 21.45	-0.067	6 50 13.4	+0.01
fe1 728				 	7.5	14 22 21.95	-0.010	4 4 50.5	-0.02
Ĥydri				 	5.2	2 34 0.91	+0.036	10 24 39.1	-0.03
Octantis				 	6.5	14 34 58.85	-0.160	2 18 5.3	-0.02
1029				 	7.5	2 37 6.06	0.000	3 47 42.8	0.00
1884				 	7.5	2 39 42.46	+0.020	1 7 41.5	0.00
B.A.C. 4883				 	6.0	14 45 41.85	-0.024	7 24 16 .2	-0.01
1848				 	7.5	3 10 0.09	0.000	1 23 21.7	-0.02
Octantis		· · · ·		 	5.5	15 18 1.08	+0.095	5 54 13.8	+0.08
1236				 	7.0	3 21 5.16	0.000	6 3 52.2	0.00
Ie,792				 	7.5	15 56 36.86	-0.130	0 59 22.1	-0.02
1592				 	7.0	4 2 54.87	0.000	4 24 48.8	0.00
B.A.C. 5412				 	6.5	16 20 2.55	0.000	3 50 40.3	-0.04

#### ADOPTED POSITIONS OF AZIMUTH STARS.

EPOCH AND EQUINOX, 1890.0.

vi

#### INTRODUCTION.

ADOPTED POSITIONS OF AZIMUTH STARS .- EPOCH AND EQUINOX, 1890.0-continued.

		Star's Na	ame.			Mag.	Right Ascension.	μ	South Polar Distance.	μ'
100							h. m. s.	8.	0 / #	"
1839						7.0	4 31 59.24	0.000	3 29 16.7	0.00
						6.5	4 35 41.89	-0.020	6 51 52.2	-0.03
1010						7.0	4 51 49.81	0.000	6 18 7.9	0.00
00 0000						7.0	17 0 59.32	-0.080	2 43 1.3	0.00
=000						6.5	17 4 15.19	0.000	7 20 9.8	0.00
						6.5	5 11 24.96	-0.026	7 23 3.1	+0.02
00 0110						7.0	5 19 39.10	0.000	1 59 59.6	0.00
2066	•••				1	. 7.0	. 5 24 12.90	0.000	6 1 5.1	+0.12
2020	•••	••	••	•••		6.5	17 26 52.67	0.000	4 49 55.0	-0.08
	•••	••	•••	••		6.0	17 50 7.48	-0.008	2 20 15.9	-0.11
1 01 1000	•••	••		••	•••	6.5	5 51 31.24	0.000		+0.02
1 01 000-	••		••	••					5 9 44.0	
= 010	••	••	••			7.0	6 8 46.97	-0.010	4 4 13.6	-0.03
	••		••	••		7.5	18 33 47.31	0.000	5 55 59.4	0.00
	••		• •	••		5.5	18 42 22.09	+0.112	0 43 59.0	+0.02
		••		••		6.0	6 49 11.62	-0.002	9 18 12.3	+0.05
						7.0	18 57 31.76	+0.030	5 5 23.1	-0.06
						6.2	19 13 21.61	-0.012	8 1 36 • 4	+0.02
						7.0	7 15 16.31	0.000	6 25 20.5	0.00
3274						7.0	7 25 18.53	+0.041	3 9 00 .0	-0.02
A.C. 6708						6.0	19 35 43.28	0.000	8 22 37.5	+0.04
A.C. 2878						7.0	8 0 16.47	-0.015	1 27 12.9	+0.01
						6.5	20 1 19.74	-0.014	6 21 10 2	-0.02
						6.0	20 19 39.82	0.000	8 20 28.3	0.00
0750						7.0	8 41 31 40	-0.020	3 48 46.1	0.00
00 11100		••				7.0	20 54 27.55	0.000	3 54 39.8	0.00
0 1 11		••	••	••		5.5	9 12 32.52	-0.693	4 46 41.9	+0.03
A.C. 7384	••	••	••	• •		6.0	21 15 52.89	-0.018	6 50 21.9	-0.00
	•••		••	••	••					
	••	• •	••	••		6.0	21 25 28.65	+0.175	0 38 17.0	-0.06
Octantis			••	••		6.5	21 33 58.68	+0.008	6 46 35 3	-0.08
Chameleont	18	••	••	••		5.0	9 37 6.21	-0.003	9 33 11.5	0.00
8897						7.5	21 53 34.97	+0.050	6 6 32 . 5	0.00
Chameleon	tis		••	••	•••	6.0	10 3 38.51	-0.012	8 19 4.7	+0.03
						6.0	22 10 25.39	-0.038	3 28 26.9	+0.08
						7•0	10 9 50 . 39	-0.021	3 37 25.0	-0.06
						7.5	22 31 50.42	+0.050	5 41 2.0	+0.04
Octantis						5.0	22 34 46.59	-0.039	8 2 31.6	-0.01
1 1 1 0						7.0	10 37 25.40	-0.002	4 28 46.7	-0.08
A						6.5	11 0 4.02	-0.062	5 59 53.0	-0.03
0 1 1*						5.5	23 11 17.56	+0.020	1 54 50.8	+0.02
00 0101	••					7.0	11 24 46.95	-0.100	1 21 42.3	0.00
1000				••		7.5	11 34 55.34	+0.020	5 7 21.6	0.00
A	••	••	•••	••		5.5	23 45 38.00	-0.031	7 22 12 1	0.00
0	••	••	••	••		6.0				-0.02
	••	••	••	••	••		23 51 29.78	-0.019	7 13 6.5	
A.C. 4058	• •				••	6.0	11 56 50.90	-0.006	4 58 51 1	0.00

The right ascensions of stars whose proper motion is given have been reduced to the epoch 1890 0 (equinox 1890 0) by the application of the proper motion; where the proper motion is not given the Right Ascension refers to the mean year of observation and to the equinox 1890 0.

The annual precessions in R.A., shown in the seventh column, were computed from the formula :----

 $P = 3^{\circ} 07253 + [0.12609] \sin a \cot \Delta$ ,

where P is the annual precession in R.A., a the mean Right Ascension, and  $\Delta$  the mean North Polar Distance for 1890. The co-efficients are those of Prof. Peters.

The secular variations in the eighth column were prepared by the aid of "Tables pour le Calcul des Reductinso Stellaires," par F. Folie, using the tabulated quantities without correction, as their variation from the epoch 1870 to 1890 was considered negligible.

The proper motions, given in the ninth column, were used to reduce the observed position from the mean date of observation to the epoch 1890'O, which remark applies also to the proper motions in North Polar Distance, in column 15.

The tenth column contains the Mean North Polar Distances for 1890.0. In the formation of these values, Bessel's "Refraction Tables," given in the "Appendix to Greenwich Observations, 1853," were used.

In column 13, the given precessions in N.P.D. were computed from the formula-

 $p' = -[1 \cdot 30218] \cos a.$ 

The secular variations of the annual precession in N.P.D. contained in the fourteenth column, were obtained by means of Folie's tables, in the manner described in connexion with the secular variation of the annual precession in Right Ascension.

No corrections have been applied for the division errors of the circle. The errors of the degree divisions were investigated in 1911 (Circle E) and the results of the investigation are given below. A fuller account will be published in the Introduction to the General Catalogue for 1900.

vii

#### INTRODUCTION.

			- 3						DIVISION Four Micr					
	Poir	ater.		Corr.		Poir	nter.		Corr.		Poir	nter.		Corr.
1 2 3 4 5 6 7 8 9 10	91 92 93 94 95 96 97 98 99 100	181 182 183 184 185 186 187 188 189 190	271 272 273 274 275 276 277 278 279 280	$ \begin{array}{c}                                     $	31 32 33 34 35 36 37 38 39 40	121 122 123 124 125 126 127 128 129 130	211 212 213 214 215 216 217 218 219 220	301 302 303 304 305 306 307 308 309 310	$\begin{array}{c} & & \\ & & \\ & -0.31 \\ & -0.21 \\ & -0.25 \\ & -0.22 \\ & +0.06 \\ & -0.14 \\ & -0.20 \\ & -0.08 \\ & -0.08 \\ & -0.08 \\ & -0.16 \end{array}$	$ \begin{array}{c} 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 67\\ 68\\ 69\\ 70\\ \end{array} $	$151 \\ 152 \\ 153 \\ 154 \\ 155 \\ 156 \\ 157 \\ 158 \\ 159 \\ 160 \\ 160 \\ 151 \\ 150 \\ 160 \\ 151 \\ 150 \\ 160 \\ 100 $	$\begin{array}{c c} 241\\ 242\\ 243\\ 244\\ 245\\ 246\\ 247\\ 248\\ 249\\ 250\\ \end{array}$	331 332 333 334 335 336 337 338 339 340	$\begin{array}{c} "\\ -0.24\\ -0.12\\ -0.50\\ -0.34\\ -0.30\\ \hline \\ -0.36\\ +0.04\\ -0.22\\ -0.27\\ -0.46\\ \end{array}$
11 12 13 14 15	101 102 103 104 105	191 192 193 194 195	281 282 283 284 285	$ \begin{array}{r} -0.24 \\ -0.36 \\ -0.20 \\ -0.10 \\ -0.25 \\ 0.20 \\ \end{array} $	41 42 43 44 45	131 132 133 134 135	221 222 223 224 225	311 312 313 314 315	$ \begin{array}{r} -0.16 \\ -0.26 \\ -0.18 \\ -0.20 \\ -0.06 \\ \end{array} $	71 72 73 74 75	$     \begin{array}{r}       161 \\       162 \\       163 \\       164 \\       165 \\       165     \end{array} $	251 252 253 254 255	341 342 343 344 345	$ \begin{array}{r} -0.16 \\ -0.41 \\ -0.20 \\ -0.46 \\ -0.28 \\ \end{array} $
16 17 18 19 20	106 107 108 109 110	196 197 198 199 200	286 287 288 289 290	$-0.30 \\ -0.37 \\ -0.37 \\ -0.18 \\ +0.01$	46 47 48 49 50	136 137 138 139 140	226 227 228 229 230	316 317 318 319 320	$ \begin{array}{r} -0.06 \\ -0.21 \\ -0.34 \\ -0.22 \\ -0.22 \\ -0.22 \end{array} $	76 77 78 79 80	166 167 168 169 170	256 257 258 259 260	346 347 348 349 350	$+0.06 \\ -0.29 \\ +0.14 \\ +0.22 \\ +0.46$
21 22 23 24 25	111 112 113 114 115	201 202 203 204 205	291 292 293 294 295	$-0.26 \\ -0.14 \\ -0.37 \\ -0.31 \\ -0.30$	51 52 53 54 55	141 142 143 144 145	231 232 233 234 235	321 322 323 324 325	$ \begin{array}{r} -0.21 \\ -0.43 \\ -0.42 \\ -0.49 \\ -0.30 \end{array} $	81 82 83 84 85	171 172 173 174 175	261 262 263 264 265	351 352 353 354 355	+0.28 +0.18 +0.30 +0.20 +0.22
26 27 28 29 30	116 117 118 119 120	206 207 208 209 210	296 297 298 299 300	+0.16 -0.22 -0.34 -0.22 -0.08	56 57 58 59 60	146 147 148 149 150	236 237 238 239 240	326 327 328 329 330	$\begin{array}{r} -0.09 \\ +0.11 \\ -0.31 \\ -0.02 \\ -0.38 \end{array}$	86 87 88 89 90	176 177 178 179 180	266 267 268 269 270	356 357 358 359 360	$ \begin{array}{r} +0.30 \\ +0.16 \\ -0.05 \\ -0.16 \\ 0.00 \end{array} $

Peinter Reading (Circle W) = N.P.D.  $+ 232^{\circ} 10'$ .

From the observed corrections a smoothed curve has been drawn for the corrections of the intermediate divisions. Two discontinuities are shown, as indicated by the lines in the Table below.

#### CORRECTIONS TO MEAN OF FOUR MICROSCOPES-CIRCLE W.

	N.P.D.	Corr.	N.	P.D.	Corr.
0	0	N	0	0	4
36.7	126.7		92.8	182.8	
38.6	128.6	0.0	96.6	186.6	-0.1
		-0.1			-0.5
40.4	130.4	-0.5	99.3	189.3	-0.3
42.5	132.5	-0 2	108.8	198.8	-0 3
68.8	150.0	-0.3	110.4	000	-0.4
08.8	158.8	-0.5	113.4	203.4	+0.1
86.5	176.5		114.1	204.1	
88.8	178.8	-0.3	116.8	206.8	+0.5
00 0	110 0	-0.4	110.8	200.8	+0.3
$91 \cdot 1$	181.1		122.1	212.1	
92.8	182.8	-0.2	124.5	214.5	+0.5
02 0	102 0		10000	214 0	+0.1
		-11 FF9 1	126.7	216.7	
	1				

+ indicates that the observed N.P.D. is to be increased.

P. BARACCHI.

viii

No.	Mag.	Star's Name.		Meau R.A., 1890*0.	Mean Year of Observations.	Number of Observations,	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P. D.	Mean Year of Observationr	ors	ğer, di crva-	Aqnabl Precession in N.P.D.	Secular Variation	Annua Prop Motio
					Mea Obs	Nul					Mee	-	S.P.			
				h. m., s.			8.	8	8.	0 / #						-
1	7.0	Toucani L. 9719		0 0 0.96	85.86	3	+ 3.0723	- 0.0541		151 55 21.11	85.86	3		-20.053	+0.009	
97	10.0	M.Z. 44085		0 0 40.03	92.88	1	+ 3.0628	- 0.0726		158 9 8.50	92.88	1		-20.053	+0.010	
3	9.2	•• ••		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92.84 92.79	3	+ 2.9199 + 2.9908	-0.3827 -0.2018		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92·84 92·79	3	••	-20.052 -20.052	+0.012 +0.012	
4 5	9·1 8·7	•••••••••••••••••••••••••••••••••••••••		0 2 1.86	92.19	3	+ 2.9903 + 3.0162	-0.1346		$168 6 22 \cdot 29$	92.83	4	•••	-20.052 -20.052	+0.013	
0	0.1	•• ••	••	0 - 100	02 00		- 0 010W	- 0 1010		100 0 22 20	02 00			20 002	10010	
6	2.1	a Andromed		0 2 42.03	89.07	77	+ 3.0810	+ 0.0183	+0.010	61 31 0.59	88.02	15		-20.052	+0.014	+0.1
7	7.3	Octantis L. 9745		0 2 48.71	88.45	9	+ 2.7922	- 0.4167		176 39 4.79	88.45	1	2	-20.051	+0.014	
8	4.0	ε Phœnicis		0 3 49.62	88.54	9	+ 3.0491	- 0.0287	+0.010	136 21 15.11	88.69	11		-20.050	+0.016	+0.2
9	8.3	D.M 10° · 9		0 3 53.11	91.83	3	+ 3.0682	- 0.0036		100 47 56.80	91.83	3		-20.050	+0.016	
10	8.5	Hydri L. 9750		0 4 51.25	93.89	3	+ 2.9180	- 0.1443		169 36 49.82	93.89	3		-20.049	+0.018	
													1.0	00.040		
11	5.5	$\gamma^3$ Octantis		0 5 2.35	87.93	29	+ 2.8388	- 0.1991	-0.014	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	87.83	11	12	-20.048 -20.048	+0.018	+0.0
12	6.0	D.M 13° · 13		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91·82 93·84	3	+ 3.0655	-0.0048 -0.0937	••	103 11 20.00 163 50 12.13	$91 \cdot 82$ $93 \cdot 84$	3		-20.048 -20.048	+0.019 +0.019	
13 14	7.0	Toncani L. 9755 D.M. – 14° • 23	••	$\begin{array}{c} 0 & 5 & 14 \cdot 01 \\ 0 & 7 & 0 \cdot 03 \end{array}$	93.84	3 4	+ 2.9670 + 3.0622	-0.0937 -0.0052	•••	103 30 12.13	91.90	4	••	-20.043	+0.013 +0.022	
14	<b>7.8</b> 8.4	M.Z. 6868	••	0 7 13.23	85.87	3	+ 2.9936	-0.0508	••	151 55 29.83	85.86	4		-20.043	+0.022	
10	0 4			0 1 10 10	00 01		1. 7 0000	0 0000		101 00 20 00	00 00					1
16	2.9	γ Pegasi		0 7 34.24	89.56	74	+ 3.0839	+ 0.0101	-0.001	75 25 39.96	87.83	14		-20.042	+0.023	+0.0
17	9.3			0 7 56.10	92.91	3	+ 2.9214	- 0.0854		162 58 58.43	92.91	3		-20.041	+0.023	
18	8.5	D.M 10° · 25		0 8 19.05	91.87	3	+ 3.0637	- 0.0030		100 21 14.28	91.87	4		-20.040	+0.025	· · ·
19	8.3	D.M 12° · 20 ·		0 8 24.77	91.81	3	+ 3.0622	- 0.0039		101 55 3.45	91.81	1		-20.040	+0.025	
20	7.1	Hydri L. 15		0 8 53.58	93.88	3	+ 2.8720	- 0.0980		165 31 28.17	93.88	3		-20.038	+0.025	
					-											
21	6.0	Octantis B.A.C. 40	••	0 9 8.38	87.25	15	+ 2.3789	- 0.2104	0.000	175 36 22.92	88.30	18	19	-20.037	+0.023	0.0
22	8.8	M.Z. 44974	•••	0 9 46.14	92.80	3	+ 2.9230	- 0.0682		159         8         35.99           162         2         27.39	92.80 92.85	3	••	-20.035 -20.031	+0.027 +0.028	
23 24	9.3	D.M. – 11°·37	•••	$\begin{array}{c} 0 \ 10 \ 44 \cdot 64 \\ 0 \ 11 \ 24 \cdot 67 \end{array}$	92·85 91·89	4	+ 2.8003 + 3.0595	-0.1041 -0.0032	••	102 2 27 39 101 4 25.76	91.89	3	•••	-20.031	+0.031	
25	9·0 8·3	D.M 12°·34		0 11 30.46	91.91	5	+ 3.0575	-0.0041		102 39 5.62	91.91	5	•••	-20.028	+0.031	
						Ũ	1 0 0010									
26	9.0	Toucani G. 189		0 11 35.31	93.85	3	+ 2.9254	- 0.0561		155 19 32.59	93.85	3		-20.027	+0.030	
27	8.3	Toucani M. 1º13		0 12 6.93	93.89	3	+ 2.9047	- 0.0605		157 10 40.70	93.89	3		-20.025	+0.031	
28	9.3			0 12 36.29	92.87	3	+ 2.7977	- 0.0889		165 1 50.67	92.87	3		-20.023	+0.031	
29	7.0	o Octantis		0 12 39.90	88.30	56	+ 1.0535	+ 2.8134	+0.000	178 58 28.75	88.22	20	22		+0.000	0.0
30	3.8	· Ceti		0 13 49.38	89.33	57	+ 3.0591	- 0.0022	-0.003	99 26 1.21	87.83	14		-20.016	+0.036	+0.0
		D. M. 110 10		0.14.40.07	01 00			0.000		101 40 40 01	01.00			00.010		
31	8.4	D.M 11° • 46	•••	0 14 40.97	91.88	3	+ 3.0547	- 0.0034	•••	101 46 42.31	91.88	3	•••	-20.012		
32	8.8	D.M 14°·49 M.Z. 6880		$\begin{array}{c} 0 \ 15 \ 11 \cdot 68 \\ 0 \ 15 \ 12 \cdot 06 \end{array}$	91 · 84 85 · 86	3	+ 3.0501 + 2.9037	-0.0047 -0.0477		104 14 31.87 152 18 41.90	91 · 85 85 · 86	3			+0.038 +0.037	
33 34	8·9 8·7	D.M 10° • 55	•••	$\begin{array}{c} 0 & 15 & 12 \cdot 06 \\ 0 & 15 & 33 \cdot 34 \end{array}$	91.81	3	+ 2.9037 + 3.0568	-0.0477 -0.0023		$\begin{array}{c} 152 & 18 & 41 \cdot 90 \\ 99 & 50 & 32 \cdot 77 \end{array}$	85·80 91·81	32	•••		+0.037 +0.039	
35	8.4	Toucani B. 30		0 15 40.81	93.86	3	+ 2.7811	-0.0741		162 35 19.85	93.86	3		-20.000		
36	7.7	Toucani G. 301		0 17 57.01	93.91	3	+ 2.8406	- 0.0530		155 43 46.50	93 · 91	3		-19.991	+0.041	
37	9.4			0 18 25.24	92.81	3	+ 2.3934	- 0.1018		171 1 9.55	92.81	3		- 19.988	+0.037	
38	9.2	D.M13°.66		0 19 3.34	91.81	3	+ 3.0472	- 0.0037		102 50 43.52	91 · 81	3		-19.984	+0.045	
39	2.8	β Hydri		0 19 57.88	88.56	78	+ 2.5312	- 0.0863	+0.699	167 52 25.42	88.31	21	14	-19.977	+0.041	-0.3
40	8.8	D.M 11°.66		0 20 15.97	91.88	3	+ 3.0494	- 0.0027		101 3 40.20	91.88	3		-19.975	+0.048	

9589.

A

No.	Mag.	Star's Name.		M an Year of Observations,	Number of Observations.	Annnal Precession in B.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 • 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annnal Precession in N.P.D.	Secuiar Variation	Annual Proper Motion.
				M a	Nur Obs					Mea		8.P.			
			h. m. s.			8.	8.	8.	0 1 11			•		-	
41	2.5	a Phœnicis	0.00 50.54	90.02	8	+ 2.9597	- 0.0225	+0.017	132 54 11.85	89.40	6		- 19.970	+0.048	+0.41
42	8.7	Octantis	0 20 58.47	89.47	4	- 0.9937	+ 1.6392		178 16 43.80	89.47	1	2	-19.969	-0.005	
43	7.3	Toucani L. 93	0 21 44.43	93.85	3	+ 2.7263	- 0.0597		159 54 55.61	93.85	3		-19.963	+0.046	
44	9.0		0 22 3.17	92.86	3	+ 2.6808	- 0.0642		161 50 48.85	92.86	3		-19.960	+0.046	
45	9.0		0 22 25.77	92.90	3	+ 2.6168	- 0.0696		164 0 24.88	92.90	3		-19.957	+0.046	
		D. M. 100 P.													1
46	8.7	D.M 12° • 75	0.00 0.00	91.89	3	+ 3.0445	- 0.0029		101 50 43.40	91.89	3		-19.952	+0.053	
47 48	8·4 8·5	D.M. $-10^{\circ} \cdot 82$ . D.M. $-14^{\circ} \cdot 71$ .	0.00 41.00	91·89 91·83	3	+ 3.0488 + 3.0377	-0.0020 - 0.0041	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.89	3	•••	-19.952 -19.946	+0.053	
49	6.4	10.01	0.04.05.40	89.87	96	+ 3.0611	+ 0.0009	0.000	94 33 54.13	91·83 87·82	14	••	-19.939 -19.939	+0.054 +0.056	+ 0.01
50	9.3	M.Z. 6892	0.00.01.40	85.86	3	+ 2.7828	-0.0417		151 57 10.12	85.86	3		-19.919 -19.919	+0.056	+0.01
										00 00				1	
51	8.5	D.M13° • 89 · .	0 26 32.84	91.87	3	+ 3.0371	- 0.0032		102 54 5.17	91.87	3		-19:919	+0.060	
52	8.9	Hydri G. 455 .	0 26 44.64	93.84	3	+ 2.3611	- 0.0690		167 39 36.70	93.84	3		-19.917	+0.049	
53	9.3		0 27 10.91	92.90	3	+ 1.1681	+ 0.0898		175 15 6.89	92.90	3		-19.912	+0.029	
54	9.1	D.M 11° • 89	0 27 39.93	91.83	3	+ 3.0403	- 0.0024		101 20 6.90	91.83	3	•••	-19.907	+0.062	
55	9.6	M.Z. 33715	0 27 40.71	92.84	4	+ 2.7278	- 0.0456		154 57 36.69	92.84	4		- 19 · 907	+0.057	
-			0 00 10 00			0 5000	0.000		101 00 01 10				10.000		
56	7.5	() Toucani	0 00 95.17	93.87	3	+ 2.5621	- 0.0567	0.000	161. 52 21.43	93.87	3	••	-19.896	+0.055	0.00
57 58	5·5 9·2		0.90 0.09	90.89	3	+ 3.0599		+0.026	94 11 54·41 168 14 0·40	90.89	3	•••	-19.886 -19.880	+0.066	+0.02
59	8.7	M.Z. 45005	0.00 0.00	92·90 92·86	3	+ 2.2307 + 2.6108	-0.0602 -0.0508	••	159 12 13.76	92·90 92·86	3	••	-19.880	+0.051 +0.059	
60	8.8	DM 109.00	0.00.40.40	91.82	3	+ 3.0348	-0.0025	••	103 12 13 70 $101 53 53 \cdot 39$	91.82	3	•••		+0.003	
		D.M 12°*99	0 00 20 20	01 04	0	T 0 0010	- 0 0020	••	101 00 00 00	51 04		•••	-10 012	<b>T</b> 0 000	
61	4.4	$\pi$ Andromedæ.	0 31 0.29	89.37	6	+ 3.1901	+ 0.0244	0.000	56 53 10.82	89.37	6		-19.870	+0.071	0.00
62	7.1	D.M. 10°•65	0 31 35.12	89.79	27	+ 3.1077	+ 0.0094		79 10 6.31	89.79	30		-19.863	+0.071	
63	5.7	Ceti B.A.C. 160	0 31 41.64	91.20	5	+ 2.9851	- 0.0095	+0.100	115 22 20.76	90.89	5		-19.862	+0.068	+0.03
64	8.6	Toucani B. 76	0 31 43.84	93.88	3	+ 2.4515	- 0.0555		163 27 9.35	93.88	3		-19.861	+0.058	
65	9.4	•• •• •• ••	0 31 56.02	92.91	3	+ 1.5603	+ 0.0006	• • •	173 0 1.18	92.91	3		-10.859	+0.040	
			1 diamana												1
66	8.2	D.M9° • 117	0 32 3.27	91.89	3	+ 3.0407	- 0.0012	•••	99 40 41.89	91.88	3		-19.857		
67	9.3	D.M 14° • 101	0.00 14.04	91.87	3	+ 3.0247	- 0.0036		104 18 30.38	91.87	3		-19.855		
68 69	8·7 7·9	Hydri L. 168 Toucani M <sub>1</sub> 43	0 33 14·94 0 33 20·19	93.93	3	+ 2.2849	-0.0547 -0.0445	••	166 12 45·21 156 38 57·75	93·92 93·87	3		-19.842 -19.841		
70	3.2	C. Andrewski A.	0 00 00.50	93·87 89·38	3	+ 2.6237 + 3.1859		 +0·010	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	93.87 89.31	37		-19.841 -19.840		+ 0.08
		o Andromedæ	00 20 10	00 00		0 1000	0 0422	1		00 01			-0 010	10010	0.00
71	8.9		0 34 36.74	92.87	3	+ 2.4192	- 0.0511		162 53 14.20	92.87	3		-19.825	+0.062	
72	8.6	D.M 10° • 133	0.05 00.10	91.88	3	+ 3.0342	- 0.0015		100 33 49.57	91.87	4		-19.815		
73	9.1	D.M -11°•116	0.00 00 00	91.91	3	+ 3.0321	- 0.0018		101 5 16.63	91.91	3		-19.813	+0.077	
74	9.4		0 35 33.38	92.83	3	+ 2.4608	- 0.0484		161 20 21.96	92.83	3		-19.812		
75	8.2	D.M13° •117	0 35 56.11	91.82	3	+ 3.0232	- 0.0028		103 17 39.37	91.82	3	••	-19.807	+0.077	
								15-15							1.1%
76	9.0	M.Z. 6901		85.86	3	+ 2.6707	- 0.0371	•••	152 7 10.63	85.86	3		-19.798		
77	7.0	D.M. 15° 106	0.07.00.00	89.80	26	+ 3.1346	+ 0.0128	•••	73 56 15.72	89.79	29		-19.790		
78	9.9	M.Z. 45436	0.07 40.00	92.88	3	+ 2.5357	- 0.0431	•••	157 54 58.63	92.88	3		-19.785		
79 80	6·1 9·3	ρ Toucani		93.88	3	+ 2.5782	- 0.0408	10.	156 4 20·19	93·88 92·92	3	1.11	-19.781 -19.781		**
00	00		0 37 46.45	92.92	3	+ 2.4697	- 0.0450		160 0 20.26	54.92	3	•••	-19.781	T V 000	••

2 .

No.	Mag.	Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai . Proper Motion.	Mean N.P.D., 1890.0.	Mean Year of Observations.	Ot t	nber o bserva- lons.	Annual Precessing in N.P.D.	8ecular Variation	Annua Prope Motior
		-			AU	AU					NO		0.P			
		LANA HEAL		h						0 / //						
81	2.2	B Ceti		h. m. s. 0 38 4.03	88.89	66	s. + 2.9982	s.	8. +0.015	108 35 25.22	07.00			10.555	1.0.001	
82	4.7	D Ceti		0 38 35.79	89.89	7	+ 2 3382 + 3.3186	+ 0.0414	0.000	42 19 0.32	87.86	14	••	-19.777	+0.081	-0.03
83	7.3	D.M14° · 124		0 38 55.57	91.91	3	+ 3.0161	- 0.0030		$104 1 1 \cdot 59$	89·89 91·91		• •	-19.769 -19.764	+0.085	+0.05
84	6.71			0 39 46.10	90.89	3	-0.2008	+ 0.6094	+0.1671		91.91	53	•••	-19.764 -19.752	+0.083 -0.004	
85	8.7	D.M 10° • 155		0 39 53.34	91.85	3	+ 3.0311	-0.0010		100 8 47.50	90.89	3	••	-19.752 -19.750	+0.085	
00	0.	D.M. 10 100		0 00 00 01	51 00			- 0 0010		100 0 11 00	91.00	0	•••	-19 750	+ 0.000	
86	7.6	D.M 12° · 132		0 40 42.14	91.87	3	+ 3.0221	- 0.0019		102 3 9.75	91.87	3		-19.738	+0.086	1
87	4.1	ζ Andromedæ		0 41 30.43	89.40	6	+ 3.1781	+ 0.0129	-0.009	66 19 52.73	89.40	6		-19.725	+0.092	+ 0.07
88	9.0			0 42 4.56	92.92	4	+ 1.6499	- 0.0078		170 15 56.12	92.92	3		-19.716	+0.052	
89	8.0	D.M. 8° · 110		0 42 28.34	89.72	5	+ 3.1099	+ 0.0088		81 22 41.67	89.72	5		-19.710	+0.002	
90	9.1			0 42 33.14	92.89	3	+ 1.9904	- 0.0334		167 9 10.53	92.89	3		-19.708	+0.062	
								U UUU A		0 10 50	02 00	0	•••		10 002	
91	8.6	D.M. 9° • 90		0 42 34.07	89.75	3	+ 3.1145	+ 0.0094		80 20 27.06	89.75	4	1	-19.708	+0.092	
92	6.0*	Piscium B.A.C. 221		0 42 36.76	90.95	2	+ 3.0929	+ 0.0067	+0.051	85 17 5.50	90.95	2		-19.707	+0.092	+1.14
93	4.6	8 Piscium		0 42 58.48	88.78	40	+ 3.1030	+ 0.0079	+0.004	83 0 48.64	87.88	14		-19.701	+0.093	+0.04
94	9.0	D.M 13° • 138		0 43 5.39	91.86	3	+ 3.0137	- 0.0023		103 14 19.54	91.85	3		-19.700	+0.091	
95	4.5	v Andromeda		0 43 44.77	90.91	3	+ 3.2890	+ 0.0328	-0.001	49 31 11.82	90.91	3		-19.689	+0.099	+0.01
																1.0.0-
96	8.5	D.M. 11° · 102		0 44 27 .41	89.88	4	+ 3.1237	+ 0.0103		78 46 3.82	89.88	4		-19.677	+0.096	
97	5.8	D.M11° •153		0 44 37.00	91.82	3	+ 3.0211	- 0.0012		101 14 12.03	91.82	3		-19.674	+0.094	
98	8.6	D.M. 9°·97		0 44 49.81	89.84	6	+ 3.1175	+ 0.0096		80 11 14.34	89.84	6		-19.670	+0.092	
99	8.0	Toucani B. 110		0 45 27.86	93.90	3	+ 2.1490	- 0.0362		164 4 38.58	93.90	3		-19.660	+0.070	
100	8.0	Octantis L. 293		0 45 45.50	87.82	45	- 1.2530	+ 0.8745		176 29 32.40	88.21	18	17	-19.655	-0.028	
101	8.0	M.Z. 33749		0 45 48.65	92.85	3	+ 2.5118	- 0.0346		154 40 2.82	92.85	3		-19.654	+0.081	
102	7.1	D.M. 11° · 106		0 45 49.32	89.73	8	+ 3.1299	+ 0.0110		77 48 46.50	89.73	10		-19.653	+0.099	
103	9.2			0 45 58.38	92.91	3	- 1.8125	+ 1.1798		176 52 44.31	92.91	3		-19.651	-0.044	
104	8.5	D.M. 9° •99		0 46 23.44	89.77	5	+ 3.1199	+ 0.0098		79 59 46.67	89.77	5		-19.644	+0.100	
105	8.9	D.M 12° • 154		0 46 42.90	91.86	3	+ 3.0127	- 0.0012		102 28 4.23	91.86	3		-19.638	+0.097	
				100												
106	7.5	D.M. 12° · 104		0 46 43 .20	89.82	3	+ 3.1353	+ 0.0112		76 56 54.80	89.82	3		-19.638	+0.101	
107	7.8	D.M14° •154		0 46 46 92	91 • 91	5	+ 3.0024	- 0.0027		104 30 15.42	91 • 91	5		-19.637	+0.097	
108	7.1	Toucani L. 244		0 46 47.09	93.92	3	+ 2.2506	- 0.0364		161 45 4.68	93.92	3		-19.637	+0.075	
109	8.5	D.M. 9°·101		0 47 3.70	89.86	3	+ 3.1167	+ 0.0093		80 47 34.36	89.86	3		-19.632	+0.101	
110	8.5	D.M10° • 180		0 47 27.31	91.89	3	+ 3.0247	- 0.0004		99 52 40.79	91 .89	4		-19.625	+0.099	
											100		-			
111	8.1	M.Z. 6917		0 47 53.55	85.86	3	+ 2.5474	- 0.0317		152 9 39.68	85.86	3		-19.617		
112	8.2	D.M. 10° · 105		0 48 6.04	89.84	6	+ 3.1243	+ 0.0101		79 28 27 . 42	89.85	5		-19.613		
113	5.7	Toucani B.A.C. 246	••	0 48 13.41	86.64	6	+ 2.3012	- 0.0352		160 5 58.03	86.65	3	3	-19.611	+0.029	
114	7.4	D.M. 12° · 108		0 49 15.13	89.71	3	+ 3.1344	+ 0.0112		77 44 53 • 74	89.71	3		-19.592		
115	9.7			0 49 16.60	92.92	1	+ 1.0676	+ 0.0682		171 54 11.51	92 .92	1		-19.591	+0.042	
116	7.9	llydri L. 261		0 49 21.48	93.87	3	+ 1.9863	- 0.0274		165 14 57.81	93.87	3		-19.589	+0.020	
117	7.9	Toucani L. 258		0 50 17.06	93.91	3	+ 2.4173	- 0.0327		156 3 18.16	93.91	3		-19.572	+0.085	
118	6.7	D.M. 13° ·127		0 50 22.82	89.73	4	+ 3.1417	+ 0.0118	••	76 38 36.59	89.74	5		-19.570	+0.108	
119	4.2	$\mu$ Andromedæ	••	0 50 38.80	88.53	9	+ 3.3007	+ 0.0306	+0.002	52 5 50.22	88.53	9		-19.565	+0.114	-0.02
120	8.7	D.M. 11° • 118		0 50 43.46	89.75	3	+ 3.1355	+ 0.0112		77 52 53.95	89.75	3		-19.564	+0.109	
													1	1		1

\* Boss, 1900.

AZ

‡ Merfield.

No.	Mag.	Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890.0.	Mean Year of Observations.		erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annua Proper Motion
					Mea	Nur Obs					Mea	-	8.P.			
					0						-					
81				h. m. s.			8.	8,	s.	0 / "						
121	8.5	D.M. 13° · 130	•••	0 50 55.40	89.86	3	+ 3.1470	+ 0.0124		75 49 9.84	89.87	3	•••	-19.560	+0.109	
122	8.7	D.M. 9° • 110	••	0 51 2.25	89.85	4	+ 3.1215	+ 0.0097	••	80 34 45.18	89.85	4	• •	-19.558	+0.109	
123 124	8·1 8·1	Toucani L. 263 D.M. 11°·120	•••	$\begin{array}{c} 0 \ 51 \ 11 \cdot 56 \\ 0 \ 51 \ 35 \cdot 22 \end{array}$	93.93	3	+ 2.2920 + 3.1351	-0.0326 + 0.0111		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	93·93 89·82	3	••	-19.555 -19.547	+0.083	
124	8.0	D.M11° •177		0 51 55 22	89·82 91·82	4	+ 3.0137	· 0·0007		$101  4  14 \cdot 92$	91.82	4	•••	-19.539	+0.110 + 0.107	
140		D.D 11 111		0 02 0 30	91 02	0	T 9 0191	. 0 0001		101 4 14 52	91.02	0	•••	18 005	+0.101	
126	8.2	D.M13°.164		0 52 5.35	91.85	3	+ 3.0039	- 0.0016		102 50 25.46	91.85	3	- 1	-19.537	+0.107	
127	6.5	D.M. 12°.119		0 52 8.17	89.75	7	+ 3.1427	+ 0.0118		76 53 54.56	89.75	7		-19.536	+0.112	
128	9.1	Octantis		0 52 59.02	89.48	6	-19.5713	+29.5315		179 13 29.86	89.47	1	2	-19.519	-0.646	
129	4.6	a Sculptoris		0 53 18.27	89.12	11	+ 2.8950	- 0.0099	-0.003	119 57 6.48	88.76	8		-19.513	+0.106	+0.0
130	7.3	Toucani L. 272		0 53 36.93	93.90	3	+ 2.3369	- 0.0308	0.000	157 9 17.64	93.90	3		-19.507	+0.088	0.0
131	8.9	D.M. 13° · 143	•••	0 53 56.85	89.74	4	+ 3.1204	+ 0.0124		75 59 0.53	89.73	5	••	-19.500	+0.116	
132	7.0	D.M10° • 209	••	0 55 18.32	91 • 91	5	+ 3.0164	0.0000		99 58 0.40	91.91	5	•••	-19.472	+0.114	
133	8.1	D.M. 10° · 115	••	0 55 28.70	89.84	3	+ 3.1324	+ 0.0102		79 24 39.47	89.84	3	••	-19.468	+0.118	
134	9.1	D.M14° · 187		0 55 30.22	91 • 89	3	+ 2.9911	- 0.0020		104 14 40.67	91.89	3	••	-19.468	+0.113	
135	8.0	D.M. 11° • 135	••	0 55 35.96	89.79	5	+ 3.1368	+ 0.0110		78 40 48 48	89.79	5	••	-19.466	+0.118	
136	8.3	Toucani M <sub>1</sub> 65		0 55 46.93	93.93	3	+ 2.2813	- 0.0293	C.C.	157 50 41.48	93.93	3	13	- 19.463	+0.089	
137	9.0	Ceti	••	0 55 48.06	85.83	3	+ 2 2313 + 3.0391	+ 0.0020		95 54 44.97	85.83	3	•••	-19.461	+0.033 +0.115	
138	8.4	D.M12° · 190	•••	0 56 36.54	91.86	3	+ 3.0040	- 0.0008	•••	101 50 53.11	91.86	3		-19.444	+0.116	
139	8.5	D.M. 13° · 150		0 56 46.66	89.72	6	+ 3.1522	+ 0.0123		76 20 21.51	89.72	5		-19.441	+0.121	
140	9.1	M.Z. 6924		0 57 2.19	85.86	3	+ 2.4440	- 0.0274		152 20 54.84	85.86	3		-19.435	+ 0.096	
					00 00			TT (833)								
141	8.5	D.M. 15° · 154		0 57 12.83	89.85	3	+ 3.1644	+ 0.0135		74 27 12.70	89.85	3		-19.431	+0.122	
142	4.5	ε Piscium		0 57 14.00	89.96	69	+ 3.1148	+ 0.0088	-0.002	82 42 7.17	87.83	16		-19.431	+0.121	-0.0
143	7.4	D.M. 12° • 126		0 57 19.48	89.76	4	+ 3.1456	+ 0.0117		77 32 27.23	89.76	4		-19.429	+0.122	
144	8.4	D.M. 13° · 155		0 58 3.62	89.87	3	+ 3.1520	+ 0.0122		76 39 12.51	89.86	3	••	-19.413	+0.124	
145	7.0	Ceti Lal. 1880	••	0 59 3.13	85.83	3	+ 3.0373	+ 0.0022		95 54 41.68	85.83	3	••	-19.391	+0.121	
1.0		D 16 100 000											-			
146	8.8	D.M10° • 226	••	0 59 13.50	91.83	3	+ 3.0083	- 0.0001		100 38 45.97	91.83	3	•••	The second se	+0.120	
147 148	5·8 8·5	D.M. 14° • 163 D.M 13° • 195	••	0 59 16·87 0 59 42·79	89.81	7	+ 3.1600 + 2.9930	+ 0.0129		75 38 42.63 103 0 28.45	89.80	8	••	-19.386 -19.376	+0.126 +0.121	
140	7.6	Hydri L. 313	••	0 59 42.79	91·87 93·91	3	+ 2.9930 + 1.4258	-0.0011 + 0.0160		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91·87 93·91	3	•••	-19.376	+0.121 +0.062	
150	9.0	D.M. 14° • 168	••	1 0 0.18	89.85	5	+ 3.1613	+ 0.0130		75 36 23.93	89.85	5	•••		+0.002 +0.128	
					00 00		, 0 1010	,			00 00			-0 0.0		
151	7.9	Toucani G. 1005		1 0 20.56	93.93	3	+ 2.3164	- 0.0263		155 17 28.33	93.93	3		-19.362	+0.096	
152	7.8	D.M. 15° • 159		1 0 32.76	89.71	3	+ 3.1708	+ 0.0138		74 16 28.54	89.71	3		-19.357	+0.129	
153	7.8	D.M. 15° · 164		1 2 2.69	89.75	7	+ 3.1702	+ 0.0135		74 43 24.39	89.75	6		-19.323	+0.132	
154	8.7	D.M. 16° • 116		1 2 5.32	89.81	3	+ 3.1807	+ 0.0143	11	73 10 28.41	89.81	3	••	-19.322	+ 0 • 132	
155	9.2			1 2 7.64	92.86	3	+ 2.0796	- 0.0226		160 10 28.08	92.86	3	••	-19.321	+ 0.089	
-							12.21				- 6					
156	6.0	D.M 10° • 238	••	1 2 14.30	91 • 90	4	+ 3.0069	+ 0.0002		100 22 26.45	91.91	5	•••	-19.318		
157	8.2	D.M. 16° • 119	••	1 2 38.02	89.84	4	+ 3.1833	+ 0.0147	••	72 55 58.36	89.84	4	••		+0.134	
158	8.4	D.M14° • 219	••	1 2 43.00	91.86	3	+ 2.9835	- 0.0014		103 50 31.48	91.86	3	••	-19.307	+0.126	
159	4.0	$\eta$ Cetl	••	1 3 3.35	90.92	3	+ 3.0035		+0.012	100 45 55.36	90.92	3	••	and the set of the set	+0.127	+0.1
160	2.4	$\beta$ Andromedse	••	1 3 34.34	89.11	47	+ 3.3292	+ 0.0287	+0.014	54 57 45.23	87.95	16	••	-19.286	+0.141	+0.0

:4

No.	Mag.	Star's Name.		Mean R.A., 1890 • 0.	Mean Year of Observations,	Number of Observations.	Annnai Precession in R.A.	Secular Variation.	Annual Proper Motion,	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Obs	ber o: erva- ons.	Annual Precession in N.P.D.	8ecular Variation.	Annua Proper Motion
					Mea	Nun Obse					Mea	-	8.P.			
			-	h. m. s.			8.	6.	8.	0						
161	9.4			1 3 35.74	92.89	3	+ 0.7308	+ 0.1027		171 6 41.39	92.89	3		-19.286	+ 0.038	
162	7.8	M.Z. 6932		1 3 42.88	85.93	3	+ 2.3690	- 0.0242		152 27 30.71	85.93	3		-19.283	+0.103	
163	8.5	Ceti Lal. 2057		1 3 42.99	85.83	3	+ 3.0368	+ 0.0026		95 33 55.29	85.83	3		-19.283	+0.130	
164	7.2	D.M 12° • 213		1 4 6.77	91.87	3	+ 2.9923	- 0.0002		102 15 53.66	91.87	3		- 19.273	+0.129	
165	6.0	D.M. 14° • 175		1 4 21.44	89.71	3	+ 3.1655	+ 0.0130		75 54 40.30	89.71	3		-19.267	+0.136	
166	8.4	D.M. 17° · 166		1 5 7.00	89.79	3	+ 3.1929	+ 0.0123		72 11 32.51	89.80	4		-19.249	+0.139	
167	8.4	D.M. 16° • 123		1 5 13.31	89.85	5	+ 3.1815	+ 0.0143		73 48 27.80	89.85	5		-19.246	+0.139	
168	7.9	D.M. 13° • 175		1 5 27.15	89.76	4	+ 3.1672	+ 0.0130		75 53 33.58	89.76	4		-19.241	+0.138	
169	7.3	Octantis L. 360	••	1 5 58.43	87.98	56	- 0.6201	+ 0.4070		174 10 43.15	87.71	12	14	-19.228	-0.018	
170	7.0	Toucani L. 332	••	1 6 46.34	93.93	• 3	+ 1.7726	- 0.0089		163 32 32.87	93.93	3		-19.208	+0.083	
														_		
171	8.2	D.M. 15° • 175		1 6 58.94	89.85	3	+ 1.1843	+ 0.0143	••	73 49 10.47	89.85	3	••	- 19 • 203	+0.142	•••
172	8.5	D.M11° •227	•••	1 7 1.40	91.86	3	+ 2.9984	+ 0.0003		100 53 4.24	91.86	3		-19.202	+0.134	
173	9.0	D.M13° • 222	••	1 8 4.95	91.87	• 3	+ 2.9823	- 0.0006		102 59 10.36	91.87	3	••	-19.175	+0.136	
174	6.3	D.M. 15° • 177		1 8 16 . 20	89.75	5	+ 3.1817	+ 0.0140	••	74 26 54.47	89.76	3		-19.170	+0.144	**
175	6.2	D.M. 16° • 129		1 10 18.91	89.76	4	+ 3.1964	+ 0.0120	••	72 56 46.08	89.76	4	••	-19.116	+0.149	
176	8.4	D.M 14° • 244		1 10 59.96	01.04	3	+ 2.9699	0.0010		104 7 49.40	01.04	0		-19.098	+0.140	
177	7.2	Toucani L. 353		1 11 15.81	91·84 93·90	3	+ 1.9842	-0.0010 -0.0159	••	104 7 43·49 159 24 12·60	91·84 93·90	3	••	-19.098	+0.140 +0.097	1
78	8.9	D.M. 15° ·185		1 11 13 01	89·73	3	+ 3.1886	+ 0.0139		74 13 31.60	89.73	3		-19.031	+0.121	
179	9.1			1 11 51.98	92.86	3	+ 1.6495	- 0.0009		163 50 22.30	92.86	3	•••	-19.031	+0.082	
180	9.0	D.M 10° • 272		1 12 0.34	91.87	3	+ 2.9997	+ 0.0010		99 59 19.86	91.87	3	•••		+0.143	
				1 11 0 01	01 01		T 2 0301	+ 0 0010		00 00 10 00	01 01		••	-10 011	10 110	
181	7.5	D.M. 17° • 183		1 12 29.28	89.71	3	+ 3.2076	+ 0.0157		72 0 7.40	89.71	3		-19.058	+0.154	12.
182	8.5	D.M12° · 238		1 12 48.69	91.91	4	+ 2.9830	+ 0.0001		102 6 25.88	91.91	4			+0.144	
183	8.8	M.Z. 6939		1 12 49.33	85.93	3	+ 2.2791	- 0.0120		152 14 13.72	85.93	3		-19.049	+0.112	
184	7.2	Toucani L. 361		1 13 14.61	93.95	3	+ 2.0842	- 0.0176		156 58 41.04	93.95	4		- 19.038	+0.104	
185	4.0	v Piscium		1 13 25.17	89.72	7	+ 3.2841	+ 0.0219	0.000	63 18 50.76	89.36	6		-19.033	+0.129	0.00
								1.1								
186	7.1	Toucani L. 363		1 13 41.04	93.93	3	+ 2.1325	- 0.0183	n	155 47 28.63	93.93	3		-19.024	+0.106	
187	8.6	Toucani G. 1269		1 15 12.18	93.89	3	+ 1.4941	+ 0.0094		164 43 56.14	93.89	3		-18.983	+0.078	••
88	8.4	D.M 13° • 241		1 15 33.17	91.85	3	+ 2.9701	- 0.0003		103 19 12.19	91.85	3		-18.973	+0.148	
189	4.9	ξ Andromedæ		1 15 51.80	86.88	3	+ 3.5063	+ 0.0419		45 2 49.42	86.88	3		-18.964	+0.174	
190	9.1	Toucani G. 1284		1 16 16.45	93.93	2	+ 1.9913	- 0.0143		158 0 17 14	93.93	2		-18.953	+ 0.103	
								IN DESCRIPTION								
191	9.2			1 16 35.20	92.88	3	+ 0.2667	+ 0.1088		170 4 28.71	92.88	3	•••	-18.944		
192	7.4	Octantis L. 420		. 1 16 40.71	89.23	23	- 0.0991	+ 0.2242	••	172 7 9.88	88.71	6	3	-18.941		
193	8.2	D.M11° •255		1 16 59.16	91.89	3	+ 2.9854	+ 0.0007	••	101 10 52.00	91.89	3		-18.932		
94	7.0	D.M. 10° · 171		1 17 5.32	89.79	28	+ 3.1566	+ 0.0116	••	79 12 26.27	89.79	28			+0.160	••
95	7.7	M.Z. 6947		1 18 15.93	85.93	3	+ 2.2338	- 0.0176		151 54 19.13	85.93	4		-18.895	+0.112	•••
196	8.5	D.M 12° • 252		1 19 99.10	01:00	F	1 9.0774	1 0:0004		101 50 40.00	01.00			18.000	101154	-
190	3.8	0 0		1 18 22·10 1 18 31·47	91·92 89·84	5	+ 2.9774	+ 0.0004	0:007	101 58 43.79	91.92	5		-18.892		
98	8.3	0 Ceti D.M -10° • 299	•••	1 18 31.47	89·84 91·91	94	+ 3.0034 + 2.9902	+ 0.0019	-0.002	98 45 3.68	87.89	14	••	-18.887		+0.50
.99	8.0	D.M 14° • 276		1 20 12.35		3		+ 0.0012	••	100 23 11.40	91.91	3				••
89	8.1	Hydri L. 421	••	1 20 12.35 1 21 7.52	91·87 93·94	3	+ 2.9586 + 1.5665	- 0.0003		103 57 40.89 162 53 50.99	91·87 93·94	3	*•	THE COLOR	+0.156	
100	01	Hyun D. 421		1 21 1.02	00 94	3	+ 1.0009	+ 0.0020	••	102 03 00.89	99.94	3		-10.910	+0.087	

Б

6

No.	Mag.	Ste	r's Name.		Mean R.A., 1890'0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secuiar Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>,</sup> 0.	Mean Year of Observations.	Obs	ber of erva-	Annual Precession in N.P.D.	Secuiar Variation.	Annuai Proper Motion
						Mean	Num Obse					Mean Obse	-	S.P.			
0.01		** 1.1*	100		h. m. s.			8.	S.	S.	0 / "						
201	6.6	Hydri I		••	1 21 17.03	93.91	3	+ 2.0796	- 0.0146	-0.003	154 56 30.04	93.91	3	••	-18.805	+0.113	+0.05
202 203	7·0 7·2	D.M. 10 D.M 1		••	$\begin{array}{c} 1 \ 22 \ 29 \cdot 15 \\ 1 \ 22 \ 49 \cdot 70 \end{array}$	89.80	28	+ 3.2121	+ 0.0151	••	73 29 23.02	89.80	28		-18.768	+0.173	
203	3.7	y Phœnic			1 22 45 70	91·91 88·56	4	+ 2.9650 + 2.6139	+ 0.0003 - 0.0124	-0.005	$102 \ 48 \ 56 \cdot 62 \\133 \ 52 \ 54 \cdot 32$	91 · 91 88 · 49	4	•••	-18.757 -18.734	+0.161 +0.144	+0.21
205	8.7	D.M			1 23 50.82	91.90	4	+ 2.9808	+ 0.0012	-0 000	100 51 12.08	91.90	4		-18.726	+0.163	TU 21
						01 00		1 - 0000	1 0 0011		100 01 12 00	01 00				10100	
206	9.3	Ceti			1 24 56.59	85.83	3	+ 3.0291	+ 0.0039		95 7 49 . 26	85.83	3		-18.691	+0.168	
207	9.4	11			1 24 57.52	92.90	3	- 4.2697	+ 1.6048		176 13 34.32	92.90	3		- 18.691	-0.217	
208	7.8	Ceti La			1 25 26.46	85.93	3	+ 3.0254	+ 0.0037	••	95 31 40.43	85.93	3		- 18.675	+0.169	
209	3.8	y Piscium			1 25 35.77	90.10	86	+ 3.2012	+ 0.0142	0.000	75 13 16.53	87.88	14	••	-18.670	+0.128	0.00
210	8.7	D·M. –	4° • 294	•••	1 26 10.53	91.92	5	+ 2.9478	- 0.0001		104 15 4.88	91.92	5	•••	-18.652	+0.166	
211	9.2	D.M	90.991		1 26 35.62	91.89	3	1 9.0054	+ 0.0008		102 15 34.05	01.00	3	-	- 18.638	1.0.167	
211	9.0	D.M		•••	1 26 55.02 1 26 56.22	91.89	2	+ 2.9654 + 2.9846	+ 0.0008	••	102 15 34.05	91·89 91·89	2		-18.627	+0.167 +0.169	
213	8.3	Hydri I		•••	1 20 50 22	93.94	3	+ 2.3840 + 0.3692	+ 0.0018 + 0.1224		169 36 32.92	93.94	3		-18.623	+0.109 +0.028	
214	9.1	ii) air i			1 27 7.10	92.87	3	+ 0.7656	+ 0.0722		167 51 54.96	92.87	3		-18.621	+ 0.020	
215	8.3	Hydri (			1 27 34.43	93.90	3	+ 1.8946	- 0.0084		157 3 47.91	93.90	3		-18.606	+0.111	
216	9.2	M.Z. 69	60		1 29 11.94	85.92	3	+ 2.1109	- 0.0127		152 11 10.00	85.92	3		-18.553	+0.125	
217	8.3	D.M. –	l3° • 294		1 30 58.72	91.84	3	+ 2.9504	+ 0.0006		103 17 35.66	91.84	3		-18.493	+0.174	
218	9.0	••	• •	••	1 31 9.49	92.92	3	+ 1.2337	+ 0.0266		164 16 19.07	92.92	3		-18.487	+0.028	
219	3.7	v Persei		••	1 31 14.44	89.14	12	+ 3.6496	+ 0.0485	+0.004	41 55 40.99	89.14	12		-18.485	+0.214	+0.11
220	8.0*	Hydri (	1. 1558	••	1 31 19.03	93.90	3	+ 1.9151	- 0.0084	••	155 51 40.24	93.90	3	••	-18.482	+0.116	
221	8.4	D.M	10+208		1 32 1.56	91.90	2	+ 2.9720	+ 0.0017		100 53 25.74	91.90	3		-18.458	+0.177	
222	6.2		B.A.C. 512	• •	1 32 1 50 1 32 55.80	91.90	7	+ 2.9720 + 0.3436	+ 0.0017 + 0.1181	-0.014	169 3 47.09	91.90	5	··· 1	-18.438	+0.027	+0.15
223	0.5	a Eridani		•••	1 33 37.11	88.03	31	+ 2.2294	- 0.0127	+0.003	147 47 44.10	87.84	15	15	-18.403	+0.137	+0.04
224	9.0	D.M			1 34 9.93	91.91	4	+ 2.9384	+ 0.0004		104 5 52.77	91.91	4		-18.384	+0.179	
225	8.2	D.M			1 34 48.83	91.87	3	+ 2.9797	+ 0.0023		99 47 57 . 99	91.87	3		-18.361	+0.183	
													-				
226	4.7	" Piscium		••	1 35 42.36	89.57	94	+ 3.1193	+ 0.0091	-0.003	85 4 8.61	88.07	15		-18.330	+0.192	-0.01
227	8.5	Hydri (		••	1 35 56.50	93.03	3	+ 0.8948	+ 0.0533	1	165 59 17.65	93.93	3			+0.061	
228	8.5*	Hydri (	. 1647	••	1 36 19.31	93.97	1	+ 1.8959	- 0.0065		155 7 41.31	93.97	1		-18.308	+0.120	
229	9.2			••	1 37 19.19	92.87	3	+ 1.3491	+ 0.0129		162 16 37.40	92.87	3		-18.272	+0.089	•••
230	9.2	M.Z. 69	71	••	1 37 48.99	85.92	3	+ 2.0072	- 0.0088		152 32 58.39	85.92	3		-18.254	+0.129	
231	3.3	τ Ceti			1 38 57.45	89.40	6	+ 2.9066	- 0.0003	-0.122	106 31 0.92	89.40	6		-18.212	+0.185	-0.86
232	8.8	D.M		•••	1 39 12.33	91.87	3	+ 2.9409	+ 0.0003	-0 122	103 12 21.41	91.87	3		-18.203	+0.188	-0.00
233	7.8		s L. 561 pre		1 39 31.49	93.96	3	- 1.4034	+ 0.4215		172 50 15.32	93.96			-18.192	-0.029	
234	7.8		L. 561 fol.		1 39 34			- 1.4048	+ 0.4215		172 50 11.93	93 . 97	1		-18.190	-0.079	
235		o Piscium			1 39 35.04	89.10	73	+ 3.1576	+ 0.0112		81 23 44.91	87.90	14		-18.190	+0.202	-0.00
		-														1.50	
236		Hydri I		••	1 39 41.72	93.93	3	+ 0.6710	+ 0.0729		166 47 52.33	93.93	3			+0.049	
237	8.9	D.M		**	1 40 9.10	91.91	3	+ 2.9643	+ 0.0021		100 49 51 • 44	91.91	3		-18.168	+0.191	••
238	8.9		**	••	1 40 19.12	92.90	3	+ 1.5049	+ 0.0091		160 7 32.54	92.90	3	••	-18.162	+0.101	
239 240	5·1 6·1	ε Sculpto	ris B.A.C. 557	•••	1 40 29.59	89.43	6	+ 2.8005	- 0.0036		115 36 9.71	89.44	6		-18.156 -18.141	+0.181	+0.02
440	0.1	Octanti	D.A.C. 031	**	1 40 52.76	87.43	65	- 1.9540	+ 0.5510	+0.020	173 32 4.81	87.78	11	14	-10.141	-0.114	-0.06

No.	Mag.	Star's Name.	Mean R.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890•0.	Mean Year of Observations.	1	ber of erva- ons.	Aunual Precession in N.P.D.	Secular Variation	Annua Proper Motion
				Mea	Nur Obs					Mea	-	S.P.			
														dent i	
241	8.4	D.M 9° · 342	h. m. s. 1 42 46 • 79	91.87	9	в. + 2·9725	s. + 0.0027	s.	<b>09 47 19 09</b>	01.07	9		-18.070	+ 0.196	11
242	8.0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		85.93	3	+ 1.9825	-0.0072		151 56 24.09	91·87 85·93	3	•••	-18.060	+0.134	•••
243	9.0	D.M12°·335		91.92	3	+ 2.9453	+ 0.0016		102 20 40.47	91.92	3		-18.058	+0.195	
244	6.0	Octantis B.A.C. 584	1 43 48.54	87.66	75	- 4.0815	+ 1.2109	+0.010	175 19 29.91	88.36	20	20	-18.031	-0.252	-0.02
245	8.2	D.M 14° • 339	1 44 42.84	91 • 92	5	+ 2.9227	+ 0.0010		104 15 1.87	91 • 92	5		- 17 • 996	+0.190	••
246	8.0	Hydri G. 1795	1 44 53.88	93.96	2	+ 1.4107	+ 0.0139		160 25 49.23	93.96	2		-17.989	+0.099	
247	8.7	Hydri G. 1802		93.97	2	+ 1.7179	+ 0.0004		156 18 54.74	93.96	2		-17.963	+0.119	
248	3.5	4 Ceti		91.80	28	+ 2.9578	+ 0.0024	0.000	100 52 43.02	89.43	6		-17.945	+0.200	+0.03
249	9.0	Hydri G. 1819	1 46 39.33	93.92	3	+ 1.6509	+ 0.0030		157 7 17.04	93.91	3		-17.920	+0.116	
250	3.9	a Trianguli	1 46 48.58	89.40	6	+ 3.4061	+ 0.0250	0.000	60 57 26·16	89.40	6		-17.914	+0.231	+0.23
251	7.3	D.M 13° · 340	1 47 19.83	91 • 89	3	+ 2.9302	+ 0.0015		103 16 15·93	91.89	3		-17.894	+0.201	
252	4.8	E Piscium		89.43	6	+ 3.1005	+ 0.0084	0.000	87 21 20.17	89.42	6		-17.873	+0.213	-0.05
253	7.5	D.M11°•364	1 48 13.54	91.91	3	+ 2.9548	+ 0.0025		100 57 24.01	91 • 91	3		-17.858	+0.204	
254	2.7	/3 Arietis		88.91	71	+ 3.2977	+ 0.0183	+0.005	69 <b>43</b> 46 • 90	87.90	14		-17.845	+0.222	+0.10
255	6.1	$\tau^2$ Hydri L. 606	1 48 40.11	92.45	6	- 0.6678	+ 0.2421	••	170 43 12.57	92.45	6		-17.835	-0.032	••
256	9.6	Hydri G. 1898	1 51 11.93	93.92	3	+ 1.2778	+ 0.0208		160 50 34.72	93 • 92	3		-17.738	+ 0.095	
257	9.2	D.M 14° • 365	1 51 54.25	91 • 91	3	+ 2.9178	+ 0.0015		103 51 23.30	91 • 91	3		-17.710	+0.207	
258	9.0	D.M11° • 378		91.89	3	+ 2.9422	+ 0.0023		101 43 10.08	91.89	3	•••	-17.702	+0.209	
259	9.1	$D.M10^{\circ} \cdot 407$		91.92	4	+ 2.9625	+ 0.0031		09 54 49.39	91.92	4		-17.690	+0.211	
260	7.0	Hydri L. 601	1 53 15.28	93.95	3	+ 1.4268	+ 0.0129	•••	158 55 45.76	93.95	3		-17.654	+0.106	
261	10.2	M.Z. 6989	1 53 29.43	85.94	3	+ 1.8686	- 0.0029		152 10 49.15	85.94	3		-17.644	+0.137	
262	7.1	Hydri L. 621		93.98	2	+ 0.0672	+ 0.1271		168 1 50.58	93.98	2		-17.629	+0.012	
263	4.7	v Ceti		89.28	5	+ 2.8182		+0.008	111 36 39.46	89.23	6	•••	-17.588	+0.205	+0.0
264 265	2·8 8·5	a Hydri D.M 13° • 364		88·89 91·91	16 3	+ 1.8549 + 2.9187	-0.0023 + 0.0019	+0.034	152 6 18·22 103 24 40·44	88·39 91·91	7	6	-17.568 -17.562	+0.138 +0.213	-0.0
200	03	D.M 13°'304	1 00 20 00	91.91	2	+ 2 5101	+ 0.0012	••	103 24 40 44	91.91	4		-17-002	+0.219	
266	7.5	Hydri L. 625	1 55 54.02	93.91	3	+ 0.4940	+ 0.0791		165 54 7.28	93.91	3		-17.543	+0.043	
267	5.7	Hydri B.A.C. 638	1 56 2.48	86.74	6	- 0.2278	+ 0.1615		168 53 9.92	86.70	3	3	-17.537	-0.003	
268	9.5	D.M 11° • 387		91.89	3	+ 2.9475	+ 0.0028		100 54 49.70	91.89	3		-17.535	+0.216	
269 270	2·2 9·4	γ <sup>1</sup> Andromedae M.Z. 33878		88.72	10 3	+ 3.6572 + 1.6892		+0.005	48 11 53.60 154 38 47.76	88.72	10			+0.268	+0.0
210	0 4	M.Z. 33878	1 07 20 00	92.88	0	+ 1 0092	+ 0.0026		104 30 41.10	92.88	3	•••	-17.477	+0.128	•••
271	7.6	D.M 10° • 424	1 58 9.92	91.92	3	+ 2.9564	+ 0.0033		99 59 19·99	91.92	3		-17.446	+ 0.220	
272	6.4	D·M. – 12° • 382		91.35	5	+ 2.9270	+ 0.0024		102 23 17.14	91.93	5		-17.417	+0.219	
273	8.0	D.M14° · 386		91.90	3	+ 2.9027	+ 0.0017	••	104 20 28.78	91.90	3		and the second second	+0.218	
274	6.9	Octantis B.A.C. 655		89.62	25	- 1.6773	+ 0.3969	••	172 1 59.44	90.47	10	4	-17.398	-0.114	••
275	9.0	•• •• ••	1 59 36.14	92.91	3	+ 1.2208	+ 0.0231	• •	160 12 20.15	92.91	3		-17.384	+0.096	••
276	7.5	D·M. 19°·324	2 0 10.48	88.86	3	+ 3.3170	+ 0.0184		69 55 59.89	88.85	3		-17.359	+0.250	
277	8.6		2 0 34.51	92.94	3	+ 0.7267	+ 0.0561		164 1 45.80	92.93	3		-17.341	+0.061	
278	2.2	a Arietis		89.20	54	+ 3.3575	+ 0.204	+0.013	67 3 28.19	87.87	14		-17.324	+0.254	+0.1
279	9.1	M.Z. 7003		85.93	3	+ 1.8004	- 0.0001		152 2 48.40	85.93	3		-17.309	+0.140	
280	7.1	D.M. 17°·315	2 1 43.60	88.90	4	+ 3.2861	+ 0.0167		72 29 39.85	88.90	4		-17.290	+ 0.220	

8

No.	Mag.	Star's Name.		Mean R.A., 1890 · 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Numi Obse tio		Annual Precession in N.P.D.	Secular Variation	Annı Prop Məti
					Mea	Nar Obs					Mea	-	S.P.			-
															*	
				h. m. s.			s.	8.	6.	0 / //					"	
281	9.6			2 2 47.58	92.89	3	- 0.8656	+ 0.2411		170 10 5.68	92.89	3	•, •	-17.243	-0.057	
282	8.3	D.M - 13° • 386	••	2 2 54.76	91 • 89	3	+ 2.9166	+ 0.0024	••	102 51 29.18	91.89	3		-17.237	+0.225	
283	2.7	$\beta$ Trianguli	••	2 2 59.83	89.95	3	+ 3.5417	+ 0.0304	+0.015	55 31 59.67	89.95	3	••	-17.234	+0.271	+0
284	6·7 8·2	D.M. 16° · 247	••	2 3 20.35	88.85	3	+ 3.2782	+ 0.0162	••	73 17 30.13	88.85	3	• •	-17.218	+0.252	
285	8.2	D.M. 19°•329	•••	2 3 36 • 49	88.96	3	+ 3.3201	+ 0.0183		70 10 23.39	88.90	0	**	-17.207	+0.256	
286	7.4	Hydri L. 665		2 3 53.77	93.91	3	+ 0.9382	+ 0.0395		162 7 57.90	93.91	3		-17.193	+0.078	
287	6.5	Octantis L. 764		2 4 5.12	90.50	9	- 5.2756	+ 1.3868		175 16 55.60	90.54	2	2	-17.185	-0.389	-
288	8.5	D M11° • 416	• •	2 4 20.85	91 • 91	4	+ 2.9391	+ 0.0032	=	100 56 26.19	91 • 91	4		-17.173	+0.229	
289	6.2	D.M. 18° • 277	••	2 4 31.64	88.90	3	+ 3.3103	+ 0.0177		71 1 7.03	88.90	3		-17.165	+0.257	
290	7.3	D.M. 20°•341	••	2 5 12.67	88.93	3	+ 3.3372	+ 0.0190		69 8 27 . 78	88.93	3	•••	-17.134	+0.260	
291	9.8	M.Z. 34302		2 5 32.79	92.92	3	+ 1.4864	+ 0.0102		156 18 0.25	92.92	3		-17.119	+0.120	
292	9.3	Ceti		2 5 44.98	85.92	3	+ 3.0328	+ 0.0063		93 15 52.96	85.92	3		-17.109	+0.238	
293	8.7	D.M. 21° · 298		2 6 9.50	88.86	3	+ 3.3475	+ 0.0194		68 31 58.74	88.86	3		-17.091	+0.263	
294	5.4	D.M. 20° · 348		2 6 38.52	88.96	3	+ 3.3376	+ 0.0188		69 18 21.44	88.96	3		-17.068	+0.263	
295	7.3	D.M. 18° • 283		2 7 45 • 48	88.90	3	+ 3.3174	+ 0.0178		70 54 3.31	88.90	3		-17.017	+0.263	
296	9.4	Hydri G. 2245		2 8 2.48	93.92	4	+ 1.1974	+ 0.0233		159 17 49.48	93.92	3		-17.004	+0.100	
297	5.2	μ Fornacis		2 8 3.77	89.30	6	+ 2.6426	- 0.0031	-0.001	121 14 22.71	89.30	6		-17.003	+0.212	+ 0
298	8.3	D.M 10° • 453		2 8 8.96	91.89	3	+ 2.9441	+ 0.0036		100 15 52.00	91.89	3		-16.999	+ 0.235	
299	8.9	D.M 13° • 411		2 8 21.17	91.92	4	+ 2.8981	+ 0.0023		103 47 53.89	91.92	4		-16.989	+0.232	
300	8.8	Hydri G. 2255		2 8 34 • 47	93.97	3	+ 0.7443	·i· 0·0514		163 0 45.96	93.96	3		-16.979	+0.065	
301	9.5	D.M 12° • 413		2 8 45.97	01.01	3	+ 2.9184	+ 0.0029		102 12 38.59	91.91	3		-16.970	1 0.004	
302	7.7	D.M. 21° · 304	•••	2 8 46 30	91·91 88·85	-	+ 3.3620	+ 0.0029 + 0.0199		67 52 59.86	88.85	3		-16.970		
303	8.9	M.Z. 7017	••	2 9 15.51	85.93	3	+ 1.7188	+ 0.0133 + 0.0027	••	152 10 10.79	85.93	3	•••	-16.947	+0.141	
304	8.1	Hydri M <sub>1</sub> 127	•••	2 9 22.00	93.98	2	+ 1.4442	+ 0.0120		156 17 19.76	93.98	2		-16.942	+ 0.120	
305	8.9	Horologii G. 2319		2 11 24.54	93.96	3	+ 1.3684	+ 0.0120		156 56 50 - 29	93.96	3		-16.845		
000		T 31 100 (10												10.010		
306		D.M 13° • 419	••	2 11 29.17	91.89	3	+ 2.9057	+ 0.0028		102 57 5.90	91.89	3	•••	-16.842	1	
307 308	8.9	67 Ceti D.M. 21°·317	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89.69	67	+ 2.9843	+ 0.0050	1.	96 55 45·13 67 50 52·07	88.05	16		-16.842 -16.840		+0
309	9.1	D.M10° •463	•••	2 11 32.77	88.89 91.92	53	+ 3.3681 + 2.9341	+ 0.0199 + 0.0035		100 47 20.12	88.89 91.92	3		10.00*		
310		D.M. 21°·321	••	2 12 23.50	88.85	3	+ 3.3585	+ 0.0053 + 0.0193	••	68 36 36 ·28	88.85	3		-16.799		
	10.1	Ceti	••	2 12 29.62	85.92	3	+ 3.0323	+ 0.0066		92 55 0.98	85.92	3				
312	1	D.M. 22°·329	••	2 12 45.22	88.92	3	+ 3.3780	+ 0.0202		67 20 23.00	88.92	4	••	-16.782	1000	
313 314		Octantis	••	2 13 3.38	88.92	8	-15.6507	+ 7.1515		177 45 25.94	89.82	6	••	-16.767	-1.245 + 0.251	
314		o Ceti	••	2 13 47.36	89.51	7	+ 3.0277	+ 0.0064	-0.005	93 28 38·53	89.36	7		-16.732		+0
910	6.6	Hydri L. 734	•••	2 14 22.19	90.54	8	- 0.0981	+ 0.1227		166 52 6.65	91.75	4	1	-16.704	-0.001	
316	9.4	D.M. 19°•346		2 14 24.58	88.91	3	+ 3.3363	+ 0.0182		70 22 50.42	88.91	3		-16.702	+0.276	
317		Hydri G. 2381		2 14 35.40	93.98	3	+ 0.9427	+ 0.0364		160 49 24.90	93.98	3			+ 0.083	
318	8.0	D.M. 22°·331		2 15 0.64	88.86	3	+ 3.3866	+ 0.0204		67 4 37.38	88.87	4		-16.673	+0.282	
319	9.5	D.M 14° • 429		2 15 6.39	91.90	3	+ 2.8895	+ 0.0026		103 50 4.67	91 • 90	3		-16.668	+0.241	
320	7.5	D.M 12° • 436		2 15 23.11	91.93	5	+ 2.9128	+ 0.0032		102 6 41.93	91.93	5	-	-16.655	+ 0.244	

.

No.	Mag.	Star's Name.		Mean R.A., 1890·0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annnal Proper Motion.	Mean N.P.D., 1890-0.	Mean Year of Observations.	Obs	erva-	Annual Precession in N.P.D.	Secnlar Variation.	Anuual Proper Motion
					Mean	Nun Obs				1	Mea	-	8.P.			
				h. m. s.			s.	8.	8.							
321	8.9	M.Z. 33910		2 15 34.37	92.92	3	+ 1.4879	+ 0.0102		154 48 15.78	92.92	3		-16.645	+0.128	
322	8.5	D.M 10° • 479		2 16 25.62	91.90	3	+ 2.9419	+ 0.0040		99 53 14.07	91.90	3		-16.604	+0.248	
323	8.4	D.M 14° • 440		2 17 12.04	91.93	3	+ 2.8858	+ 0.0026		103 55 9.74	91.93	3		-18.566	+0.244	
324	8.0	Hydri G. 2438		2 17 19.81	93.93	3	+ 1.1880	+ 0.0227		158 11 36.48	93.93	3		-16.559	+0.102	
325	9.1	D.M. 20° • 388		2 17 36.67	88.88	3	+ 3.3612	+ 0.0190		69 5 10.90	88.88	3		-16.545	+0.284	
										1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1				12		
326	8.6			2 17 47.85	92.95	3	- 0.8763	+ 0.2116		169 9 31.02	92.95	3		-18.536	-0.062	
327	8.9			2 18 14.71	92.94	3	- 1.7385	+ 0.3427		171 2 30.87	92.93	3		-16.514	-0.137	
328	8.9	Ceti Lal. 4469		2 19 18.19	85.93	3	+ 3.0377	+ 0.0069		92 36 35.98	85.93	3		-16.461	+0.260	
329	8.0	D.M 11° • 459		2 20 28.20	91 • 90	3	+ 2.9213	+ 0.0037		101 7 22.64	91.90	3		-16.403	+0.252	
330	7.5	D.M. 22°•347		2 20 44.59	88.85	3	+ 3.3898	+ 0.0200		67 36 59.81	88.85	3		-16.389	+0.292	
331	8.6	Hydri G. 2537		2 21 19.39	93.97	4	+ 0.9520	+ 0.0344		159 58 13.50	93.97	3		-18.360	+0.087	
332	9.6	D.M. 23° • 326		2 22 0.13	88.88	4	+ 3.4204	+ 0.0213		65 51 42.78	88.88	4		-18.325	+0.297	
333	6.5	ĸ Hydri	••	2 22 13.04	93.96	2	+ 0.3357	+ 0.0761	-0.030	164 8 38.07	93.96	2		-16.314	+0.035	+0.05
334	4.3	E <sup>2</sup> Ceti	••	2 22 18.60	89.49	72	+ 3.1814	+ 0.0116	+0.001	82 1 59.32	87.86	15		-18.310	+0.277	0.00
335	8.8	D.M 14° • 459	•••	2 22 24.00	91.92	3	+ 2.8762	+ 0.0028		104 9 41.91	91.92	3		-16.302	+0.251	
000	4.1	m +1 - 1	100	0 00 57.00	00.04	3	+ 2.1993	- 0.0033	-0.001	138 11 50.89	90.94	3		-16.277	+0.194	+0.02
336 337	4·5 6·0	K Eridani D.M. 22° · 345	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	90·94 88·88	3	+ 2.1993 + 3.4036	+ 0.0204		67 1 20.81	88.88	3		-16.277	+0.194 +0.297	
338	8.0	D.M. 22° 345 D.M		2 22 59.53	91.93	4	+ 2.9035	+ 0.0035		102 12 35.12	91.93	4		-16.275	+0.251 +0.254	
339	7.8	D.M 12° 437 D.M. 20° 404		2 22 59 55	88.85	3	+ 2.9033 + 3.3741	+ 0.0033 + 0.0191		68 53 49.12	88.85	3		-16.271	+0.294 +0.295	
340	6.5	D.M. 20 404 D.M. 24° 358	••	2 23 4 34	88.90	3	+ 3.4352	+ 0.0217		65 15 8.69	88.90	3		-16.212	+0.302	
040	00	D M. 24 000		2 24 12 00	00 00	0	- 0 1002	1 0 0211		00 10 0 00	00 00	0		-10 212	+0 004	•••
341	8.5	D.M10° • 503		2 24 22.80	91.89	3	+ 2.9352	+ 0.0043		99 53 22.69	91.89	3		-16.204	+0.259	
342	8.4	M.Z. 7049		2 24 55.44	85.93	3	+ 1.5562	+ 0.0082		152 28 34.62	85.93	3		-18.175	+0.141	
343	8.8			2 25 22.17	92.90	3	+ 0.6365	+ 0.0525		161 59 6.07	92.90	3		-16.152	+0.062	
344	7.1	Octantis L. 870		2 25 24.95	87.44	31)	- 3.8313	+ 0.7436		173 27 7.54	87.11	6	8	-16.150	-0.324	
345	7.3	Horologii G. 2624		2 25 46.23	93 . 93	3	+ 1.2844	+ 0.0178		156 3 11.98	93.93	3		-16.132	+0.118	
		0														
346	9.4			2 25 48.14	92.95	3	-11.5365	+ 3.7758		176 53 17.12	92.95	3		-16.130	-0.993	
347	8.9	D.M 13° • 473		2 27 30.67	91 • 90	3	+ 2.8885	+ 0.0034		102 55 4.55	91 • 90	3		-16.041	+ 0.260	
348	8.3	D.M11° • 478		2 27 30.83	91 • 92	4	+ 2.9148	+ 0.0040		101 7 29.49	91.92	4		-16.041	+0.262	
349	7.3	Hydri L. 817		2 27 43.88	93 • 95	3	- 0.2056	+ 0.1200		168 13 52.04	93.95	3		-16.029	-0.011	
350	8.0	Hydri L. 800		2 28 5.44	93 • 98	2	+ 0.9648	+ 0.0323		159 5 53.17	93.98	2	•••	-16.010	+0.095	•••
											1					
351	8.9	D.M. 24°•369		2 28 18.65	88.90	4	+ 3.4383	+ 0.0214	••	65 35 22·73	88.90	3	•••	-15.999	+ 0.309	
352	8.0	D.M. 22° · 368		2 28 23.40	88.85	3	+ 3.4063	+ 0.0200	•••	67 30 53.02	88.85	3	••	-15.994	+0.308	••
353	8.4			2 28 57.31	92.91	3	- 0.7034	+ 0.1717	••	167 54 27.25	92.91	3	••	-15.965	-0.022	
354	8.6			2 29 47.65	92.94	3	- 6.4007	+ 1.4403		175 5 44.14	92.94	3	••	-15.920	-0.201	
355	6.2	Ceti B.A.C. 793		2 30 2.85	90.93	3	+ 3.1633	+ 0.0109	+0.124	83 38 18.19	90.92	3	••	-15.906	+0.588	-1.46
950	0.1	Handas" (1. 0700	-	0 20 01.00	02.02	9	1 1,1000	1 0.0004		158 59 0.19	02.00			15.000	1.0.110	
356	9.1	Horologii G. 2732		2 30 21.09	93·93 88·91	3	+ 1.1636 + 3.4117	+ 0.0224		156 52 8·13 67 25 38·42	93.93	3	•••	-15.890	+0.110	
357	7.8	D.M. 22°·372		2 30 25.54 2 30 36.99	88.81	3	+ 3.4117 + 3.4390	+ 0.0200 + 0.0212		67 25 38·42 65 49 52·30	88.91 88.88	3	•••	-15.886 -15.876	+0.310	
358	7.5	D.M. 24° · 375	••			1	+ 3.4390 + 3.4391		•••	65 49 52·30		1		The second second	+0.313	
359	6·5 8·1	D.M. 24° • 376 D.M. 22° • 375		2 30 39·78 2 31 32·09	88.88 88.85	2	+ 3.4391 + 3.4151	+ 0.0212 + 0.0201		65 49 54 87 67 20 54 45	88 · 88 88 · 85	2	• •		+0·313 +0·313	••
360	0.1	1.11. 44 010	••	a 01 04 09	00 00	-	1 0 2101	r 0 0401		0. 40 02 20	00.00	3		-10 041	- 0 010	• •

.

10

No.	Mag.	Star's Name.		Mean R.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	1	Secular ariation.	Annua! Proper Motion.	Mean N.P.D., 1890-0.	Mean Year of Observations.	Obs	ber of erva- ons,	Annual Precession in N.P.D.	Secular Variation	Annua Proper Motion
					Mea	Nur Obs						Mea		S.P.			
				h. m. s.			8.		8.	s.	0 1 11					"	
361	8.8	D.M 13° • 493		2 31 37.29	91.89	3	+ 2.8722	+	0.0033		103 42 27.90	91.89	3		-15.822	+0.264	
362	8.9	D.M 10° • 518		2 31 44.70	91.92	3	+ 2.9290	+	0.0045		99 54 15.37	91.92	3	•••	-15.816	+0.269	
363	8.1	D.M 11° • 493		2 31 48.78	91.93	4	+ 2.9026		0.0039		101 40 36.11	91.93	4		-15.812	+0.267	
364	5.5	v Arietis	• •	2 32 34.14	89.45	6	+ 3.3975		0.0193	+0.005	68 30 52.39	89.45	6	•••	-15.771	+0.313	+0.0
365	7.0	Hydri L. 839	••	2 32 53.45	93.96	3	+ 0.3956	+	0.0628		162 49 45.88	93.96	3	•••	-15.754	+0.042	
366	3.7	δ Ceti		2 33 50.61	89.45	6	+ 3.0704	+	0.0082	0.000	90 8 46 . 59	89.30	6		-15.702	+0.285	+0.0
367	5.5	μ Hydri		2 34 1.18	87.57	25	- 1.4573	+	0.2581	+0.039	169 35 20.72	87.78	13	11	-15.692	-0.126	+0.0
368	5.1*	12 Persei		2 35 18.37	86.91	3	+ 3.7691	+	0.0360		50 16 17.35	86.91	4		-15.622	+0.321	
369	8.2	D.M 13° • 511		2 36 4.75	91.92	4	+ 2.8779	-1-	0.0036		103 1 19.36	91.92	4	·	-15.580	+0.271	
370	9.1	D.M 11° • 504		2 36 21.89	91.92	3	+ 2.9089	+	0.0043	••	100 59 15.44	91.93	3		-15.564	+0.274	
371	4.3	0 Persei		2 36 41.31	90.56	5	+ 4.0359	+	0.0508	+0.033	41 14 11.76	90.70	4		-15.546	+0.378	+0.0
372	8.3	M.Z. 7069		2 36 52.74	85.93	3	+ 1.4824	+	0.0105		152 0 18.74	85.93	3		-15.535	+0.143	
373	7.5	Octantis L. 1029		2 37 6.04	87.02	52	- 9.6848	+	2.5606	-0.018	176 12 17.08	87.98	18	14	-15.523	-0.887	0.00
374	3.6	γ <sup>4</sup> Ceti		2 37 36.01	89.95	66	+ 3.1135	+	0.0094	-0.011	87 13 40.70	88.03	14		-15.496	+0.295	+0.10
375	6.6	Hydri L. 877	••	2 37 45.59	93.98	2	+ 0.5846	+	0.0512		161 9 8.01	93.98	2		-15.487	+0.061	
376	3.9	$\pi$ Ceti		2 38 53.21	89.12	6	+ 2.8544	F	0.0033	-0.003	104 19 29.43	89.13	6		-15.424	+0.273	+0.01
377	4.0	μ Ceti		2 38 59.67	89.43	6	+ 3.2179	1	0.0125	+0.016	80 21 1.82	89.43	6		-15.418	+0.307	+0.05
378	7.4	Hydri L. 880		2 39 12.93	93.96	3	+ 0.7588		0.0407		159 42 7.12	93.96	3		-15.405	+0.077	
379	9.0			2 39 15.94	92.91	3	- 2.9969	+	0.4909		171 58 18.98	92.91	3		- 15.403	-0.273	
380	8.5	D.M 12° • 517		2 39 18.49	91.93	3	+ 2.8911	+	0.0041		101 57 47.64	91.93	3	• • •	- 15 • 400	+0.277	
381	7.8	Octantis L. 1884		2 39 42.77	87.69	48	-40.4976	+	31.8551		178 52 18.54	88.28	18	16	-15.378	-3.785	
382	8.8	D.M 9° · 523		2 39 56.74	91.92	4	+ 2.9242		0.0048		99 47 45.48	91.92	4		-15.364	+0.281	
383	7.9	Hydri L. 904		2 40 56.08	93.97	3	- 0.1036		0.0992		164 47 30.21	93.97	3		-15.309	-0.003	
384	9.1			2 41 33.42	92.95	3	- 2.4152		0.3814		171 1 46.30	92.95	3		-15.273	-0.222	
385	9.2	M.Z. 46129		2 42 26.98	92.95	4	+ 1.0990	+	0.0238	••	156 12 19.07	92.95	4		-15.223	+0.111	
386	6.3	D·M 13° · 530		2 42 39.74	91.94	3	+ 2.8727		0.0039		102 55 8.54	91.93	3		-15.211	+0.279	
387	4.5	41 Arietis		2 43 30.47	89.43	6	+ 3.5146		0.0228	+ 0.003	63 11 36.34	89.43	6		1		+0.1
388	8.0	D.M 11° · 529		2 43 59.70	01.93	4	+ 2.9019		0.0045		101 0 24.01	91.92	4		-15.134	+0.284	
389	4.7	$\beta$ Fornacis		2 44 29.20	88.60	9	+ 2.5044		0.0006	+0.005	122 52 4.34	88.43	10		-15.106	+0.247	-0.1
390	6.7	Hydri L. 916		2 44 46.83	93.97	3	+ 0.4108	+	0.0593	•••	161 41 47.17	93.97	3		-15.089	+0.046	
391	8.9	and the second second		2 45 1.71	92.91	3	- 0.7254		0.1524		166 55 55.32	92.91	3		-15.075	-0.064	1
392	5.5	σ Arietis	•••	2 45 1 11	89.20	71	+ 3.3031		0.0150	0.000	$\begin{array}{c} 100 & 53 & 53 \cdot 52 \\ 75 & 22 & 17 \cdot 37 \end{array}$	92.91	14			+0.325	+0.04
393	4.7	$\tau^2$ Eridani		2 46 2.89	89.14	6	+ 2.7243		0.0017	-0.000	$13 \ 22 \ 17 \ 37$ $111 \ 27 \ 27 \cdot 59$	89.14	6		-15.016	+0.270	+0.01
394	9.0	D.M 12° • 540		2 47 20.81	91.89	3	+ 2.8762		0.0042	-0.000	102 25 1.48	91.89	3		-14.940	+0.286	
395	6.2	$D M - 10^{\circ} \cdot 569$		2 47 28.82	91.92	3	+ 2.9169	1.00	0.0049		99 53 35.99	91.92	3			+ 0.290	
396	7.3	Hydri L. 955		2 47 37.37	93.94		- 0.6905		0.1459		166 39 5.96	02.01	3		-14.924	-0.061	
397	8.9	D.M. – 13° • 552	•••	2 48 43.51	93.94	4	-0.6903 + 2.8520		0.1439		100 39 5.90 103 48 14.87	93·94 91·92	3		-14.860	+ 0.286	
398	7.0	Hydri L. 952	•••	2 48 52.38	91 92	3	$+ 2^{\circ} 8520$ $- 0^{\circ} 1225$		0.0947		164 17 46.12	91.92	3	••	-14.851	-0.000	
399	6.7	Octantis L. 1146		2 49 16.97	88.57	6	-8.3187	1	1.8068		175 28 55.60	88.57	0	3	-14.831 -14.827	-0.810	
400	8.8	M.Z. 7094		2 49 18.68	85.97	3	+ 1.3743	+	1 0000	1	$152 \ 4 \ 21 \cdot 85$	85.97	3	0	-14.825	+0.141	

No.	Mag.	Star's Name.		Mean R.A., 1890-0.	Mcan Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annnal Proper Motion.	Mean N.P.D., 1890-0.	Mean Year of Observations.	Obs tic	ber of erva-	Annual Precession in N.P.D.	Secular Variation.	Anna Prope Motio
					NO	NO					NO	-	8.P.			
				h. m. s.			8.	8.	8.		P					-
401	9.4	M.Z. 45249		2 49 27.07	92.94	4	+ 0.7112	+ 0.0405		159 7 8.79	92.94	4		-14.817	+0.076	
402	9.5	M.Z. 34989		2 50 15.41	92.91	3	+ 0.9401	+ 0.0294		157 1 11.80	92.91	3		-14.769	+0.000	
403	8.5	D M 12° • 555		2 50 21.01	91.92	4	+ 2.8670	+ 0.0041		102 47 56.71	91.92	4		-14.764	+0.289	
404	3.6	n Eridani		2 51 3.19	88.68	6	+ 2.9233	+ 0.0052	+ 0.004	99 20 10.40	88.58	7		-14.722	+0.298	+0.
405	9.0	Horologii G. 3165		2 51 26.61	93.97	1	+ 1.1412	+ 0.0212		154 47 14.63	93.97	1		-14.699	+0.119	
		Lotorogia di orto														
406	8.3	D.M 10° • 580		2 51 35.67	·91 ·93	3	+ 2.8986	+ 0.0047		100 49 3.63	91.93	3		-14.690	+0.294	
407	6.5	Horologii L. 957		2 52 15.67	93.95	3	+ 1.1255	+ 0.0217		154 52 51.58	93.95	3		-14.650	+0.118	
408	4.5	e Arietis		2 52 55.21	90.92	3	+ 3.4221	+ 0.0184	-0.003	69 5 59.35	90.92	3		-14.611	+0.348	+0.
409	4.0	0 <sup>1</sup> Eridani		2 54 5.40	91.07	18	+ 2.2793	- 0.0003	-0.008	130 44 43.87	87.93	7		-14.540	+0.235	-0.
410	8.1	D.M 9° . 568		2 54 16.67	91.91	3	+ 2.9125	+ 0.0021	-0.000	99 51 19.25	91.91	3		-14.529	+0.299	
ALV		D.D		a or to vi	01 01	0	1 . 0140			00 01 10 20	01 01					
411	7.5	D.M 14° • 576		2 54 42.67	91.96	6	+ 2.8403	+ 0.0039	1 Sector	104 7 17.90	91.96	6		-14.503	+0.292	
412	7.3	D.M12° • 576	••	2 55 2.14	91.90	3	+ 2.8403 + 2.8777	+ 0.0039 + 0.0045	••	101 53 45.99	91.90	3	•••	-14.483	+0.296	
413	8.4	Hydri B. 461	••	2 55 43.85	93.98	2	+ 0.6144	+ 0.0437		159 19 36.47	93.98	2		-14.441	+0.068	
	2.8		••	2 56 31.69			+ 3.1320			86 20 31.52	87.62			-14.303	+0.324	+0.
414	4.5	-9 73 1 3 - 1	••		89.31	91		+ 0.0008	-0.003			17		-14 333		+0.
415	4.0	7º Eridani	**	2 57 32.48	90.92	3	+ 2.6551	+ 0.0016	-0.013	114 3 21.59	90.92	Z		- 14 331	+0.227	+0.
(10	9.5	D		0 50 5.01	00.10		0.0100	0.0001	. 0.010	F1 05 10.55	00.07			14.005	1.0.200	
416	3.2	p Persei	••	2 58 7.61	89.13		+ 3.8160	+ 0.0331	+0.010	51 35 10.55	89.25	7	••	-14.295	+0.396	+0.
417	9.2			2 58 13.13	92.96	4	- 2.8509	+ 0.3948	••	171 0 8.47	92.96	4	•••	-14.289	-0.286	
418	8.8	D.M11°.583	••	2 58 51.66	91.92	4	+ 2.8917	+ 0.0049		100 53 1.30	91.92	4	•••	-14.250	+0.303	
419	9.0	•• ••	••	2 59 41.43	92.80	. 5	- 5.9280	+ 0.9923	••	174 0 45.06	92.80	3	2	-14.199	-0.604	
420	8.8	D.M 13° • 585	••	3 0 4.09	91.94	5	+ 2.8216	+ 0.0043		103 9 4.88	91.94	4	••	-14.175	+0.300	
		1														
421	9.2	•• ••		3 0 19.35	92.98	3	- 1.8559	+ 0.2530	••	169 7 39.00	92.97	4	•••	-14.159	-0.186	
422	7.3	Octantis L. 1203		3 0 49.83	86.29	14	-11.6292	+ 2.8104	••	176 18 28.39	86.18	4	6	-14.128	-1.198	
423	9.3	M.Z. 46160		3 0 54.39	92.32	3	+ 0.9312	+ 0.0280		156 5 48.99	92.32	3		-14.123	+0.105	
424	7.7	Hydri L. 997		3 0 58.26	93.96	4	+ 0.4481	+ 0.0507		160 6 52.77	93.95	3		-14.119	+0.052	
425	2.8	$\beta$ Persei		3 1 0.70	88.69	6	+ 3.8844	+ 0.0355	-0.005	49 28 6.13	88.82	6		-14.117	+0.408	-0.
								100-00-0		1201						
426	5.6	θ Hydri	••	3 2 1.97	86.60	7	+ 0.0786		+0.003	162 19 55.10	86.70	3	4	-14.023		0.
427	4.7	e Persei		3 2 4.60	86.61	3	+ 4.0079	+ 0.0410	+0.016	45 33 33.94	86.61	3	•••	-14.050	+0.423	+0.
428	8.3			3 2 47.91	92.96	3	- 0.0354	+ 0.0790		162 53 19.69	92.96	3		-14.002	+0.002	
429	8.0	D.M 10° • 620		3 3 7.69	91.92	3	+ 2.9042	+ 0.0052		99 58 0.61	91.92	3		-13.985	+0.309	
430	8.4	D.M 12° • 603		3 3 59.80	91.94	3	+ 2.8655	+ 0.0046		102 9 4.96	91 • 94	3		-13.930	+0.307	
											-					
431	8.5	D.M 13° • 599		3 4 14.53	91 • 96	5	+ 2.8366	+ 0.0042		103 46 3.84	91 • 96	5		-13.915	+0.304	
432	4.6	δ Arietis		3 5 20.27	89.22	81	+ 3.4114	+ 0.0171		70 41 22.53	87.43	16		-13.845	+0.366	0.
433	8.3	M.Z. 8247		3 5 20.53	85.98	3	+ 1.2430	+ 0.0166		152 8 22.43	85.98	3		-13.845	+0.137	
434	7.2	Hydri L. 1046		3 6 39 26	93.97	1	- 0.0012	+ 0.0746		162 26 45.57	93.97	1		-13.762	+0.006	
435	8.4	Hydri G. 3467		3 6 49.30	92.95	3	- 0.8642	+ 0.1396		166 6 59.59	92.95	3		-13.751	-0.086	
					00 00		0 00 20	1 0 1000		100 0 00 00	00 00					
436	3.7	12 Eridani		3 7 23.86	88.58	10	+ 2.5225	+ 0.0012	+0.023	119 25 14.63	88.65	9		-13.715	+0.274	-0.
437	9.0	D.M 11°.612	1	3 7 46.78	91.95	5	+ 2.8839	+ 0.0012		100 55 46.97	91.95	4	•••		+0.313	
438	8.9	D.M 13° • 609		3 7 57.62	91.92	2	+ 2.8444	+ 0.0030 + 0.0044	••	100 55 40.57	91.95	* 3			+0.309	
439	9.3	Horologii G. 3506	••		91·92 93·95	0			••						+0.088	
440	9.4			and the second se		3	+ 0.7689	+ 0.0331	••	156 54 45.78	93.95	3		-13.201		
2941	09	M.Z. 45283		3 9 12.74	92.48	4	+ 0.2123	+ 0.0447		159 0 18.39	92.01	3		-13.988	1001 1	

12

No.	Mag.	Star's Name.		Mean R.A., 1890-0.	n Year of ervations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Anrmal Proper Motion.	Mean N.P.D., 1890 • 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Anni Prop Moti
					Mean Observ	Nun Obse					Mear Obse	_	S.P.			
										0 1 7						
441	7.6	Octantis L 1848	-	h. m. s. 3 9 59 • 75	87.57	55	s. - 37 • 5634	s. + 21 · 2029	8. -0.051	178 36 38.28	88.31	20	19	-13.548	-4.033	+0.
442	7.2	D.M 12° • 627	•••	3 11 0.91	91.93	3	+ 2.8551	+ 0.0047		102 23 31.15	91.93	3		-13.482	+0.314	
443	5.9	Mensæ L. 1105		3 11 18.09	91.67	7	- 2.2248	+ 0.2735		169 24 23.51	91.67	5	2	-13.463	-0.235	1.0
444	8.9	D.M13°.621		3 11 52.26	91.92	3	+ 2.8291	+ 0.0043		103 46 28.12	91.92	3		-13.426	+0.312	
445	8.6	D.M 9° • 633		3 12 46.74	91 • 95	4	+ 2.8993	+ 0.0053		99 51 33.78	91.95	4		-13.367	+0.321	
146	9.3			3 14 14 .48	92.95	4	+ 0.0127	+ 0.0695		161 51 54.16	92.95	4		-13.272	+0.002	
147	9.0	D.M10°.657		3 15 29.65	91.91	3	+ 2.8815	+ 0.0052		100 44 29.16	91.91	3		-13.189	+0.322	
448	4.1	Eridani B.A.C. 1044		3 15 32.28	88.52	9	+ 2.1171	+ 0.0017	+0.275	133 29 26.45	88.52	9	••	-13.186	+0.238	-0
449	1.9	a Persei		3 16 28.30	87.29	9	+ 4.2547	+ 0.0483	+0.002	40 31 44.11	87.16	10		-13.125	+0.474	+0
450	8.8	D.M 13° • 635	••	3 16 46.63	91.94	3	+ 2.8339	+ 0.0045	••	103 16 17.69	91.94	3	• •	-13.104	+0.318	
451	7.1	Hydri L. 1109		3 16 51.14	93.98	2	- 0.4460	+ 0.0974		163 57 2.79	93.98	2		-13.099	-0.044	
452	9.0		••	3 18 1.56	92.95	3	- 1.3054	+ 0.1648		166 55 34.73	92.95	3		-13.022	-0.139	
453	3.8	o Tauri	•••	3 18 53.57	88.91	72	+ 3.2276	+ 0.0112	-0.002	8I 21 30·43	88.32	16	••	-12.964	+0.365	+0
454	8.6	M.Z. 8258	•••	3 19 7.50	85.98	3	+ 1.1143	+ 0.0193		152 28 5.03	85.98	3	••	-12.948	+0.130	
455	8.8	D.M 12° • 648		3 19 44.38	91 • 96	5	+ 2.8477	+ 0.0048	••	102 23 46.18	91.96	4	••	-12.907	+0.323	
456	8.2	D.M14°.663	• •	3 19 46.32	91.94	3	+ 2.8184	+ 0.0044		103 56 58.60	91.94	3	••	-12.905	+0.320	
457	9.4	Hydri		3 20 34.90	93.00	3	- 0.2955	+ 0.0846		163 3 12.75	93.00	3		-12.851	-0.028	
458	8.8	D.M 9° • 659	••	3 20 41 • 20	91.92	3	+ 2.8947	+ 0.0024		99 49 42.32	91.92	3	••	-12.844	+0.330	
459	7.2	Mensæ L. 1236	••	3 21 5.16	87.77	61	- 6.6047	+ 0.9646		173 56 7.44	88.10	19	14	-12.817	-0.733	
460	3.8	ξ Tauri	••	3 21 12.37	90.93	3	+ 3.2419	+ 0.0112	+0.003	80 29 3.93	90.93	3	••	-12.809	+0.369	+0
461	9.0	M.Z. 46349		3 21 23.23	92.02	4	+ 0.5366	+ 0.0399		157 54 30.89	92.02	3		-12.796	+0.066	
462	11.0	Tauri		3 22 16.84	85.99	1	+ 3.0851	+ 0.0085		89 18 2.45	85.99	3		-12.736	+0.353	
463	9.2		•••	3 22 50.00	92.97	3	+ 0.0372	+ 0.0637		161 10 38.03	92.97	3		-12.699	+0.010	
464	10.1	Tauri		3 22 56.96	86.01	3	+ 3.0849	+ 0.0082	•••	89 18 48.80	86.01	3	••	-12.691	+0.324	
465	6.3	Hydri L. 1132	••	3 23 34.63	93.99	1	+ 0.2207	+ 0.0239		160 0 39.54	93.98	2	••	-12.648	+0.030	
466	7.6	D.M 11° • 671		3 24 2.14	91 • 91	3	+ 2.8718	+ 0.0052	· · · ·	100 56 5.55	91.91	3	·	-12.617	+0.331	
467	6.0	D.M 13° • 662		3 24 24.23	91 • 93	3	+ 2.8313	+ 0.0047		103 3 13.70	91.93	3		-12.592	+0.327	
468	3.5	f Tauri		3 24.47.90	88.84	6	+ 3.3046	+ 0.0129	0.000	77 26 26.33	88.83	6		-12.565	+0.381	-0
469	8.2	D.M 12° • 672	•••	3 27 13.42	91.96	3	+ 2.8427	+ 0.0049		102 20 16.40	91.96	3	•••	-12.399	+0.331	
470	8.4	•• ••	••	3 27 14.87	92.95	3	- 4.5374	+ 0.5404	••	172 8 19.29	92.95	3	••	-12.398	-0.212	
471	7.0	Eridani L. 1128		3 27 42.10	86.95	10	+ 2.5820	+ 0.0026		114 59 21.99	86.95	10		-12.366	+0.302	
472		Eridani		3 27 44.85	89.00	98	+ 2.8901	+ 0.0055	-0.068	99 49 51.10	87.84	18		-12.363	+0.332	-0
473	8.6	D.M 14° • 696		3 28 14.29	91.97	4	+ 2.8100	+ 0.0045		103 58 49.43	91 . 97	5	••	-12.329	+0.329	
474	9.8	M.Z. 45318	•••	3 29 8.79	92.51	4	+ 0.2844	+ 0.0487	•••	159 13 38.38	92.34	3		-12.267	+0.038	
475	6.1	Reticuli L. 1164		3 29 44.04	93 • 96	- 3	+ 0.5928	+ 0.0354	•••	156 51 43.28	93.96	3	•••	-12.226	+0.024	
476	9.7	D.M 13° .689		3 30 14.07	91.94	3	+ 2.8258	+ 0.0048		103 5 13.27	91.94	3		-12.191	+0.332	
477	7.4	Mensæ L. 1278		3 30 37.70	86.11	12	- 5.4122	+ 0.6660		172 51 36.08	85.95	3	3	-12.164	-0.622	1
478	5.8	D.M11°.696		3 30 43.17	91.93	3	+ 2.8550	+ 0.0051		101 33 41.99	91.93	3		-12.157	+0.336	-
479	9.4	Octantis		3 31 1.25	93.00	3	-16.8077	+ 4.0503		176 56 8.75	93.00	3		-12.137	-1.947	
480	6.3	Mensæ L. 1222		3 31 18.47	90.70	7	- 1.9336	+ 0.2019		167 59 15.39	90.71	4	2	-12.116	-0.220	

No.	Mag.	Star's Name.	Mean R.A. 1890 • 0.	un Year of ervations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annuai Precession in N.P.D.	Secniar Variation.	Annual Proper Motion.
				Mean Obser	Nul					Mei		S.P.			
	i.		h. m. s.			<b>S</b> .	5.	8.	0 1 1	( inter					
481	9.1		. 3 31 22.53	92.97	3	- 1.2096	+ 0.1397		166 1 39.13	92.97	3		-12.112	-0.136	
482	9.1	D.M. – 13° · 693	. 3 31 28.95	91.97	5	+ 2.8130	+ 0.0046		103 40 56.89	91.97	5		-12.104	+0.332	
483	10.0	D 35 110.500	. 3 31 40.68	91.97	3	+ 2.8608	+ 0.0052		101 13 38.64	91.97	2		- 12.091	+0.338	
484	8.6	M.Z. 8270	. 3 31 54.81	85.98	3	+ 1.0192	+ 0.0207		152 32 3.28	85.98	3		-12.074	+0.124	
485	6.1	Mensæ B. 593	. 3 34 0.39	85.95	26	- 2.3154	+ 0.2338		168 43 11.27	85.84	6	5	-11.927	-0.266	
		- 1 2011 1 201		-											
486	6.3	Eridani L. 1163	. 3 34 13.04	86.95	9	+ 2.4934	+ 0.0024		118 18 9.77	86.95	9		-11.913	+0.298	
487	3.2	δ Persei	. 3 35 5.64	88.58	12	+ 4.2468	+ 0.0415	+0.001	42 33 51.36	88.60	10		-11.821	+0.202	+0.04
488	7.9	Mensæ L. 1281	. 3 35 9.46	93.96	3	- 3.7988	+ 0.4014		171 4 43.19	93.96	3		-11.846	-0.442	
489	7.8	Octantis	. 3 35 25.39	88.60	6	-24.0587	+ 7.3977		177 43 16.88	88.60	2	2	-11.828	-2.828	
490	6.2	D.M 12° • 689	3 36 0.58	91 • 93	3	+ 2.8395	+ 0.0048		102 9 26.82	91.92	4		-11.786	+0.340	
491	8.9	D.M 14° • 726	. 3 36 9.22	91.94	3	+ 2.7956	+ 0.0045	6 S	104 21 15.34	91.95	4		-11.776	+0.335	
492	8.7	TO ME 100.004	3 36 9·22 3 36·54·71	91.94	5	+ 2.8778	+ 0.0043		100 10 45.55	91.96	5		-11.722	+0.346	
493	3.9	v Persei	. 3 37 43.25	89.49	8	+ 4.0596	+ 0.0335	-0.002	47 46 9.99	89.37	8		-11.665	+ 0.487	+0.01
494	3.7	δ Eridani	. 3 37 58.67	90.95	3	+ 2.8780	+ 0.0054	-0.008	100 8 8.57	90.95	3		-11.646	+0.347	-0.74
495	3.7	17 00 1	. 3 38 20.59	88.58	7	+ 3.5523	+ 0.0178	0.000	66 13 58.85	88.67	6		-11.620	+0.427	+0.04
			1.												
. 496	8.4		. 3 38 29.60	92.95	3	- 0.3053	+ 0.0737		162 6 55.41	92.95	3		-11.610	-0.031	
497	8.9	D.M13°•726	. 3 39 4.42	91.95	3	+ 2.8154	+ 0.0048		103 15 5.55	91.93	3		-11.568	+0.340	
498	8.0	D.M -11°•726	. 3 39 27.87	91.95	4	+ 2.8576	+ 0.0052		101 7 16.70	91.95	4		-11.540	+0.346	
499	8.9	M.Z. 45723	. 3 39 52.21	92.02	3	+ 0.3330	+ 0.0428	•••	158 13 11.21	92.02	3		-11.211	+0.042	
500	3.0	η Tauri	. 3 40 56.70	89.08	71	+ 3.5560	+ 0.0176	0.000	66 14 7.50	87.38	16		-11.434	+0.431	+0.04
-						0.0000			100 07 0.00				11.404	0.005	
501	6·7 7·1		3 41 21.40	86.70	23	- 2.8326	+ 0.2700		169 27 6.33	86.41	8	2	-11.404	-0.335 +0.311	
502 503	7.7	Eridani L. 1221 Eridani L. 1223	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	85·99 86·47	6	+ 2.5423 + 2.5541	+ 0.0029 + 0.0029		115 41 58·86 115 11 49·44	85·99 86·47	6		-11.354	+0.311 +0.312	
504	4.1	27 Eridani $\tau^6$	3 42 3.73 3 42 6.85	87.00	15	+ 2.5916	+ 0.0031	-0.013	113 34 29.84	87.24	17		-11.354	+0.312 +0.317	+0.52
505	4.8	28 Eridani $\tau^7$	. 3 42 55.73	86.02	6	+ 2.5756	+ 0.0030	+0.001	114 12 56.61	86.02	6		-11.291	+0.315	-0.02
	20		0 12 00 10	00 02	ľ	1 . 0100	,	10001		00 02				10010	
506	8.5	D.M12°.716	. 3 43 16.26	91.93	3	+ 2.8352	+ 0.0020		102 6 39.39	91.93	4		-11.266	+0.347	
507	6.8	Eridani L. 1231	. 3 43 22.19	85.84	7	+ 2.5169	+ 0.0028		116 40 2.62	85.74	8		-11.259	+0.309	
508	10.0	D.M 10° • 750	. 3 43 24.67	91.97	4	+ 2.8763	+ 0.0054		100 3 29.48	91 • 97	2		-11.256	+0.352	
509	7.0	Mensæ L. 1414	. 3 44 13.03	90.66	6	- 9.8064	+ 1.4438	••	175 4 41.54	90.67	3	2	-11.198	-1.182	
510	8.8	D.M 14° • 757	. 3 44 36.33	91 • 95	3	+ 2.7911	+ 0.0046		104 13 20.25	91.95	3		-11.169	+0.343	••
														0.000	
511	8.4		. 3 44 38.45	92.97	3	- 0.5486	+ 0.0831	••	162 57 7.88	92.97	3	••	-11.167	-0.062	
512	7.8	D.M 10° • 759	. 3 45 45.60	91.96	5	+ 2.8747	+ 0.0054		100 4 10.04 58 26 37.22	91.96	5	••		+0.354	0.00
513 514	3·2 7·8	ζ Persei D.M. – 10° • 771	. 3 47 13.00 . 3 48 9.53	88.68 91.92	63	+ 3.7596 + 2.8571	+ 0.0221 + 0.0052	0.000	58     26     37.22       100     52     20.07	88.68 91.92	63		-10.979 -10.910	+0.463 +0.354	0.00
514	7.8	D.M 13° • 765	0 10 00 07	91.92	3	+ 2.8371 + 2.8120	+ 0.0032 + 0.0048		100 52 20.07	91.92	3			+0.349	
010		27,22. 10 100	. 3 48 36 97	01 00	0	F # 0120	1 0 0020	•••	100 0 00 11	01 00			-10 010	10040	
516	3.3	γ Hydri	. 3 48 57.04	88.35	53	- 1.0022	+ 0.1064	+0.008	164 34 33.42	88.12	19	15	-10.852	-0.118	-0.10
517	5.0	00 71 1 1	. 3 49 1.76	86.95	9	+ 2.5197	+ 0.0031	+0.001	114 56 16.33	86.95	9		-10.846	+0.317	+0.01
518	9.6	N 77 AP0.01	. 3 49 24.67	92.02	3	+ 0.1299	+ 0.0476		159 3 58.81	92.02	3		-10.818	+0.021	
519	3.8	Dennet	. 3 50 28.30	88.84	6	+ 4.0095	+ 0.0288	0.000	50 18 30.75	88.81	5		-10.739	+0.498	+0.02
520	6.8	D.M 14° • 783	. 3 51 20.13	91 • 95	3	+ 2.7921	+ 0.0047		103 55 3.11	91.95	3		-10.676	+0.349	
			1		1					1	F	1			1

14

No.	Mag.	Star's Name.		Mean R.A , 1890·0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	1.000	Secular ariation.	Annual Proper Motion.	Mcan N.P.D., 1890°0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Proper Motion
					Mea	Nur						Mea	-	S.P.			
				1													
		D 37 100 700		h. m. s.			8.		S.	s.	0 1 7		-				1
521	6.3	D.M 10° • 793		3 51 21.38	91.95	5	2.8715		0.0054		100 4 15.73	91.95	5	••	-10.674 -10.639	+0.359	
522	3.9	ξ Persei M.Z. 35078		3 51 49.61 3 51 52.34	88.86	6	+ 3.8801		0.0246	-0.001	54 31 32·96 157 8 58·16	88.86	65	•••	-10.639	+0.484 +0.052	+0.01
523 524	8·9 8·9	D.M 12° • 756	••	3 51 32·34 3 52 34·77	92.49	4	+ 0.3831 + 2.8265	1	0·0371 0·0050		102 13 31.12	92·40 91·94	3	••	-10.030 -10.583	+0.355	
524 525	3.3	$\gamma^1$ Eridani	•••	3 52 53.80	91·94 89·19	3 114	+ 2.8203 + 2.7929		0.0047	+0.003	103 49 18.30	87.44	14	•••	-10.560	+0.351	+0.11
040	00	y- Initiani	••	5 52 55 60	09-19	114	T 4 1040	Т	0 0011	T 0 003	105 10 10 50	0/ 11	11	•••	-10 000	TV JUL	TVI
526	9.2			3 54 25.60	92.99	3	- 5.1234	+	0.4958		172 4 24.76	92.99	3		-10.446	-0.634	
527	3.7	λ Tauri		3 54 35.14	89.01	6	+ 3.3189		0.0115	-0.001	77 49 14.54	89.01	6		-10.434	+0.418	+0.01
528	9.7	M.Z. 46253		3 54 48.55	92.02	3	+ 0.4900		0.0327		156 8 19.16	92.02	4		-10.417	+ 0.066	
529	9.0	D.M 11° • 777		3 55 0.53	91.97	4	+ 2.8508		0.0052		100 58 44.71	91.96	3		-10.402	+0.360	
530	5.0	36 Eridani $\tau^*$		3 55 14.03	86.95	9	+ 2.5555		0.0032	-0.001	114 19 42.34	86.95	9		-10.385	+0.323	-0.01
				100													
531	8.4	D.M 13° • 790		3 55 31.05	91.95	3	+ 2.8047	+	0.0048		103 10 11.30	91.95	3		-10.364	+0.355	
532	6.9	Mensæ L. 1471		3 56 56.50	86.46	16	- 8.6748	+	1.0512		174 24 54.05	86.94	5	3	-10.257	-1.083	
533	4.3	δ Reticuli		3 57 0.28	88.22	15	+ 0.9378	+	0.0196	-0.003	151 42 39.75	88.22	9	6	-10.253	+0.122	+ 0.02
534	3.9	v Tauri		3 57 18.26	89.01	7	+ 3.1870	+	0.0092	0.000	84 18 58.42	89.01	7		-10.230	+0.404	+ 0.01
535	8.1	Hydri	••	3 57 50.83	93.03	3	- 0.0633	+	9.0520		159 50 15.89	93.03	3	••	- 10 • 189	-0.004	•••
536	4.5	A Tauri		3 58 11.45	88.57	68	+ 3.5330	+	0.0152	+0.002	68 13 8.40	87.79	13		-10.163	+0.449	+0.06
537	9.1			3 58 35.91	92.97	3	- 0.5236	+	0.0722		162 12 51.90	92.97	3		-10.132	-0.062	
538	9.5	D.M 10° · 827		3 59 5.23	91.95	4	+ 2.8669	+	0.0053		100 5 40.15	91.96	3		-10.095	+0.366	
539	8.9	D.M 14° • 810		3 59 8.61	91.07	3	+ 2.7813	+	0.0046		104 8 50.90	91.07	3	••	-10.091	+0.355	
540	9.0	Hydri	••	3 59 16.77	93.02	3	- 1.6473	+	0.1367		166 14 30.89	93.02	3	••	-10.081	-0.204	
541	8.2	Mensæ		3 59 34.92	93.06	3	- 3.5709	+	0.2966		170 7 28.05	93.06	3		-10.058	-0.446	
542	8.0	D.M 12° • 789		3 59 45.23	91.05	4	+ 2.8245		0.0050		102 5 58.94	91.05	3		-10.045	+ 0.361	
543	10.3	M.Z. 45752		4 0 11.13	92.98	4	+ 0.1933		0.0412		158 5 6.82	92.04	3		-10.012	+0.029	
544	4.4	c Persei		4 0 40.48	89.79	10	+ 4.3345		0.0364	+0.002	42 34 54.72	89.99	9		- 9.975	+0.553	+ 0.03
545	9•4	Hydri		4 0 43.72	93.02	3	- 1.0074		0.0958		164 7 49.46	93.03	3	••	- 9.971	-0.123	
546	9.6	M.Z. 45754		4 0 57.28	92.98	4	+ 0.1988	-	0.0407		158 0 33.68	92.98	4	Con.	- 9.954	+0.029	
547	6.7	D.M 10° · 839	••	4 1 46.44	91.02	3	+ 2.8614		0.0053	••	100 17 30.39	91.03	3	••	- 9.892	+0.367	
548	9.4	Mensæ L. 1592 pre.		4 2 53.20	89.02	29	-12.0353		1.6859	••	175 35 11.17	88.95	3	6	- 9.807	-1.527	
549	7.2	Monsæ L. 1592 fol.		4 2 54.94	88.40	. 88	-12.0353		1.6855		175 35 10.27	88.52	20	24	- 9.805	-1.527	
550	8.8	D.M 11° · 809		4 3 44.30	91.05	3	+ 2.8408		0.0051		101 13 3.56	91.05	3			+ 0.366	
551	8.9	Octantis	-	4 4 97 .00	09.00	2	20.4400		8.1004		177 56 10:00	92.99	2		- 9.686	-3.757	
551		Octantis D.M 12° · 810	••	4 4 27.92	92.99	3	-29.4482		8.1064		177 56 18.98		3		-9.630 -9.676	+0.363	
552	7.6			4 4 36.16	91.03	5	+ 2.8054		0.0048	••	102 50 59·96 174 8 26·70	91·03 92·98	4	••	- 9.635	-1.064	••
553	9·4 9·0	••		4 5 8·18 4 5 17·26	92·98 92·96	3	-8.3526 -2.3746		0·9126 0·1792	••	167 50 55.31	92.98	3		- 9.623	-0.300	
554 555	4.1	o <sup>1</sup> Eridani	••	4 6 29.72	92·96 89·07	3 98	+ 2.9255		0.0058	-0·001	97 7 29.31	92·90 87·71	13	•••		+0.329	-0.08
556	8.0	D.M 14° • 837		4 7 4.59	91.09	3	+ 2.7806	-	0.0046		103 55 13.63	91.09	3		- 9.485	+ 0.361	
557	9.0	D.M-11° 828		4 7 34.03	91.06	5	+ 2.8299		0.0050	••	101 37 33.04	91.06	5			+0.368	1
558	6.5	Mensæ L. 1444		4 7 39.35	90.71	7	-2.9542		0.2199		168 55 38.33	90.75	3		- 9.441	-0.376	
559	9.0	D.M 9° · 849		4 8 2.86	91.03	3	+ 2.8697	10.00	0.0053		99 45 2.79	91.03	3		- 9.410	+0.374	
									~ ~~~~		A A A		1				

			1	1				1						1	-
No.	Mag.	Star's Name.	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations. Number of	Number of Observations.	Annual Precession in R.A.	Seeniar Variation.	Annuai Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.		ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
		A STANDARD STANDARD		Mea	Nur					Mea	_	S.P.			Transfer to
				-										100	199
			h. m. s.	3		8.	s.	s.	0 / #		-		N	"	"
561	8.3	D.M 13° • 848	4 11 22.17	91 .03		+ 2.7879	+ 0.0046		103 27 21.70	91.03	4	•••	- 9.153	+0.366	1
562	9.0	D.M 12° · 839	4 11 22.83	91.95	3	+ 2.8042	+ 0.0048		102 42 43.05	91.95	3		- 9.152	+0.368	
563	9.7	D.M11°·846	4 12 20.72	91.06	3	+ 2.8328	+ 0.0020	••	101 22 10.63	91.06	3	•••	- 9.077	+0.372	
564	7.1	Eridani Lal. 8102	4 13 11.01	92.01	3	+ 2.7546	+ 0.0044		104 54 28.14	92.01	3	•••	- 9.011	+0.363	
565	3.8*	γ Tauri	4 13 31 .94	88.94 1	12	+ 3.4009	+ 0.0114	+0.002	74 38 18.22	87.88	14	•••	- 8.984	+0.442	+0.03
ECC	9.2	- Carlo and	4 14.42.26	92.97	2	- 1.4418	+ 0.1058		165 8 4.63	92.97	3	-	- 8.892	-0.185	
566 567	9.2	Eridani Lal. 8151	4 14:42:20	92.01	3	+ 2.7546	+ 0.0044		$103 \ 8 \ 4 \ 03$ $104 \ 51 \ 24 \cdot 35$	92.01	3	••	- 8.882	+0.364	
568	8.9	Eridani Lal. 8151 D.M 12° • 862	4 15 49.37	91.03	4	+ 2.8131	+ 0.0048		102 11 21.73	91.03	4		- 8.804	+ 0.372	
569	8.5	Octantis	4 16 15.00	93.00	3	-60.6510	+ 28.0689		178 55 8.62	93.00	3		- 8.771	-7.949	
570	4.7	δ Tauri	4 16 35.40	88.47	7	+ 3.4469	+ 0.0119	+0.007	72 42 56.43	88.54	6		- 8.744	+0.456	+0.03
											1				
571	8.2	D.M 14° · 885	4 16 45.42	91.07	3	+ 2.7693	+ 0.0045		104 8 33.06	91.07	3		- 8.731	+0.367	
572	8.3	D.M 10° • 902	4 16 49.31	91.05	3	+ 2.8557	+ 0.0051		100 12 39.52	91.05	3		- 8.726	+0.379	
573	8.5	D.M12° • 877	4 18 45.30	91.09	3	+ 2.7975	+ 0.0047		102 49 7.66	91.09	3		- 8.573	+0.373	
574	9.2	Hydri	4 19 49.35	92.99	3	- 2.1774	+ 0.1416		167 0 33 27	92.99	3		- 8.489	-0.284	
575	3.2	43 Eridani ν <sup>5</sup>	4 19 54.26	87.75	11	+ 2.2470	+ 0.0032	+0.004	124 16 20.42	87.68	11		- 8.482	+0.301	-0.02
				51.1											
576	8.4	D.M 10° • 916	4 20 26.35	91.03	4	+ 2.8404	+ 0.0049		100 50 16.31	91.03	4		- 8.440	+ 0.379	
577	3.7	ε Tauri	4 22 11.54		67	+ 3.4900	+ 0.0120	+0.002	71 3 50.54	87.34	13	••	- 8.300	+0.467	+0.03
578	8.0	D.M 12° • 903	4 22 54.87	91.09	3	+ 2.8080	+ 0.0047		102 14 51.45	91.09	3	••	- 8.243	+0.377	•••
579	9.2	Octantis 4	4 23 4.47	93.02	3	-14.3733	+ 1.8308	••	176 0 9.67	93.02	3	••	- 8.230	-1.908	••
580	9.2	D.M 14° .907 pre	4 23 14.05	91 • 29	4	+ 2.7635	+ 0.0044		104 13 5.60	91.29	4	••	- 8.217	+0.371	••
501	0.0	D.M 14° • 907 fol	4 99 14.00	01.00		1 9.7094	. 0.0044		104 10 00.40	01.00			0.017	1 0 . 971	
581 582	9.0	TT 1.	4 23 14·20 4 23 21·81	91·06 92·99	3	+ 2.7634 - 0.6825	+ 0.0044 + 0.0627	••	104 13 28·49 162 0 16·71	91·06 92·99	3	•••	-8.217 -8.207	+0.371 -0.087	
583	8.4	TO 34 100 000	4 23 40.62	91.03	3	+ 2.8515	+ 0.0021		$102 \ 0 \ 10 \ 11$ $100 \ 15 \ 52 \cdot 36$	92.99	3	•••	- 8.182	+0.383	
584	6.1	5 37	4 25 26.06		26	- 4.2227	+ 0.0000 + 0.2773	+0.006	170 28 14.45	87.08	3		- 8.041	-0.261	-0.09
585	9.3	0 Mensæ	4 26 44.00	92.97	3	- 1.1743	+ 0.0806	+0 000	163 52 34.59	92.97	3	×	- 7.937	-0.124	-0.00
000			1 20 11 00	04 01			1 0 0000		100 02 01 00	02 01		••	- 1 001	U LUI	
586	7.5	D.M 12° · 915	4 26 48.81	91.06	3	+ 2.7920	+ 0.0045		102 52 7.65	91.06	3		- 7.931	+ 0.377	
587	6.3	D.M11°.900	4 28 10.19	91.02	3	+ 2.8328	+ 0.0047		101 1 6.63	91.03	3		- 7.822		
588	9.2	M.Z. 35141	4 29 19.89	92.01		+ 0.1706	+ 0.0319		156 58 10.03	92.01	3		- 7.728	+0.026	
589	1.1	a Tauri	4 29 36.47	88.97	77	+ 3.4332	+ 0.0104	+0.004	73 42 44.65	87 . 79	13		- 7.706	+0.466	+0.18
590	9.9	M.Z. 46806	4 30 14.62	92.05	4	- 0.1622	+ 0.0409	••	159 5 37.52	92.04	4		- 7.654	-0.019	
											-		2		
591	6.1	Mensæ B.A.C. 1454	4 30 44.61			- 5.5404	+ 0.3740	0.000	171 49 42.80	86.86	9	6	- 7.614	-0.745	-0.10
592	3.7	v Eridani	4 30 49.32			+ 2.9952	+ 0.0028	-0.005	93 34 39.78	89.02	9	••		+0.408	-0.01
593	3.3	a Doradus	4 31 37.30	86.29		+ 1.2855		+0.004	145 16 18.55	86.30	3	3		+0.177	+0.01
594		D.M 10° • 967	4 31 44.25	91.05		+ 2.8514	+ 0.0048	••	100 7 2.94	91.06	5			+0.389	
595	7.4	Mensæ L. 1839	4 31 59.33	88.73	47	-17.2623	+ 2.2615	••	176 30.43.19	88.54	14	13	- 7.513	-2.331	
500	9.5	D.M. 149.021	4 20 5.00	01.00	2	1 9.7550	1 0.0010		104 00 05 50	01.00			7.505	10.070	
596 597	8·5 8·2	D.M 14° • 931 D.M 12° • 947	4 32 5·29 4 32 6·45	91.02		+ 2.7556	+ 0.0043		104 20 25.72	91.03	3		- 7.505		••
598	8.2		4 32 6.43	91·08 92·97		+ 2.8002 - 1.8523	+ 0.0045 + 0.1058	••	102 23 13.64 165 51 26.53	91·08 92·97	3	•••	-7.503 -7.460	+0.382	
599	3.9	53 Eridani	4 33 8.50	88.60	6	+ 2.7509	+ 0.1038 + 0.0042	-0.008	105 51 26.53	88.60	3 6			-0.248 + 0.376	 +0·16
600	8.2	D.M 10° · 977	4 34 35.58	91.05		+ 2.8325	+ 0.0042	-0.008	100 54 43.74	91.05	3		- 7.301	1	1
							1 0 0011			01 00				1 0 000	
				1					1						

\* Boss 1900.

No,	Mag.	Star's Name.	Mean R.A., 1890 · 0.	Mean Year of Observations.	N mber of Observations.	Annusi Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890.0.	Mean Year of Observations.		erva- ions.	Annuai Precession in N.P.D.	Secular Variation.	Annua Proper Motion
				Med	NO					Mes	-	S.P.			
			hma						0 / //				17	"	
601	8.3	D.M 13° • 947	h. m. s. 4 35 7.55	91.07	3	s. + 2.7795	s. + 0.0043	8.	103 13 51.41	91.07	3		- 7.258	+0.381	
602	4.2		1 05 00.50	88.57	6	+ 3.5954	+ 0.0131	-0.001	67 15 16.18	88.57	6		-7.215	+0.381 +0.492	+0.01
603	6.6	Mensæ B.A.C. 1481	1 0 0 13 01	87.89	72	- 7.2897	+ 0.5236	-0.018	173 8 8.03	87.77	15	17	- 7.211	-0.989	-0.03
604	4.3	a Cœli	1 07 1.07	87.81	9	+ 1.9440	+ 0.0042	-0.012	132 4 26.31	87.81	9		- 7.103	+ 0.268	+0.08
605	8.6	D.M 10° • 999	1 00 11.04	91.03	4	+ 2.8480	+ 0.0046		100 8 40.29	91.03	4		- 6.925	+ 0.393	
606	9.7	M.Z. 47318	4 39 19.81	92.02	3	- 0.0370	+ 0.0336		158 1 22.14	92.02	3		- 6.913	-0.002	
607	9.0	D.M 14° • 952 .	4 39 26.08	91.06	3	+ 2.7581	+ 0.0042		104 3 53.53	91.06	3		- 6.905	+0.381	
608	10.1	M.Z. 25373	4 39 40.58	92.06	4	+ 0.3853	+ 0.0237		154 57 22.64	92.06	4		- 6.885	+0.056	
609	4.1	μ Eridani	4 40 0.08	88.92	86	+ 2.9966	+ 0.0055	0.000	93 27 24.81	87.72	13		- 6.858	+0.414	0.00
610	8.0	D.M12°.982 .	4 40 42.69	91.08	3	+ 2.8018	+ 0.0044		102 9 0.36	91.08	3		- 6.800	+0.387	
611	9.0	Mensæ	4 41 36 • 45	93.02	3	- 0.5983	+ 0.0482		161 3 49.82	93.02	3	•••	- 6.726	-0.023	
612	8.3	D.M 10° • 1016 .		91.05	3	+ 2.8322	+ 0.0042	••	100 47 6.00	91.05	3		- 6.623	+0.393	
613	8.6	D.M 13° • 977 .		91.03	4	+ 2.7705	+ 0.0042	••	103 26 21.80	91.03	4	•••	- 6.540	+0.385	
614	3.8	1 Orionis $\pi^{s}$ .		90.03	4	+ 3.2225	+ 0.0071	+0.030	83 13 52.47	90.03	3	•••	- 6.539	+0.447	-0.05
615	5.2	Mensæ B.A.C. 1502 .	4 44 10.00	86.30	6	- 0.6272	+ 0.0474	-0.001	161 7 57.07	86.30	3	3	- 6.515	-0.084	-0.03
010	0.0	Manan	4 40 11.10	09.00	3	- 1.6137	+ 0.0794		164 51 99.59	09.00	3		6.947	0.001	
616 617	8·9 8·6	Mensæ D.M. – 13°·1005	4 47 04.00	92·99 91·08	3	+ 2.7628	+ 0.0041		$\begin{array}{r} 164 51 28 \cdot 58 \\ 103 42 10 \cdot 00 \end{array}$	92·99 91·08	3	••	-6.347 -6.246	-0.221 + 0.386	••
618	8.2	D 35 100.1014	1 17 01 10	91.00	3	+ 2.7951	+ 0.0041 + 0.0042	••	102 18 52.39	91.08	3	•••	- 6·232	+0.390	••
619	7.7	D.M 12° 1014 D.M 9° 1013		91.04	3	+ 2.8543	+ 0.0042	••	99 44 21.65	91.04	3		- 6.209	+0.398	••
620	4.0	$\pi^{5}$ Orionis	4 40 01.00	88.39	6	+ 3.1227	+ 0.0000	0.000	87 44 23.52	88.57	6		- 6.153	+0.436	+ 0.01
	10		1 10 01 22	00 00	Ŭ	1 0 1101	,	0 000	0. 11 20 02	00 01			0 100	1 0 100	1001
621	2.9	( Auriga	4 49 49.76	88.54	41	+ 3.8999	+ 0.0143	+0.001	57 0 30.72	87.72	13		- 6.044	+0.545	0.00
622	8.5	Mensæ	1 50 40.00	92.99	3	- 2.5495	+ 0.1123		167 12 40.25	92.99	3		- 5.974	-0.352	
623	8.2	D.M 11° • 1008	4 51 11.60	91.07	3	+ 2.8191	+ 0.0042		101 13 33.59	91.07	3		- 5.930	+0.395	
624	8.9	D.M 13° 1027	4 51 46.62	91.03	3	+ 2.7776	+ 0.0040		102 59 35.75	91.03	3		- 5.882	+0.390	
625	7.0	Mensæ L. 1816	4 51 49.80	88.76	41	- 8.5009	+ 0.5283		173 41 51.86	87.72	7	11	- 5.877	-1.183	
			1												
626	9.2	Mensæ		93.02	3	- 1.3908	+ 0.0621		164 0 27.93	93.02	3		- 5.826	-0.192	
627	3.3	ε Aurigæ	4 54 4.49	89.07	9	+ 4.2959	+ 0.0194	-0.005	46 20 23.77	89.07	9	•••		+0.603	+0.01
628	9.4	D.M 12° • 1048 .		91.08	3	+ 2.7938	+ 0.0040	••	102 15 3.12	91.08	3		- 5.604		••
629	8.7	D.M 10° • 1071 .		91.05	3	+ 2.8453	+ 0.0042	•••	100 1 40.05	91.05	3			+0.401	••
630	8.2	D.M 14° • 1016 .	4 56 24.10	91.03	4	+ 2.7447	+ 0.0038	••	104 18 23.74	91.03	4	••	- 5.493	+0.387	
100	A . 17	m	4 50 01.10	00.79	0	. 9.5779	. 0.0002	1 0.004	00 04 0.00	00.59	0	2.1	5.409	1.0.204	
631	4.7	, Tauri	A FE FOLFE	88.53	6	+ 3.5773	+ 0.0093	+0.004	68 34 3.63 113 21 40.65	88.53 87.07	6			+0.504	••
632	9·4 8·9	 Mensæ	1 50 1.01	87.06 93.02	3	+ 2.5162 - 3.4928	+ 0.0033 + 0.1412		168 53 53·77	93.02	3		-5.369 -5.357	+0.356	••
633 634	3.3		4 50 10.00	88.60	36	$-3^{4928}$ + 4.1969	+ 0.1412 + 0.0166	··· + 0·002	48 54 53.88	93·02 88·52	3 7.		-5.337 -5.291	-0.489	+ 0.06
635	7.8	T 15 100.1000	1 50 10.00	91.09	3	+ 2.8268	+ 0.0040		100 47 25.08	91.09	3			+0.400	
000		D.M 10**1083 .	1 00 10 00	01 00	0		1 0 00±0		100 11 20 00	01 00	0	•••	0 201	10 200	
636	9.7	M.Z. 46552	4 59 17.70	92.04	3	- 0.1057	+ 0.0271		157 54 16.09	92.04	4		- 5.250	-0.013	
637	7.7	D.M 13° · 1059	4 50 00.75	91.08	3	+ 2.7726	+ 0.0038		103 4 53.99	91.08	3			+0.393	
638	8.7	D.M 11° 1057 .	1 80 80.05	91.11	3	+ 2.8185	+ 0.0040		101 7 48.39	91.11	3		A DOLLARS	+ 0.399	
639	3.4	ε Leporis	~ ~ ~ ~ ~ ~ ~ ~	88.58	78	+ 2.5366	+ 0.0033	0.000	112 31 8.88	87.53	12			+0.360	+0.07
640	6.2	D.M13° · 1063 .		91.11	3	+ 2.7674	+ 0.0038		103 16 15.89	91.11	3			+0.393	

- -

No.	Mag.		Star's Name.		Mean R. A. 1890 • 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D. 1890 ° 0.	Mean Year of Observations.		ber of erva- ons.	Annuai Precession In N.P.D.	Secular Variation.	Annuai Proper Motion.
						Mean	Num Obse					Mean Obsei	-	S.P.			1
					h. m. s.			g.	в,	в.	o / •						
641	8.3		D.M 10° · 1099		5 1 37.51	91.03	3	+ 2.8442	+ 0.0040		100 0 36.39	91.03	3		- 5.053	+0.404	
642	8.1		Doradus L. 1755		5 2 19.02	93.06	3	- 0.4181	+ 0.0320		169 38 57 .20	93.06	3		- 4.994	-0.057	
643	3.3	B	Eridani		5 2 26.46	88.66	7	+ 2.9540	+ 0.0044	-0.002	95 13 45.07	88.60	6		- 4.983	+0.419	+ 0.07
644	7.8		D.M 14° • 1051		5 2 33.27	91.06	2	+ 2.7464	+ 0.0037		104 7 57.99	91.06	3		- 4.974	+0.390	
645	9.0		Mensæ		5 2 59.31	93.02	3	- 2.1661	+ 0.0789		166 6 27.32	93.02	3	••	- 4.937	-0.304	
646	9.2	1	D.M 10° • 1105		5 3 30.70	91.09	4	+ 2.8450	+ 0.0040		99 67 13.21	91.09	3		- 4.893	+0.404	
647	8.2		D.M 12° · 1084		5 4 23.84	91.03	3	+ 2.7927	+ 0.0038	0.0	102 10 11.86	91.03	3		- 4.818	+0.397	
648	4.9	ц	Aurigæ		5 5 54.07	88.56	6	+ 4.1010	+ 0.0136	-0.002	51 38 46.41	88.56	6		- 4.690	+0.583	+0.07
649	8.3	ľ	Doradus G. 5958		5 6 5.59	93.05	2	+ 0.1376	+ 0.0204		156 6 31.96	93.05	2		- 4.673	+0.022	
650	8.2		D.M 10° • 1119		5 6 23.92	91.06	4	+ 2.8215	+ 0.0038	•••	100 55 34.98	91.06	4	•••	- 4.647	+0.405	
651	0.2	a	Aurigæ		5 8 33.77	87.65	13	+ 4.4168	+ 0.0120	+0.008	44 6 51.97	89.58	13		- 4.463	+0.630	+0.42
652	0.3	ß	Orionis		5 9 15.04	89.38	71	+ 2.8815	+ 0.0039	-0.001	98 19 44.71	87.55	12	••	- 4.404	+0.415	0.00
653	8.7				5 9 37.16	87.13	3	+ 2.4216	+ 0.0031	••	116 30 58.18	87.13	3	••	- 4.373	+0.347	
654	9.9		M.Z. 46874	•••	5 10 3.39	92.05	3	- 0.3474	+ 0.0269	••	159 6 38.19	92.05	3	••	- 4.335	-0.048	••
655	8.2		M.Z. 46875	••	5 10 6.65	92.08	3	- 0.3806	+ 0.0274		159 17 34·94	92.08	3	••	- 4.331	-0.052	
656	9.3		D.M 9° · 1107		5 10 14.31	87.06	3	+ 2.8524	+ 0.0038		99 34 16.49	87.06	3		- 4.320	+0.408	
657	9.3		D.M 9° • 1108		5 10 22.60	87.09	3	+ 2.8508	+ 0.0038		99 38 18.72	87.09	3	••	- 4.308	+0.408	
658	9.5		D.M9° • 1110	••	5 10 47.52	91.03	3	+ 2.8438	+ 0.0038		99 55 59.89	91.03	3	••	- 4.273	+0.402	
659	8.9		M.Z. 35209		6 11 10.07	92.02	3	+ 0.0213	+ 0.0202	••	156 49 4.58	92.02	3	••	- 4.240	+0.002	
660	9.5		D.M 13° • 1110	•••	5 11 18.79	91.06	3	+ 2.7506	+ 0.0032		103 50 17.14	91.06	3	••	- 4.228	+0.394	
661	4.7	λ	Aurigæ		5 11 23.98	88.06	6	+ 4.1692	+ 0.0131		49 59 56.04	88.06	6		- 4.220	+0.596	
662	6.4		Mensæ B.A.C. 1675		5 11 24.92	87.56	54	- 7.0121	+ 0.2788	-0.013	172 36 57.17	87 . 55	9	14	- 4.219	-0.998	0.00
663	7.2		Doradus L. 1807		5 11 36.18	93.08	3	+ 0.2298	+ 0.0174		155 18 19.86	93.08	3		- 4.203	+0.035	
664	8.8		Mensæ L. 1831 pre.		5 12 0.33	93.06	3	- 1.0018	+ 0.0382	••	162 12 22.60	93.06	3		- 4.169	-0.141	
665	8.7		Mensæ L. 1831 fol.		5 12 1.18	93.06	3	- 1.0019	+ 0.0382		162 12 22.57	93.06	3	•••	- 4.167	-0.141	
666	8.2		D.M 12° · 1124		5 12 43.44	91.08	3	+ 2.7850	+ 0.0035		102 23 42.93	91.08	3		- 4.107	+ 0.399	
667	4.9	0	Columbæ		5 13 31.01	88.21	10	+ 2.1556	+ 0.0032	+0.006	125 0 10.98	87.55	10		- 4.039	+0.310	+0.34
668	5.0	θ	Doradus		5 13 50.59	93.12	3	- 0.0602	+ 0.0206	0.000	157 18 32.86	93.12	3		- 4.011	-0.002	-0.04
669	7.7		D.M11°·1134		5 14 31 • 21	91.03	4	+ 2.8142	+ 0.0036		101 8 54.49	91.03	3		- 3.953	+0.404	
670	5.1		Leporis Lal. 10063	••	5 15 45.09	87.06	3	+ 2.6597	+ 0.0031		111 21 2.61	87.06	3	•••	- 3•848	+0.368	
671	8.7		Mensæ	•••	5 15 48.16	93.03	3	- 1.5816	+ 0.0475		164 15 21.42	93.03	3		- 3.843	-0.225	
672	8.7		Mensæ		5 15 54.92	93.07	3	- 1.9171	+ 0.0552		165 15 57.40	93.07	3	••	- 3.833	-0.273	
673	8.5		Doradus B. 939		5 16 37.74	93.11	4	- 0.2184	+ 0.0218	••	158 14 58.51	93.10	3	••	- 3.772	-0.030	••
674	9.1		Doradus B. 941		5 17 7.80	93.12	3	- 0.2286	+ 0.0217	••	158 18 7.54	93.12	3	••	- 3.729	-0.031	••
675	6•8		Mensæ L. 1878		5 17 59.58	93.09	3	- 1.4236	+ 0.0420		163 42 12.92	93.09	3	•••	- 3.655	-0.203	
676	9.3	12	D.M 12° · 1150		5 18 29.09	91.04	-6	+ 2.7925	+ 0.0034		102 1 20.02	91.06	3		- 3.613	+0.402	
677	2.5	Y	Orionis		5 19 13.82	88.56	6	+ 3.2166	+ 0.0047	-0.002	83 45 0.93	88.56	6		- 3.548	+0.463	+0.02
678	1.8	ß	Tauri		5 19 20.23	88.05	. 43	+ 3.7874	+ 0.0080	+0.001	61 29 9.58	87 • 40	11		- 3.539	+0.545	+0.18
679	7.2		Octantis S. 2449		5 19 39 27	88.60	36	-34.6187	+ 3.5430	+0.020	178 0 0.12	88.75	18	14	- 3.512	-4.970	-0.50
680	9.1	1	D.M 10° · 1179 pre.		5 19 67.74	91.09	4	+ 2.8394	+ 0.0034		100 2 26.88	91.09	4		- 3.486	+0.409	

9589.

.

.

18

#### THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tio	rva-	Annual Precession in N.P.D.	Secular Variation.	Annua Proper Motion
				Mea	Nun Obs					Mea	-	S.P.			
			h. m. s.			s.	s.	S.	0 1 //				"		"
681	9.2	D.M 10 .1179 seq.		91.09	2	+ 2.8394	+ 0.0034		100 2 24.85	91.09	2		- 3.485	+ 0.409	
682	9.5		. 5 20 34.46	93.04	3	- 0.5574	+ 0.0249		160 3 24.57	93.04	3		- 3.432	-0.079	
683	8.4	N D 007	. 5 21 36.89	93.07	3	- 0.7704	+ 0.0275		161 4 4.52	93.07	3		- 3.343	-0.109	
684	9.0	TO NE 110.1104	. 5 23 20.41	91.03	. 4	+ 2.8122	+ 0.0033		101 9 34.14	91.03	4		- 3.194	+0.406	
685	8.8	D.M12°·1179	. 5 24 0.01	91 • 29	. 4	+ 2.7687	+ 0.0032		102 57 32.05	91 • 37	3		- 3.137	+0.400	
686	6.9	Mensæ L. 2066	. 5 24 13.09	87.75	13	- 9.4543	+ 0.3242		173 58 55.02	86.94	8	8	- 3.118	-1.361	
687	9.0	Doradus G. 6398	. 5 25 17.52	93.12	. 3	+ 0.0766	+ 0.0147		156 11 48.40	93.12	3		- 3.025	+0.012	
688	8.0	Doradus G. 6400	. 5 25 38.69	93.07	2	+ 0.1265	+ 0.0142		155 50 0.56	93.08	3		- 2.995	+0.020	
689	2.5	$\delta$ Orionis	. 5 26 23.16	89.89	66	+ 3.0637	+ 0.0038	-0.001	90 22 51.87	87.57	12	•••	- 2.931	+0.443	0.00
690	8.6	D.M 10° • 1210	. 5 26 48.99	91.03	4	+ 2.8374	+ 0.0032	••	100 4 41.65	91.03	4	••	- 2.893	+0.411	•••
691	8.8	D.M 13° • 1180	. 5 27 51.72	91.06	3	+ 2.7459	+ 0.0030	2.	103 51 42.55	91.06	3	••	- 2.803	+0.398	
692	2.7	-	. 5 27 52.69	89.49	65	+ 2.6449	+ 0.0029	-0.001	107 54 5.19	87.55	12	••	- 2.801	+0.383	-0.01
693	9.2		. 5 28 4.58		3	+ 2.7819	+ 0.0031		102 22 47.14	91.08	3	••	- 2.784	+0.403	
694	9.3		$5\ 28\ 34\cdot 20$		3	-21.5102	+ 1.1516		176 54 59.40	93.06	3	••	- 2.741	-3.106	••
695	8.2	Mensæ G. 6485	. 5 28 59.10	93.13	3	- 1.2698	+ 0.0296		163 2 7·23	93.14	4	••	- 2.705	-0.182	
696	7.8		. 5 29 7.33		. 3	- 0.0138	+ 0.0144		156 46 11.37	93.09	3		- 2.694	-0.001	
697	3.2		. 5 30 3.09		7	+ 2.9336	+ 0.0033	- 0.001	95 58 57 • 49	88.60	6	•••	- 2.613	+0.425	-0.01
698	1.7		5 30 37.88		79	+ 3.0431	+ 0.0032	-0.005	91 16 21.45	87.56	12	•••	- 2.563	+0.441	-0.01
699	7.5		. 5 30 49.89		3	+ 2.7587	+ 0.0030		103 18 57 • 44	91.03	3		- 2.545	+0.400	. 0.00
<b>70</b> 0	3.2	ζ Tauri	5 31 4.18	88.67	7	+ 3.5836	+ 0.002	-0.001	68 55 29.70	88.60	8	•••	- 2.524	+0.20	+0.03
701	8.9	Mensæ	. 5 32 0.97	93.03	3	- 3.0678	+ 0.0567		167 48 22.11	93.03	3		- 2.442	-0.443	
702	9.2	D.M 11° • 1239	. 5 32 4.42	91.07	3	+ 2.8111	+ 0.0030	••	101 8 45.26	91.07	3	•••	- 2.437	+0.408	
703	9.1	W.B. v. 814	. 5 33 40.53		. 3	+ 2.7347	+ 0.0029	••	104 16 17.30	87.06	3	•••	- 2.298	+0.392	
704	8.9		. 5 33 58.72		3	-12.5730	+ 0.3758	••	175 8 51 . 40	93.09	3	••	- 2.272	-1.821	
705	9.4	Mensæ	5 34 28.26	93.06	3	- 7.7581	+ 0.1715		173 0 22.53	93.06	3	•••	- 2.229	-1.124	••
706	8.5	D.M13°·1209	5 34 51.80	91.03	4	+ 2.7431	+ 0.0028		103 55 26.60	91.03	4		- 2.195	+0.399	
707	1.9	ζ Orionis	. 5 35 12.47	90.07	5	+ 3.0261	+ 0.0032	-0.001	92 0 3.97	90.08	5		- 2.165	+0.440	-0.0
708	2.7	a Columbæ	. 5 35 39 92	89.14	102	+ 2.1713	+ 0.0028	+0.002	124 7 58.14	87.83	13		- 2.126		+0.03
709	8.5		. 5 35 44.49		. 3	+ 2.8416	+ 0.0029		99 51 18.53	91.06			- 2.118	1	
710	9.0	D.M11° • 1257	5 35 44.85	91.07	. 2	+ 2.7917	+ 0.0028		101 55 45.17	91.07	2		- 2.118	+0.406	
711	9.2	Doradus G. 6659	5 36 12.49	93.13	3	+ 0.2146	+ 0.0102	<b>E</b>	155 2 57.56	93.13	3		- 2.078	+0:032	
712	8.1	Mensæ	. 5 36 37 . 23	93.05	. 3	- 0.9752	+ 0.0201		161 48 41.64	93.05	3		- 2.042	-0.141	
713	6.4		. 5 37 29.62	93.10	3	- 1.5087	+ 0.0251		163 48 21.68	93.10	3	•••	- 1.966	-0.218	
714	8.7		. 5 39 0.99		_3	- 0.5890	+ 0.0121	•••	160 1 11.46	93.10		••	- 1.839	-0.082	••
715	7.6	D.M 12° • 1250	5 39 34.63	91.03	4	+ 2.7694	+ 0.0022		102 49 27.62	91.03	3	•••	- 1.785	+0.403	- *
716	9.9	M.Z. 46659	5 40 6.08	92.01	3	- 0.2226	+ 0.0118		157 59 34.32	92.01	3		- 1.739	-0.031	
717	9.0	T 10 100 1000	. 5 40 14.60		5	+ 2.8151	+ 0.0027		100 56 25.20	91.06	5		- 1.726	+0.410	
718	5.2		. 5 41 33.04		3	+ 4.1571	+ 0.0058		50 51 23.80	86.04	3		- 1.613	+0.602	
719	4.0	4 T .	5 41 58.23		6	+ 2.7188	+ 0.0024	-0.002	104 51 47.48	88.57	6		- 1.576	+0.396	-0.01
720	6.1	35	. 5 42 20.79		12	- 3.7073	+ 0.0458		168 52 39.09	86.59	5	5	- 1.543	-0.538	

No.	Mag.	Star's Name.		Mean R.A., 1890 ° 0.	n Year of ervations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890°0.	Mean Ycar nf Observations.	Obse	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Prope Motion
					Mean Observ	Nur Obs					Mea	-	S.P.			
			•													
-			1	h. m. s.	00.70	00	8.	8.	8.	0 / #	00.05	1.		1.500		
721	2.2	<sup>x1</sup> Orionis		5 42 32.34	89·79 93·13	80 3	+ 2.8445	+ 0.0027	-0.005	99 42 32·75	88.07	15	•••	- 1.526	+0.414	0.00
722	8.4	Mensæ B. 1057		5 42 56 94 5 43 39 16	91.03		-1.1104 + 2.7314	+ 0.0167 + 0.0025	•••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	93·13 91·03	3	••	-1.491 -1.429	-0.161 +0.398	••
723 724	8.8	D.M 14° • 1243 Mensæ B. 1059	••	5 43 48.04	93.12	4	-0.3368	+ 0.0023 + 0.0108	•••	158 38 15.36	93.12	4		-1.429 -1.416	-0.048	
725	8.0	Doradus L. 2049	•••	5 44 4.55	93.09	3	- 0.2493	+ 0.0100		158 7 32.39	93.09	3		- 1.392	-0.036	
. 20	00	Doraded 13 2010					0 = 200	, , , , , , , , , , , , , , , , , , , ,								
726	8.5	D.M 12° · 1281		5 44 25.78	91.06	3	+ 2.7827	+ 0.0025		102 15 34.42	91.06	3		- 1.361	+0.405	
727	4.3	δ Doradus		5 44 34.60	89.17	19	+ 0.1028	+ 0.0082	-0.008	155 46 35.69	89.18	13	6	- 1.349	+0.016	+0.01
728	8.7			5 45 48.02	92.14	3	- 0.6377	+ 0.0116	-0.072	160 13 13.05	92.14	3		- 1.242	-0.095	+1.24
729	5.5	Mensæ B.A.C. 1898		5 45 56.55	90.71	9	- 4.9448	+ 0.0525	+0.034	170 33 1.77	90.69	1	2	- 1.229	-0.719	-0.93
730	8.5	Mensæ		5 46 23.78	93.03	3	- 1.8861	+ 0.0194		164 56 13.37	93.03	3		- 1.190	-0.274	
										1						
731	8.3	Mensæ B. 1079		5 46 57 35	93.14	4	- 1.2121	+ 0.0143		162 41 52.03	93.14	3	••	- 1.141	-0.126	
732	3.0	$\beta$ Columbæ		5 47 4.91	86.54	6	+ 2.1095	+ 0.0026	+0.005	125 48 35.47	86.54	6	•••	- 1.130	+0.308	-0.41
733	7.8	D.M 12° • 1296	••	5 47 33.43	91.07	3	+ 2.7694	+ 0.0024	•••	102 47 40.73	91.07	3	••	- 1.088	+0.404	•••
734	8.5	D.M 10° • 1309	••	5 48 15.13	91.06	3	+ 2.8202	+ 0.0024	•••	$100 \ 42 \ 10.50$	91.06	3	••	- 1.027	+0.411	
735	8.7	Mensæ	••	5.48 16.72	93.06	3	- 2.6254	+ 0.0226	••	166 48 44.79	93.06	3	••	- 1.025	-0.385	
736	8.9	Mensæ		5 49 2.56	93.14	3	- 0.8102	+ 0.0105		161 1 14.23	93.14	3		- 0.958	-0.118	
737	0.9	a Orionis		5 49 12.95	88.80	21	+ 3.2456	+ 0.0026	+ 0.001	82 36 49.61	88.31	15		- 0.943	+0.473	-0.02
738	9.0	D.M9° • 1266		5 50 17.21	91.09	3	+ 2.8397	+ 0.0024		99 53 15.16	91.09	3		- 0.850	+0.414	
739	8.0	Doradus L. 2089		5 50 20.04	93.11	3	+ 0.1704	+ 0.0061		155 17 11.02	93.11	3		- 0.846	+0.025	
740	8.0	D.M11°·1326		5 50 42.71	91.08	3	+ 2.7965	+ 0.0023		101 40 29.57	91.08	3		- 0.813	+0.408	
741	9.2	M.Z. 46959		5 51 15.31	92.01	3	- 0.4568	+ 0.0018		159 16 2.57	92.01	3		- 0.765	-0.066	
742	2.2	$\beta$ Aurigæ		5 51 27.61	88.46	13	+ 4.4055	+ 0.0039	-0.002	45 3 50·91	88.47	13		- 0.747	+0.642	+0.01
743	6.3	Mensæ B.A.C. 1960	••	5 51 31.26	86.76	39	-11.7142	+ 0.1136	-0.011	174 50 15.23	86.98	9	14	- 0.742	-1.707	-0.03
744	3.7	$\theta$ Aurigæ	••	5 52 13.22	88.63	6	+ 4.0869	+ 0.0032	+0.004	52 47 44.06	88.62	6	••	- 0.680	+0.596	+0.08
745	4.4	γ Columbæ	••	5 53 38.16	88.28	8	+ 2.1265	+ 0.0024	-0.003	125 17 42.60	88.58	8	••	- 0.557	+0.310	-0.01
746	6.0	D.M 12° • 1337		5 55 13.25	91.06	3	+ 2.7663	+ 0.0022		102 54 16.68	91.06	3		- 0.418	1.0.403	
747	7.0	Doradus L. 2134	••	5 56 4.98	93.08	3	- 0.2459	+ 0.0022	••	158 3 37.61	93.07	3		- 0.343		••
748	8.7	D.M 11° · 1359		5 56 28.11	91.07	3	+ 2.8117	+ 0.0021		101 2 29.15	91.07	3	••	- 0.309	+0.410	
749	9.5	Octantis		5 57 29.67	93.14	3	-33.5097	+ 0.2165		177 54 25.75	93.14	3		- 0.219	-4.887	
750	9.0	Mensæ		5 58 34.91	93.07	3	- 6.4051	+ 0.0124		171 58 17.20	93.07	3		- 0.124	-0.934	
751	7.6	D.M 14° • 1322		5 59 11.78	91.10	4	+ 2.7372	+ 0.0021	<b></b>	104 4 51.69	91.10	3		- 0.070	+0.399	
752	8.2	Doradus G. 7235		5 59 34.57	93.12	3	- 0.5725	+ 0.0033		159 51 32.71	93.12	3		- 0.037	-0.084	
753	8.6	D.M 12° • 1366		5 59 54.15	91.08	3	+ 2.7807	+ 0.0020		102 18 48.05	91.08	3		- 0.009	+0.402	
754	9.0	M.Z. 35907		6 0 13.93	92.01	3	+ 0.0383	+ 0.0032	10. O	156 13 21.53	92.01	3		+ 0.020	+0.002	
755	6.5	D.M 10° • 1368	••	6 0 15.37	91.06	3	+ 2.8311	+ 0.0020	••	100 14 8.55	91.06	3		+ 0.022	+0.413	••
750	0.0	Manan		6 0 17.99	02.00	0	1.5101	1. 0.0010		109 40 9.00	02.00	0		0.005	0.000	
756	9·0 9·2*	Mensæ Mensæ	••	6 0 17·33 6 1 14·31	93·09 93·12	3	- 1.5191	+ 0.0040	••	163 46 2·26	93.09	3	* *	+ 0.025	-0.222	••
757	4.5		••	$\begin{array}{c} 6 & 1 & 14 \cdot 31 \\ 6 & 1 & 17 \cdot 43 \end{array}$	93·12 88·88	3	-3.1602 + 3.4253	+ 0.0025 + 0.0016	0.000	167 53 38·51 75 13 8·01	93·12 88·40	3	••	+ 0.108 + 0.113	-0.461 + 0.500	+0.01
758 759	4·3	v Orionis Puppis B.A.C. 1964	•••	6 1 18.49	87.76	64 9	+ 3.4253 + 1.7340	+ 0.0016 + 0.0024	0.000	135 2 11.99	88.40	16 6	••		+0.253	-0.23
760	7.3	D.M 11° · 1393		6 3 16 • 16	91.09	4	+ 2.8096	+ 0.0019		101 7 49.16	91.09	3	••		+0.410	
		1.111. 11 1000		0 0 10 10		×	2 0000	0 0013	••	101 1 10 10	01 00	0	••	0 200	10 110	••

† Ristenpart A.N. 4245, Baldwin A.N. 4513 -0".071. +1".21.
\* Wa. Z. 1850.

20

No.	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tio	-	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
					Mea	Nur Obs					Mea		S.P.			
															•	
			12	h. m. s.			8.	8.	s.	0 / //				"		
761	8.5			6 3 43.10	92.14	3	- 1.0760	+ 0.0009		162 8 26.26	92.14	3		+ 0.325	-0.157	
762	8.2	D.M 13° • 1366	•••	6 4 11.65	91.07	3	+ 2.7590	+ 0.0019		103 12 9.08	91.07	3	••	+ 0.367	+0.402	
763	9.1	Mensæ	•••	6 4 28.00	93.08	3	- 4.5942	- 0.0083		170 6 38.05	93.08	3	••	+ 0.391	-0.620	
764	9.6		••	6 5 38.35	87.08	3	+ 1.9978	+ 0.0022		128 48 14.10	87.08	3	••	+ 0.493	+0.291	
765	8.8	D.M 11° • 1409	••	6 6 48.68	91.09	3	+ 2.7907	+ 0.0018		101 54 37.12	91.09	3	••	+ 0.296	+0.406	
766	6.6	Doradus L. 2212		6 7 3.52	93.10	3	- 0.1164	+ 0.0002		157 15 54.15	93.10	3		+ 0.617	-0.017	
767	8.0	D.M 10° • 1419		6 7 39.43	91.10	3	+ 2.8306	+ 0.0017		100 15 42.26	91.10	3		+ 0.670	+0.412	
768	3.5	η Geminorum		6 8 14.21	88.97	28	+ 3.6270	+ 0.0006	-0.002	67 27 42.50	87.98	13		+ 0.721	+0.528	0.00
769	8.8	D.M13° · 1396		6 8 24.86	91.07	3	+ 2.7458	+ 0.0018		103 44 40.21	91.07	3		+ 0.736	+0.400	
770	8.4	Doradus G. 7491	••	6 8 40.10	93.12	3	+ 0.1994	+ 0.0005		155 3 46.57	93.12	3	••	+ 0.758	+0.029	
771	6.8	Mensæ B.A.C. 2085		6 8 47.00	87.31	32	-15.6990	- 0.1717	-0.022	175 55 46.29	88.59	21	20	+ 0.768	-2.288	0.00
772	7.8	O.A. 4812		6 8 47.23	87.08	3	+ 2.5534	+ 0.0019		111 14 13.65	87.08	3	20	+ 0.768	+0.372	
773	5.3	v Doradus		6 9 24.28	93.13	3	- 0.3747	- 0.0011		158 49 11.31	93.13	3		+ 0.823	-0.055	
774	8.6	D.M 12° · 1423		6 10 48.06	91.09	3	+ 2.7715	+ 0.0017		102 42 9.74	91.09	3		+ 0.945	+0.403	
775	8.8	D.M 11° • 1434	••	6 11 19.01	91.10	3	+ 2.8104	+ 0.0016		101 6 23.49	91 • 10	3	•••	+ 0.990	+0.409	1000
776	9.2	Mensæ		6 12 16.55	93.09	3	- 9.7331	- 0.1056		174 2 54.75	93.09	3		+ 1.074	-1.418	
777	8.3	Mensæ L. 2272	•••	6 13 5.55	93.13	3	$- 3^{1331}$ $- 1^{2882}$	-0.0072		162 58 56.03	93.13	3	•••	+ 1.145	-0.188	
778	9.3	Mensæ		6 14 10 . 29	93.07	3	- 0.8038	- 0.0054		$161 \ 0 \ 18.22$	93.07	3		+ 1.239	-0.118	
779	7.0	D.M 13° • 1450		6 14 55.89	91.06	3	+ 2.7412	+ 0.0016		103 56 46.82	91.06	3		+ 1.306	+0.398	
780	7.0	D.M 9° · 1423	••	6 15 27·51	91.09	3	+ 2.8411	+ 0.0014		99 50 33·25	91.09	3		+ 1.351	+0.413	
501	0.0	D 1 I 2000		0.15.05.10	00.10	0	0.0411	0.0001		150 15 0.50	00.10			1.000		
781 782	8·2 3·2	Doradus L. 2266 Z Canis Majoris	•••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	93·16 92·07	3 27	+ 0.0411 + 2.3021	- 0.0021 + 0.0019	0.000	156 15 3·79 120 0 53·10	93·16 92·23	3	•••	+ 1.363 + 1.407	+0.005 +0.334	-0.01
783	3.2	$\zeta$ Canis Majoris $\mu$ Geminorum	••	6 16 18.30	87.74	46	+ 2.3021 + 3.6268	-0.0002	+0.001	67 25 49.49	87.79	13		+ 1.407 + 1.425	+0.527	+0.10
784	8.5	D.M 12° • 1452	••	6 16 22.08	91.07	3	+ 3.0203 + 2.7867	+ 0.0015	+0 004	102 5 50.45	91.07	3		+ 1.431	+0.405	
785	7.2	Mensæ L. 2308	•••	6 17 22.42	93.12	3	-1.4522	- 0.0120		163 35 3.86	93.12	3		+ 1.519	-0.212	
786	2.9	B Canis Majoris	••	6 17 51.31	88.61	6	+ 2.6420	+ 0.0016		107 54 6.07	88.61	6	••	+ 1.561	+0.384	0.00
787	5.0	8 Monocerotis	••	6 17 56·29	88.58	6	+ 3.1809	+ 0.0006		85 21 6.09	88.58	6		+ 1.568 + 1.684		-0.01
788 789	6·5 6·3	D.M 12°·1470 Mensæ L. 2426	•••	$\begin{array}{c} 6 \ 19 \ 16 \cdot 11 \\ 6 \ 19 \ 51 \cdot 59 \end{array}$	91 · 08 90 · 90	3 6	+ 2.7673 - 6.4127	+ 0.0014 - 0.0905		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.08 90.85	32		+ 1.084 + 1.735	-0.932	••
790	8.0	D.M 10° · 1515	••	6 20 4.82	91.06	3	+ 2.8168	+ 0.0013		100 52 15.00	91.06	3		+ 1.755		
										1012						
791	8.3	Mensæ L. 2322		6 20 9.85	9 <b>3</b> ·12	3	- 1.0460	- 0.0112		162 4 54.04	93.12	3	••	+ 1.762	-0.123	
792	7.4	Doradus L. 2314	••	6 20 14.70	93.07	3	- 0.5339	- 0.0073		159 44 2.11	93.07	3	•••	+ 1.769	-0.028	
793	9.0	M.Z. 46744	••	6 20 47 . 23	92.03	3	- 0.2048	- 0.0054		157 53 27.90	92.03	3	••	+ 1.816	-0.031	
794	-1.0	0	•••	6 21 30·55	88.34	13	+ 1.3294	+ 0.0009		142 38 8.07	87.57	15	•••	+ 1.879	+0.192	-0.01
795	5.1	10 Monocerotis	••	6 22 31.59	88.52	7	+ 2.9633	+ 0.0003	-0.001	94 41 41.11	88.59	6	••	+ 1.968	+0.429	-0.01
796	9.8			6 22 59.83	92.15	3	- 1.5322	- 0.0182		163 53 15.31	92.14	4		+ 2.009	-0:223	
797	9.0	D.M 11° • 1498		6 23 26.35	91.08	4	+ 2.7928	+ 0.0012		101 52 37.36	91.08	4		+ 2.047	+0.404	
798	6.0	$\pi^1$ Doradus	••	6 23 40.55	93.08	3	- 0.5658	- 0.0094		159 55 24.51	93.08	3		+ 2.068	-0.083	
799	8.5	D.M 10° • 1546		6 23 50.24	91.10	3	+ 2.8316	+ 0.0011		100 16 13.78	91.10	3		+ 2.082	+0.410	
	8.5	D.M 14° • 1467		6 24 14.85	91.09	5	+ 2.7375	+ 0.0013		104 8 39.80	91.09	5		+ 2.118		

No.	Mag.	• Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890*0,	Mean Year of Observations.	Obse	ber of erva- ons.	Annual Precession iu N.P.D.	Secular Variation.	Annua Prope Motion
					Meal	Nur Obse					Mcar	-	S.P.			
				h. m. s.				s.	8.	0 / //				n		
801	9.7	M.Z. 25981		6 26 55·10	92.03	3	s. + 0.2390	·- 0.0047		154 53 42.62	92.03	3		+ 2.350	+0.034	11.5
802	7.0	D.M 11° • 1520		6 27 37.57	91.07	3	+ 2.8125	+ 0.0010		101 5 8.74	91.07	3		+ 2.411	+0.400	
803	8.7	D.M 12° • 1536		6 28 2.25	91.06	3	+ 2.7705	+ 0.0011		102 49 27.04	91.06	3		+ 2.447	+0.400	
804	8.8	D.M 11° • 1547		6 30 18.73	91.10	3	+ 2.7932	+ 0.0010		101 54 4.61	91.10.	3		+ 2.644	+0.403	
805	5.1	ξ <sup>2</sup> Canis Majoris		6 30 26.71	88.60	6	+ 2.5134	+ 0.0015	0.000	112 52 40.34	88.60	6		+ 2.656	+0.365	-0.0
806	6.0	51 Aurigæ		6 31 2.20	88.61	6	+ 4.1640	- 0.0060	-0.004	50 30 45.51	88.61	6		+ 2.707	+0.600	+0.1
807	8.0	Doradus B. 1300		6 31 3.29	93.16	3	- 0.0163	- 0.0080	S	156 47 19.33	93.15	3		+ 2.709	-0.004	
808	8.4	Doradus G. 8099		6 31 7.57	93.16	3	- 0.3541	- 0.0113		158 51 58.73	93.16	3		+ 2.715	-0.052	
809	8.5	D.M 9° • 1537		6 31 14.67	91.12	3	+ 2.8452	+ 0.0008	· · · · ·	99 44 19.77	91.12	3		+ 2.725	+0.410	1
810	1.9	γ Geminorum		6 31 21.39	89.66	50	+ 3.4646	- 0.0012	+0.005	73 30 26.07	87.59	12		+ 2.735	+0.499	+0.0
811	8.5	D.M 13° · 1569		6 31 40.17	91.07	3	+ 2.7498	+ 0.0011		103 41 53.27	91.07	3		+ 2.762	+0.396	
812	7.8	Doradus G. 8117		6 31 48.90	93.13	3	+ 0.2027	- 0.0064	••	155 13 59.74	93.13	3	••	+ 2.775	+0.028	
813	8.6	Mensæ		6 32 27.38	<b>93 · 1</b> 0	3	- 7.5582	- 0.1960	••	172 54 11.58	93.10	3		+ 2.830	-1.095	
814	9.0	Mensæ		6 33 19.71	93.09	3	-12.0614	- 0.4315		175 0 17.16	93.09	3		+ 2.906	-1.742	
815	3.2	v Argus		6 34 23.71	88.00	10	+ 1.8356	+ 0.0013	-0.001	133 5 59.12	88.20	11	•••	+ 2.998	+0.263	+0.0
816	8.3	D.M 10° • 1624		6 34 24.56	91.09	3	+ 2.8207	+ 0.0008		100 47 4.75	91 .08	6		+ 3.000	+0.402	
817	5.0	S Monocerotis		6 34 55 • 22	88.57	6	+ 3.3055	- 0.0011	0.000	80 0 10.08	88.58	6		+ 3.044	+0.475	0.0
818	8.6			6 36 22.40	92.14	3	- 1.2651	- 0.0265		163 4 24.96	92.14	3		+ 3.169	-0.184	
819	8.8	D.M 12° • 1587		6 36 23.95	91.10	3	+ 2.7677	+ 0.0008	••	103 0 14.01	91.10	3		+ 3.171	+0.392	
820	3.6	ε Geminorum		6 37 9.85	88.57	7	+ 3.6945	- 0.0036	-0.005	64 45 37 . 43	88.63	6	•••	+ 3.238	+0.230	+0.
821	9.3	Mensæ		6 37 14.54	93 • 11	3	- 1.1934	- 0.0261		162 48 55.54	93 · 11	3		+ 3.244	-0.173	
822	9.3	Monsæ		6 37 19.60	93.14	3	- 4.3026	- 0.1000		169 51 32.04	93.14	3		+ 3.252	-0.621	•
823	7.7	Volantis L. 2451		6 38 13.75	93.14	3	+ 0.1136	- 0.0093	••	155 59 5.65	93.14	3		+ 3.329	+0.012	
824	8.2	Volantis G. 8323		6 38 29.83	93.17	3	- 0.7161	- 0.0196		160 49 2.57	93.17	3	•••	+ 3.352	-0.102	
825	8.9	D.M 13° • 1626	••	6 38 39.33	91.11	3	+ 2.7501	+ 0.0009		103 44 58.51	91.11	3	•••	+ 3.366	+0.394	•
826	7.6	Volantis L. 2472		6 38 51.39	93.15	3	- 0.6487	- 0.0189		160 30 2.91	93.15	3		+ 3.384	-0.092	
827	3.4	ξ Geminorum		6 39 6.90	88.98	32	+ 3.3770	- 0.0018	-0.009	76 59 10.07	87.61	12		+ 3.406	+0.484	+0.
828	9.0	D.M 12° • 1608		6 39 10 . 28	91.09	4	+ 2.7853	+ 0.0007	· · · ·	102 18 0.54	91.09	3		+ 3.411	1	
829	9.1			6 39 14.02	92.17	3	- 0.5451	- 0.0177		159 59 28.69	92.17	4		+ 3.416	-0.080	
830	8.5	D.M 9° • 1636	•••	6 40 11·54	91 • 13	3	+ 2.8436	+ 0.0002		99 51 58.45	91.13	3	•••	+ 3.498	+ 0 • 407	
831	- 1.4	a Canis Majoris	••	6 40 18.08	88.90	32	+ 2.6810	+ 0.0013	- 0.037	106 33 58.13	87.83	13		+ 3.508	+0.383	+1.
832	4.6	18 Monocerotis		6 42 7.45	88.63	6	+ 3.1306	- 0.0007	-0.005	87 28 4.74	88.63	6		+ 3.665	+0.447	+0.
833	7.2	Volantis L. 2495		6 42 41.73	93.15	3	- 0.1357	- 0.0138		157 43 52.67	93.15	3		+ 3.714	-0.021	
834	8.0	D.M 10° • 1702		6 42 47.52	91.11	3	+ 2.8175	+ 0.0002		100 59 16.11	91 • 11	3		+ 3.722	+0.405	
835	6.7	D.M 12° · 1634		6 43 22.03	91.08	3	+ 2.7762	+ 0.0006		102 43 6.43	91.08	3	•••	+ 3.772	+0.396	
836	8.2	Volantis G. 8482		6 43 49.75	93.16	3	- 0.9140	- 0.0263		161 46 36.54	93.16	3		+ 3.812	-0.133	
837	8.4	Puppis G. 8492		6 44 43.37	89.02	3	+ 1.7976	+ 0.0009		134 11 34.30	89.02	3		+ 3.888	+0.255	
838	7.4	Volantis G. 8510		6 44 56.36	93 • 17	3	+ 0.2703	- 0.0096	5	154 55 26.90	93 • 17	3		+.3.907	+0.037	
839	9.4	Mensæ		6 45 12.37	93.12	. 3	- 6.4625	- 0.2181		172 10 17.83	93.12	3		+ 3.930	-0.926	
840	9.7			6 45 15.99	92.19	4	- 1.8599	- 0.0472		165 7 0.32	92.19	4		+ 3.935	-0.268	

No.	Mag.		Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890*0.	Mean Year of Observations.		erva- ons.	Annuai Precession in N.P.D.	Secular Variation.	Annu Prop Motio
						Mea Oba	Nui Obe					Mea Obs	-	S.P.			
		0	~		h. m. s.			S.	8.	8.	0 / //					N	~
841	3.6	θ	Geminorum	•••	6 45 32.31	88.61	6	+ 3.9596	- 0.0073	0.000	55 54 23.98	88.61	6	•••	+ 3.958	+0.564	+0.0
842	3.2	a	Pictoris		6 47 3.72	88.15	15	+ 0.6293	- 0.0064	-0.015	151 49 23.39	88.43	10	7	+ 4.089	+0.088	-0.5
843	9.0 6.5		D.M 9° • 1697 D.M 11° • 1673	••	$\begin{array}{c} 6 & 47 & 26 \cdot 18 \\ 6 & 47 & 47 \cdot 39 \end{array}$	91·07 91·10	3	+ 2.8408 + 2.7940	+ 0.0003 + 0.0005	••	100 2 38.19	91.07	3	•••	+ 4.121	+0.404	· ·
844 845	8.0		D 1		6 48 8.48	89.02	3	+ 1.7955	+ 0.0003		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91·10 89·02	3	•••	+ 4.151 + 4.182	+0.397 +0.254	•
040	00		Puppis		0 10 0 10	33 04	J	T 1 1000	T 0 0003	••	134 15 31.02	89.02	0		+ 4 104	+0.204	•
846	8.9		D.M 13° • 1712		6 48 47.80	91.11	3	+ 2.7494	+ 0.0006		103 53 20.07	91.11	3		+ 4.237	+0.390	
847	4.2	θ	Canis Majoris		6 49 4.71	88.69	63	+ 2.7971	+ 0.0004	-0.010	101 54 4.36	87.89	13		+ 4.262	+0.397	0.
848	5.9	ζ	Mensæ		6 49 11.64	87.11	33	- 4.9008	- 0.1603	-0.006	170 41 47.67	86.80	13	5	+ 4.271	-0.700	-0.
849	9.4	5	Mensæ		6 49 36.62	93.17	3	- 2.5530	- 0.0722		166 55 58.54	93.16	3		+ 4.307	-0.366	
850	7.0†		Volantis L. 2556	•••	6 49 50.48	93.18	3	+ 0.1181	- 0.0130		156 9 44.27	93.18	3	••	+ 4.327	+0.012	•
851	9.2		M.Z. 36570		6 49 54·71	92.06	3	- 0.0243	- 0.0150		157 8 40.77	92.06	3		+ 4.333	-0.006	
852	8.9		M.Z. 47084		6 50 27.43	92.09	3	- 0.3612	- 0.0207		159 11 47.43	92.09	3		+ 4.379	-0.023	
853	9.6				6 50 37.35	92.19	3	- 1.4987	- 0.0442		164 4 26.93	92.19	3		+ 4.393	- 0.215	l.
854	9.1		D.M 12° • 1704		6 51 17.49	91.07	3	+ 2.7756	+ 0.0004		102 49 52.65	91.07	3		+ 4.450	+0.393	
855	9.3				6 51 20.26	92.17	4	- 1.4656	- 0.0442	••	163 58 28.77	92.17	4		+ 4.454	-0.211	
856	8.5		D.M 10° • 1771		6 51 44·79	91.09	3	+ 2.8229	+ 0.0002		100 50 44.54	91.09	3		+ 4.489	+0.399	
857	9.5		Volantis	•••	6 51 44.97	92.67	4	- 1.5011	-0.0455		$164 5 56 \cdot 26$	92.67	4	•••	+ 4.490	-0.212	•
858	8.8		M.Z. 26969		6 53 25.07	92.06	3	+ 0.1821	- 0.0133		155 46 20.13	92.06	3		+ 4.632	+0.024	
859	1.6	€	Canis Majoris		6 54 18.12	89.14	99	+ 2.3574	+ 0.0013	-0.001	118 49 21.13	88.20	14		+ 4.707	+0.332	0.
860	9.5	-	D.M 10° • 1804		6 54 42.80	91.10	3	+ 2.8407	+ 0.0001		100 7 15.62	91.10	3		+ 4.742	+0.401	
861	8.8		D.M 11° • 1728 pre		6 54 55·48	91.11	2	+ 2.8000	+ 0.0002		101 51 12.75	91.11	3	_	+ 4.760	+0.395	
862	9.1		Octantis	••••	6 54 55.76	93.10	3	-19.3632	-1.6596	•••	176 41 13.74	93.10	3		+ 4.760	-2.745	
863	9.3		D.M 13° • 1771		6 55 17.98	91.08	3	+ 2.7570	+ 0.0004		103 39 38.05	91.08	3		+ 4.792	+0.388	
864	8.0		Volantis L. 2627		6 56 18.91	93.13	4	- 0.5574	- 0.0274		160 20 31.10	93.13	4		+ 4.878	-0.081	
865	6.1*		Geminorum B.A.C.	2301	6 56 30·86	90 <b>·</b> 17	4	+ 3.8066	- 0.0076	+0.013	60 28 43.75	90.17	4		+ 4.895	+0.536	+0.
866	7.7		Mensæ L. 2724		6 57 5.82	93.13	3	- 5.0427	- 0.1959		170 55 44.67	93.13	3		+ 4.944	-0.715	
867	Var.	ζ	Geminorum		6 57 35.08	88.54	5	+ 3.5626	- 0.0051	-0.001	69 16 7.14	88.55	5			+0.201	0.
868	6.5	2	Mensæ L. 2788		6 58 32.89	86.26	7	- 7.1078	- 0.3312		172 45 31.73	86.26	2	2	+ 5.067	-1.005	
869	4.1	γ			6 58 46.88	89.94	90	+ 2.7146	+ 0.0005	-0.002	105 28 16.05	88.53	15		+ 5.087	+0.381	0.
870	6.3	1	D.M12°·1761		6 58 48.20	91 • 10	3	+ 2.7756	+ 0.0002		102 56 4.58	91.10	3		+ 5.089	+0.389	
871	9.0		D.M. – 11° • 1773		6 59 35 55	91 · 12	3	+ 2.8192	0.0000		101 5 39.11	91.11	3		+ 5.156	+0.395	
872	9.6		M.Z. 8819		6 59 41.45	85.16	3	+ 0.6285	- 0.0089		152 8 29.02	85.16	3		+ 5.164	+0.087	
873	5.7		Volantis L. 2646		7 0 1.87	93.16	3	- 0.0860	- 0.0200		157 45 54.03	93.16	3		+ 5.193	-0.014	
874					7 0 32.24	92.16	3	- 0.6965	- 0.0329		161 5 54.66	92.16	3		+ 5.235	-0.100	
875				••	7 1 8.61	92.21	3	- 2.0357	- 0.0718	••	165 49 54 .21	92.21	3	•••	+ 5.287	-0.289	
876	8.8				7 1 41.02	92.19	3	- 0.6985	- 0.0336		161 7 56.47	92.19	3		+ 5.332	-0.101	
877	9.3		M.Z. 26056	•••	7 2 34.00	92.08	3	+ 0.3362	-0.0137		154 48 15.06	92.08	3	•••	+ 5.407	+0.045	
878	7.2		D.M 11° · 1805		7 2 54.98	91.11	3	+ 2.8049	0.0000		101 45 2.49	91.11	3		+ 5.436	+0.391	
879	8.5		D.M 10° · 1886		7 3 4.52	91.13	3	+ 2.8426	-0.0002		100 7 52.09	91.13	3		+ 5.449	+ 0.397	
880	8.1		Volantis G. 9025		7 3 7.91	93.13	3	- 1.1102	- 0.0452		162 54 12.27	93.13	3		+ 5.454	-0.158	

† Cape 1880. \* Boss 1900.

۰.

No.	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Obse	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annua Proper Motion
					Mear Obse	Num Obse					Mean Obse		S.P.			
				h. m. s.			8.	s.	s.	0 1 11						"
881	8.5	D.M13° · 1842		7 3 32.84	91.09	3	+ 2.7503	+ 0.0002		103 48 53.74	91.09	3		+ 5.489	+0.384	
882	2.0	δ Canis Majoris		7 3 55.09	91.71	39	+ 2.4396	+ 0.0011	-0.002	116 13 7.33	89.90	11		+ 5.520	+0.340	-0.01
883	5.0	63 Aurigæ		7 4 5.31	87.81	. 9	+ 4.1317	- 0.0135	+0.003	50 30 0.68	87.81	9		+ 5.535	+0.577	-0.05
884	7.8	D.M 12° • 1832		7 6 22.34	91.09	3	+ 2.7794	+ 0.0001		102 53 20.95	91.09	3		+ 5.727	+0.386	
885	8.8	Volantis G. 9108	•••	7 6 32.72	93.13	3	- 0.2363	- 0.0257	• •	158 50 15.04	93.13	3		+ 5.741	-0.036	
886	8.8*	Octantis		7 6 37 . 98	93.20	2	-60.7921	-17.3014		178 51 3.96	93 • 20	2		+ 5.748	-8.496	÷
887	7.4	Volantis L. 2704		7 6 38.51	93.16	. 3	- 0.2061	- 0.0251		158 39 45.46	93.16	3		+ 5.749	-0.031	
888	6.0	D.M 11° • 1849		7 7 56.79	91.10	3	+ 2.8225	- 0.0002	· · · ·	101 3 56.85	<b>91 · 10</b>	3		+ 5.858	+0.391	
889	8.9	M.Z. 36047		7 10 35.15	92.09	3	+ 0.1926	- 0.0185		156 8 16.04	92.09	3		+ 6.079	+0.024	
890	7.6	Volantis L. 2743		7 10 48.99	93·12	3	+ 0.0895	- 0.0206		156 52 52.86	93.12	3	•••	+ 6.098	+0.010	
891	8.0	D.M 13° · 1906		7 11 2.82	91.09	3	+ 2.7570	+ 0.0001		103 55 17.10	91.09	3		+ 6.117	+0.380	
892	8.6	Puppis		7 11 13.58	89.02	3	+ 1.7114	- 0.0002		136 55 9.89	89.02	3		+ 6.132	+0.235	
893	3.6	$\lambda$ Geminorum		7 11 46.27	88.62	6	+ 3.4550	- 0.0055	-0.004	73 15 41.24	88.62	6		+ 6.178	+0.472	+0.03
894	9.0	D.M10° • 1963		7 11 54.43	91 • 11	3	+ 2.8469	- 0.0004		100 3 41.02	91.11	3	•••	+ 6.189	+0.395	
895	6.8	D.M 11° • 1874	••	7 11 58.13	91.12	3	+ 2.8061	- 0.0002	• •	101 50 10.99	91.12	3		+ 6.194	+0.382	••
896	8.6	Volantis L. 2775		7 12 9.18	93.15	. 3	- 0.8761	- 0.0454		162 9 19.24	9 <b>3 ·</b> 15	3		+ 6.209	-0.124	
897	9.0	M.Z. 8838		7 13 13.07	85.16	3	+ 0.6476	- 0.0113		152 22 19·81	85.16	3		+ 6.298	+0.082	
898	3.1	$\pi$ Argus		7 13 15.41	88.26	.11	+ 2.1196	+ 0.0011	-0.005	126 54 1.24	88.06	10		+ 6.301	+0.291	-0.01
899	3.6	δ Geminorum		7 13 33.15	88.97	41	+ 3.5898	- 0.0073	-0.005	67 48 55·71	88.35	15		+ 6.326	+0.494	0.0
900	9.2	Mensæ		7 14 50.28	93.15	3	- 2.3421	- 0.1032		166 50 15.59	93.15	3	•••	+ 6.432	-0.326	
901	7.3	Mensæ L. 2936		7 15 16.21	87.50	23	- 8.1699	- 0.5381		173 34 39.47	86.73	9	8	+ 6.468	-1.130	
902	8.5	D.M 10° • 1996		7 15 18.96	91.10	4	+ 2.8257	- 0.0004		101 2 18.61	91.10	4		+ 6.472	+0.387	
903	8.8	Volantis B. 1587		7 15 34.82	93.13	3	- 1.3213	- 0.0627		163 56 25.64	93.13	3		+ 6.494	-0.182	
904	8.7	Volantis B. 1593	••	7 15 55.95	93.11	3	- 1.3243	- 0.0632		163 57 32.79	93.11	3	••	+ 6.523	-0.182	
905	8.8	D.M 12° • 1911	••	7 16 7.59	91.12	3	+ 2.7871	- 0.0002	••	102 43 34.75	91.12	3		+ 6.239	+0.382	••
906	4.0	δ Volantis		7 16 53.00	93.18	3	- 0.0140	- 0.0251	-0.001	157 45 21.47	93.18	3		+ 6.602	-0.005	+0.0
907		M.Z. 8846		7 18 39.09	85.16	3	+ 0.6357	- 0.0126		152 40 44.82	85.16	3		+ 6.747	+0.084	
908	3.9	c Geminorum		7 18 53.64	88.62	6	+ 3.7421	- 0.0102	-0.010	61 59 0.76	88.62	6		+ 6.767	+0.511	+0.08
909	9.0	Mensæ		7 18 59.35	93.16	3	- 3.9127	- 0.1980		169 47 18.60	93.16	3		+ 6.775	-0.540	
910	8.9	D.M 13° • 1990		7 19 19 52	91 • 11	3	+ 2.7592	- 0.0001		103 59 27.69	91 • 11	3		+ 6.803	-⊢0 <b>·3</b> 76	•••
911	8.2	D.M 11° • 1924		7 19 20.34	91 • 10	3	+ 2.8055	- 0.0004		101 59 12.56	91.10	3		+ 6.804	+0.382	
912	8.5	Volantis L. 2838		7 20 13.53	93.11	3	- 0.3773	- 0.0359		159 59 53.11	93.11	3	• •	+ 6.877	-0.055	
913	8.6	D.M9° • 2033		7 20 27 • 21	91.14	3	+ 2.8547	- 0.0007		99 50 39.56	91.14	3		+ 6.896	+0.388	
914	3.1	$\beta$ Canis Minoris		7 21 11.10	89.03	94	+ 3.2601	-0.0042	-0.004	81 29 21.34	88.27	16	••	+ 6.956	+0.443	+ 0.0
915	7.4	M.Z. 8854		7 21 49.18	85.16	3	+ 0.7111	- 0.0119		152 3 25.78	85.16	3	•••	+ 7.008	+0.094	
916	4.7	ρ Geminorum		7 22 2.14	88.58	7	+ 3.8550	- 0.0126	+0.009	57 59 50.14	88.66	6		+ 7.026	+0.524	-0.1
917	8.6	Volantis B. 1621		7 22 27.63	93.17	3	+ 0.3580	- 0.0187	••	155 15 7.64	93.18	3			+0.046	
918	7.5	D.M 10° · 2061		7 23 5.89	91.10	3	+ 2.8286	- 0.0006		101 2 28.62	91.10	3			+0.383	
919	7.5	D.M 12° · 1991		7 24 13.00	91.11	3	+ 2.7865	- 0.0003		102 54 45.90	91.11	3		+ 7.204		
												1				

\* Wa. Z. 1850.

24

#### THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890'0.	Mean Year cf Observations.	Numb Obsc tic		Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				Me	NC					Me	-	S.P.			
		12 11													
			h. m. s.			8	s.	s.	0 / 11				N	"	"
921	9.0	Mensæ G. 9659	7 25 7.76	93.18	3	- 1.8254	- 0.0938		165 43 49.99	93.18	3		+ 7.278	-0.251	
922	•6•8	Octantis L. 3274	7 25 18.46	88.02	56	-19.5557	- 2.7041	-0.009	176 50 59.21	88.80	24	19	+ 7.293	-2.660	-0.01
923	7.0	Volantis L. 2885	7 25 45.10	93.18	3	- 0.5932	- 0.0455		161 14 58.51	93.18	3	•••	+ 7.329	-0.084	
924	9.4	Mensæ	7 25 54.62	93.15	4	- 5.8539	- 0.3764	•••	172 3 58.49	93.15	3	••	+ 7.342	-0.797	
925	8.7	D.M. – 11° · 1980	7 <u>26</u> 16·59	91.13	3	+ 2.8081	- 0.0002	•••	102 0 33.42	91.13	3	• •	+ 7.372	+0.378	
926	9.0	D.M 9° • 2094	7 26 55.87	91.10	3	+ 2.8531	- 0.0008		100 1 15.75	91.10	3		+ 7.425	+0.383	
927	8.4	Volantis L. 2887	7 27 7.52	93.12	3	- 0.2216	- 0.0348		159 21 2.40	93.12	3		+ 7.441	-0.033	
928	2.8	a <sup>1</sup> Geminorum	7 27 34.40	86.07	1	+ 3.8515	- 0.0135	-0.015	57 52 18				+ 7.477	+0.518	+0.08
929	2.0	a <sup>2</sup> Geminorum	7 27 34.86	88.86	14	+ 3.8515	- 0.0135	-0.012	57 52 14.27	88.63	15		+ 7.478	+0.518	+0.08
930	8.3	Mensæ	7 27 59.47	93.15	3	- 10.6095	- 0.9732		174 49 23.97	93·15	3		+ 7.511	-1.438	
931	7.0	D.M 14° · 1966	7 28 18.51	91.12	3	+ 2.7613	- 0.0002		104 6 6.31	91.12	3		+ 7.537	+0.370	
932	8.5	Volantis G. 9749	7 29 1.91	93.11	3	- 0.9401	- 0.0601		162 51 47.85	93.11	3	• •	+ 7.596	-0.131	
933	9.4	M.Z. 8864	7 29 55.89	85.16	3	+ 0.7218	- 0.0132		152 16 49.00	85.16	3	•••	+ 7.668	+0.094	
934	8.9	M.Z. 36093	7 30 22.70	92.09	3	+ 0.2856	- 0.0226		156 6 44.95	92.09	3	•••	+ 7.704	+0.032	
935	9.5		7 30 28.93	87.15	3	+ 2.2407	+ 0.0015		123 58 57 32	87.15	3		+ 7.713	+0.298	
936	8.8	M.Z. 47171	7 30 39.96	92.11	3	- 0.1016	- 0.0330		158 45 39.66	92.11	5	1.00	+ 7.728	-0.017	
937	8.2	X7 1 (* 7) 1000	7 31 3.72	93·15	3	+ 0.1759	-0.0330 -0.0256	•••	156 56 47.94	93.15	3	•••	+ 7.760	+0.020	
938	8.8	D.M. $-12^{p} \cdot 2050$	7 31 35 22	91.12	. 3	+ 2.7923	-0.0005	••	102 49 9.86	91.12	3	••	+ 7.802	+0.372	•••
939	6.5	$\epsilon$ Mensæ	7 31 40.32	93.18	3	- 3.1825	- 0.1816	••	$162 \pm 3 500$ $168 51 \pm 48 \cdot 42$	93.18	3		+ 7.808	-0.431	••
940	5.1	25 Monocerotis	7 31 48.50	88.65	6	+ 2.9893	- 0.0020	-0.006	93 51 56.19	88.65	6		+ 7.820	+ 0.398	-0.04
		•													
941	8.9	D.M11°·2025	7 32 1.96	91 • 11	3	+ 2.8286	- 0.0007		101 12 47.09	91.11	3		+ 7.838	+0.376	
942	0.2	a Canis Minoris	7 33 32.63	89.58	82	+ 3.1909	- 0.0041	-0.047	84 29 35.24	88.29	15		+ 7.959	+0.424	+1.03
943	8.3	D.M 13° • 2160	7 34 47.40	91.12	3	+ 2.7678	- 0.0003	••	103 58 38.91	91.12	3		+ 8.059	+0.366	
944	8.6	D.M. $-11^{\circ} \cdot 2052$	7 35 4.18	91.15	3	+ 2.8163	- 0.0002		101 49 35.45	91.15	2		+ 8.082	+0.372	
945	9•3		7 35 55.81	92.18	4	- 0.6631	- 0.0545		161 53 38.32	92.17	4		+ 8.151	-0.095	
946	8.8	$D.M 10^{\circ} \cdot 2159$	7 35 57.78	91.10	-3	+ 2.8540	- 0.0009		100 8 40.32	91.10	3		+ 8.153	+ 0.277	
947	7.8	Walantia T 9000	7 36 19.30	93·12	3	- 0.3315	-0.0428		$160 \ 8 \ 40^{-}52$ $160 \ 16 \ 27 \cdot 58$	93.12	3		+ 8.133 + 8.182	-0.048	
948	9.5	MZ. 8884	7 36 29.73	85.20	3	+ 0.7726	-0.0428 -0.0134	••	$152 \ 3 \ 12.75$	85.20	3	•••	+ 8.196	+0.039	••
949	8.8	Mensæ L. 3040	7 37 18.59	93.17	3	- 2.5810	- 0.1536		167 50 25.45	93.17	3		+ 8.261	-0.347	
950	8.8	M.Z. 26126	7 37 22.37	92.09	3	+ 0.4356	- 0.0210		155 12 26.57	92.09	3		+ 8.266	+0.054	
951	7.2	Volantis L. 3010 pre.	7 37 36.18	93.20	3	- 1.1803	- 0.0774		164 1 31.22	93.20	3		+ 8.284	-0.161	
952	7.2	Volantis L. 3010 seq	7 37 36.68	93.21	2	- 1.1804	- 0.0774		164 1 31.89	93.19	3		+ 8.285	-0.161	
953	3.7	к Geminorum	7 37 48.38	88.66	. 6	+ 3.6313	- 0.0110	-0.003	65 20 17.85	88.65	6		+ 8.300	+0.478	+0.06
954	7.9	M.Z. 37064	7 38 30.88	92.11	3	+ 0.0626	- 0.0313		158 0 52.35	92.11	3	•••	+ 8.357	+0.002	
955	1.2	$\beta$ Geminorum	7 38 35.03	88.42	48	+ 3.7265	- 0.0129	-0.048	61 42 30.98	88.57	15	•••	+ 8.362	+0.490	+0.02
956	8.3	D.M 10° • 2190	7 38 49.36	91.13	3	+ 2.8353	- 0.0009	1.4.15	101 3 5.25	91.13	3		+ 8.381	+0.372	
957	8.9	Chameleontis	7 38 56.50	93.15	. 3	- 6.7776	- 0.5476		$101 \ 5 \ 5^{+}25$ $172 \ 58 \ 21 \cdot 67$	93.15	3	•••	+ 8.391	-0.902	••
958	9.2	Chameleontis	7 39 39.14	93.21	3	- 4.3354	-0.2937		170 42 16.96	93.21	3		+ 8.447	-0.577	
	9.3	D.M 12° • 2121	7 39 46.66	91.11	3	+ 2.7953	- 0.0006		102 52 48.53	91.11	3		+ 8.457	+ 0.366	
9.59															

Na.	Mag,	Star's Name.	Mean R.A., 1890*0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890+0.	Mean Year of Observations.	Obse	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variatinn	Annual Proper Motion.
				Mea Ohs	Nut					Mea		S.P.		;	
			h. m. s.			8,		8.	0 / //				"	"	
961	9.0	Chameleontis	7 40 28.85	93.13	3	3.1793	- 0.2014		169 2 32.74	93.13	3		+ 8:513	0.423	
962	7.1	Chameleontis L. 3066.	7 40 29.44	93.22	3	2.3335	- 0.1434		167 22 47.42	93.22	3	•••	+ 8.514	-0.312	
963	8.8	Octantis	7 42 17.95	93-17	3	-14.2703	- 1.9039		176 1 21.40	93.17	3		+ 8.657		
964	8.4	D.M. – 9° • 2228	7 42 30.26	91.15	3	+ 2.8590	- 0.0011		100 2 45.60	91.15	3		+ 8.673	+0.372	
965	8.3	D.M 13° • 2236	7 43 9.73	91 • 13	3	+ 2.7763	- 0.0002		103 49 26.21	91 • 13	3	•••	+ 8.725	+0.361	
966	4.6	ζ Volantis	7 43 10.17	86 • 27	7	- 0.7087	- 0.0612	+0.003	162 20 30.80	86.27	3	3	+ 8.725	-0.092	0.00
967	8.3	D.M 11° • 2111	7 43 20.64	91 • 11	3	+ 2.8180	- 0.0008	••	101 56 42.42	91-11	3		+ 8.739	+0.366	
968	8.0	Volantis L. 3055	7 43 43 • 47	93.16	3	- 0.1940	- 0.0418		159 47 :17 .48	93.16	3	•••		-0.029	
969	7.6	Volantis L. 3058	7 43 47 .54	93.22	3	- 0.4739	- 0.0522		161 16 32.28	93.22	3	••		-0.066	
970	9•2	M.Z. 8906	7 43 50.84	85+19	3	+ 0.8002	- 0.0141		152 7 11.01	85.19	3	•••	+ 8.779	+0.101	••
971	8.84	Puppis B.A.C. 2599	7 44 24:50	90.30	3	+ 2.5219	+ 0.0009		114 38 14.49	90.30	1		+ 8.823	+0.326	
972	8.6	Volantis G. 10255	7 44 34.73	93.19	3	1.3086	- 0.0904		164 40 52.57	93.19	3		+ 8.836	0.175	
973	3.4	ξ_Argus	7 44 40.06	89.27	95	+ 2.5236	+ 0.0008	-0.001	114 35 1.81	88.29	14	••	+ 8.843	+0.327	-0.02
974	9.0	Chameleontis	7 44 52.95	93.16	3	- 2.1258	- 0.1374		167 0 30.90	93.16	3	•••	+ 8.860	-0.585	
975	5.2	9 Puppis	7 46 40.67	90+14	3	+ 2.7834	- 0.0006	-0.006	103 36 22.47	90.14	3	••	+ 9:001	+0.328	+0.34
976	7.8	D.M 10° • 2263	7 46 43.42	91.12	3	+ 2.8458	- 0.0011		100 14 45.92	91.12	3		+ 9.004		
977	8.8		.7 47 3.79	87.15	3	+ 2.9276	- 0.0018	••	96 55 22.42	87.15	3	••	+ 9.031		••
978	8.8	$D.M 12^{\circ} \cdot 2189 \dots$	7 47 37.85	91.11	3	+ 2.8033	- 0.0002	••	102 43 30.02	91.11	3			+ 0.361	••
979	9.2		7 48 2.68	92.18	4	- 0.7863	- 0.0681		162 50 50 78	92.18	4	•••		-0.106	
980	5.8	Volantis L. 3083	7 48 57 06	93.16	3	+ 0.4135	- 0.0246	-0.004	155 54 53 44	93+16	3		+ 9.178	+0.048	+0.01
981	9.4		7 49 8.79	92.21	3	- 0.3577	- 0.0507		160 53 45.10	92.21	3		+ 9.193	-0.020	
982	7.6	M.Z. 8923	7 49 49.83	85.19	3	+ 0.7794	- 0.0156		152 38 52.47	85.19	3		+ 9.246	+0.092	
983	8.8	M.Z. 47222	7 49 57 96	92.11	3	- 0.0453	- 0.0394		159 10 32.34	92.11	3	•••	+ 9.257	-0.010	• • •
984	10.0	M.Z. 36702	7 50 7.89	92.10	3	+ 0.2865	- 0.0287		156 56 59.51	92.10	3		+ 9.270	+0.033	
985	8.7	Volantis B. 1824	7 50 38.87	93.14	3	+ 0.2296	- 0.0306		157 23 19.11	93.14	3	•••	+ 9.310	+0.026	••
986	9.3	D.M 10° · 2296	7 50 56.61	91.12	3	+ 2.8582	- 0.0012		100 16 2.73	91.12	3		+ 9.332	+0.365	
987	6.9	Mensæ L. 3204	7 51 0.58	88.63	1.2	- 5.6892	- 0.4843		172 18 36.27	88.30	5	2	+ 9.338		
988	8.8	D.M 12° • 2231	7 51 53.59	91.10	3	+ 2.8185	- 0.0009		102 8 32.06	91.10	3		+ 9.406	+0.359	
989	7.5	Chameleontis L. 3214	7 52 15.95	93.20	3	- 5.3908	- 0.4546		172 3 53.93	93.20	3		+ 9.435	-0.698	
990	8.9	D.M 13° • 2319	7 52 32.94	91 • 14	3	+ 2.7781	- 0.0002	•••	104   28.17	91 • 14	3	••	+ 9.457	+0.323	
991	4.0	χ Argus	7 53 58.93	88.41	12	+ 1.5310	- 0.0030	- 0.005	142 41 14.04	88.23	13	•••	+ 9.567	+0.192	-0.02
992	9.5	M.Z. 10309	7 53 59.48	85.24	3	+ 0.9479	- 0.0125		151 3 32.65	85.24	3		+ 9.568	+0.117	
993	8.9	D.M 10° • 2318	7 54 6.51	91.17	4	+ 2.8459	- 0.0011		100 55 12.70	91.17	3		+ 9.577	+0.361	
994	9.0	.M.Z. 8930	7 54 18.93	85.21	4	+ 0.8597	- 0.0145	••	152 3 8.96	85.21	4	• •	+ 9.203		
995	9•3	Volantis G. 10539	7 54 34 45	93.18	3	- 0.7253	- 0.0702		162 49 59.04	93.18	3	••	+ 9.612	-0.097	••
996	10.0	D.M 10° • 2332	7 55 26.07	91.12	3	+ 2.8477	- 0.0011		100 52 13.07	91.12	3		+ 9.679	+ 0.360	
997	8.7	D.M 12° · 2279	7 56 14.30	91 • 15	3	+ 2.8044	- 0.0008		102 55 16.78	91 • 15	3		+ 9.740		
998	6.8	Mensæ L. 3238	7 56 18.40	90.82	4	- 4.5716	- 0.3766		171 18 35.72	90.90	5		+ 9.745	-0.587	
999	5.1	6 Caneri	7 56 45.68	88.48	61	+ 3.6957	- 0.0148	-0.005	61 53 51 .48	88.24	15		+ 9.780	+0.466	+0.04
1000	9.8	M.Z. 26163	7 56 49.31	92.09	3	+ 0.5703	- 0.0222		154 59 52.73	92.09	3		1 0.795	+0.068	

25

c

26

No.	Mag.	Star's Name.	N	lean R.A., 1890'0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D 1890'0.	Mean Year of Observations.	1	oer of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annuai Proper Motion
					Meau Obse	Num Obse					Mean Obse		8.P.			
								1.977		0 / //						*
1001	9.0	· · · · · · · · · · · · · · · · · · ·		m. s. 57 5·25	92 · 23	2	s. - 0.9526	s. - 0.0836	8.	163 50 32.70	92.23	3	1	+ 9.805	-0.125	
1001 1002	8.5	D 11 00 00 71		59 7.86	91.11	3	+ 2.8677	- 0.0013	••	100 0 47.18	91.11	3		+ 9.961	+0.359	
1002	$9\cdot 2$	C1 1 /*		59 16.23	93.16	3	- 2.3844	- 0.1798		168 0 1.10	93.16	2		+ 9.971	-0.306	
1004	8.5	D M 110 0004	1	59 32.23	91.13	3	+ 2.8321	- 0.0010		101 43 4.03	91 . 13	3		+ 9.991	+0.354	
1005	2.3	ζ Argus	7	59 43·05	92.28	15	+ 2.1109	+ 0.0013	-0.003	129 41 36·73	92.24	1		+ 10.005	+0.263	-0.01
1006	7.1	Octantis B.A.C. 2878	8	<b>0</b> 16 ⋅ 05	88.33	56	-42.5217	-16.9010	-0.029	178 32 47.16	88.14	30	23	+ 10.047	- 5·371	-0.01
1007	8.7	D.M 13° · 2380	8	0 17.41	91.16	3	+ 2.7847	-0.0006		103 58 17.19	91.16	3		+10.048	+0.347	
1008	9.3	M.Z. 37655	8	1 6.05	92.09	3	+ 0.2036	- 0.0350		158 4 42.77	92.09	3		+ 10 · 110	+0.021	
1009	9.4		8		$93 \cdot 20$	3	-29.8179	- 8.8065		177 59 33.49	93.20	3	•••		-3.754	
1010	9.5	Volantis G. 10773	8	2 41.47	93 · 15	3	- 0.5023	-0.0652		162 10 12.95	93.15	3		+10.230	-0.068	
1011	2.9	15 Argus ρ	8	2 51 . 55	89.69	70	+ 2.5611	+ 0.0009	-0.008	113 59 14.49	88.56	16		+10.242	+0.317	-0.06
1012	7.6	D 1/ 100 0401	8	2 53.90	91.13	3	+ 2.8032	- 0.0008		103 11 16.85	91.13	3	••	+10.245	+0.347	
1013	8.4	M.Z. 8952	8	2 56.48	85.21	3	+ 0.8629	- 0.0157		152 31 27.77	85.21	3		+10.248	$\pm 0.104$	
1014	8.8		8		92.23	3	- 0.9070	- 0.0863		163 53 50.93	92.23	3		+10.256	-0.118	
1015	6.3	D <sup>2</sup> Carinæ	8	3 9.15	85 · 19	3	+ 0.8644	- 0.0157		152 31 17.03	85.19	3	••	+ 10 . 264	+0.104	
1016	9.2		. 8	3 28.23	92.23	3	- 1.4970	- 0.1223		165 54 11.72	92.19	4		+10.288	-0.192	
1017	6.9	D.M 10°.2400	8	3 43.66	91.16	3	+ 2.8492	- 0.0012	0	101 1 6.64	91.16	3		+10.308	+0.352	
1018	7.3	Volantis L. 3215	8	4 3.03	93.21	3	- 0.0793	- 0.0470		160 1 21.89	93.21	3	•••	+10.332	-0.012	
1019	1.9	/ 0	. 8		90.19	7	+ 1.8501	0.0000	-0.005	137 0 44.12	89.84	6		+10.488	+0.225	+ 0.01
1020	8.0	D.M 13° · 2426	. 8	6 14 19	91 · 13	3	+ 2.7875	- 0.0006	••	104 2 47.15	91.13	3		+10.495	+0.342	••
1021	8.8	D.M 11° · 2273	. 8	6 25.71	91 · 15	2	+ 2.8298	- 0.0010		102 2 6.71	91.16	4		+10.510	+0.347	
1022	7.3	Volantis L. 3225	. 8	6 32.46	93.18	3	+ 0.5570	- 0.0249		$155 39 15 \cdot 92$	93.18	3		+10.518	+0.065	
1023	7.9		. 8		87.16	3	+ 2.9085	- 0.0018		98 12 25.77	87.16	4	• •	+10.543	+0.356	
1024	9.5		. 8		91 · 18	4	+ 2.8680	- 0.0014		100 12 33.68	91.19	3		+10.583	+0.351	
1025	5.6	20 Puppis	. 8	8 16.54	88.60	7	+ 2.7593	- 0.0003	~0.002	105 27 25.16	88.67	6	•••	+ 10.647	+0.336	+0.01
1026	9.6	Chameleontis .	. 8	8 30.20	93·21	3	- 3.2523	- 0.2780		169 51 5·30	93.21	3		+10.664	-0.406	
1027	$9 \cdot 2$	Octantis	. 8	9 8.14	93 · 23	3	-20.0109	- 4.5648		177 11 48.85	93.23	3		+ 10.711	-2.472	
1028	8.9	M.Z. 8962	. 8		85·19	3	+ 0.8920	- 0.0159		152 34 19.86	85.19	3	• •	+ 10 . 713	+0.106	
1029	6.8		1	10 24.88	91.13	3	+ 2.8066	- 0.0007		103 17 17.61	91.13	3		+10.805		
1030	3.7	$\beta$ Caneri	. 8	10 32.96	88.97	102	+ 3.2614	- 0.0071	-0.004	80 28 32.67	88.59	17	•••	+10.815	+0.396	+0.04
1031	9.0	Volantis G. 11014	. 8	10 39.74	93·23	2	+ 0.0963	- 0.0427		159 17 12.55	93.23	2		+ 10 . 823	+0.007	
1032	9.4	0.1.11		11 1.43	93 · 17	3	- 7.3581	- 0.8680		173 50 52.61	93.17	3		+ 10.850	-0.907	
1033	8.8	D.M 11° · 2297	. 8	11 6.35	91.14	3	+ 2.8494	- 0.0012		101 13 34.85	91.14	3	• •	+10.856	+0.345	
1034	9.0			12 33.03	93.15	3	+ 0.4106	- 0.0314		157 11 29.00	93.15	3		+10.962	+0.045	• •
1035	7.8	Volantis G. 11079 .	. 8	12 36.33	93 · 20	3	- 0.1650	- 0.0550	••	160 55 45.70	93 · 20	3	•••	+ 10 . 966	-0.025	•••
1036	8.4		. 8	13 27.58	92.18	3	- 0.5450	- 0.0747		162 50 49.05	92.18	3		+11.028	-0.071	
1037	9.0	T. M		14 18.84	91 · 13	3	+ 2.8401	- 0.0011		101 47 17.34	91.13	3		+11.091	+0.340	
1038	8.2	Chameleontis .	. 8	14 26.68	93.19	3	- 1.6602	- 0.1483		166 45 44·43	93.19	3		+11.100	-0.207	
1039	9.7		1	14 33.84	92.11	3	+ 0.6927	- 0.0225		154 56 10.43	92.11	3			+0.079	
1040	8.7	D.M 9° · 2476 .	. 8	14 45.44	91.14	3	+ 2.8767	- 0.0015		99 59 5.73	91.14	3		+11.123	+0.344	

No.	Mag.	Star's Name.	Mean R.A., 1890.0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annual Proper Motion.
				Mean	Num Obse					Mean Obse	-	8.P.			
			h. m. s.			8,	8.	ы.	0 / //						
1041	4.4	31 Lyneis	8 15 18.20	89.18	9	+ 4.1279	-0.0312		46 27 32.75	89-28	10		+11.163	+0.495	
1042	7.5	D.M 13° · 2490	8 15 38.31	91.16	4	+ 2.7956	- 0.0006		104 0 58.14	91.17	3		+11.187	+0.334	•••
1043	8.0	Chameleontis L. 3404	8 15 44.14	93.22	3	- 4.1558	- 0.4037		171 16 34.86	93.22	3		+11.194	-0.508	
1044	9.3	M.Z. 8974	8 15 46.63	85.20	3	+ 0.9401	- 0.0157		152 31 15.51	85.20	3		+11.197	+0.109	
1045	8.7	Volantis G. 11172	8 16 1.07	93-24	1	+ 0.6615	- 0.0238		155 18 50·83	93.22	2			+0.075	
1046	6.8	Volantis L. 3329	8 16 1.21	93.18	3	- 0.6611	- 0.0830		163 28 2.71	93.18	3		+11.215	-0.085	
1047	8.0	D.M 13° · 2516	8 18 44.58	91.13	3	+ 2.8133	- 0.0007		103 16.14.60	91.13	3			+0.332	
1048	7.4	D.M11° ·2345	8 19 25.47	91.16	3	+ 2.8559	- 0.0012		101 10 5.92	91.16	3		+11.461		
1049	6.6	Hydræ Lal. 16534	8 19 52.93	85.25	3	+ 3.1196	- 0.0020		87 32 24.26	85.25	4			+0.368	
1050	7.4	Chameleontis L. 3415	8 19 57.22	93.16	3	- 2.5482	- 0.2356		168 58 25.94	9 <b>3</b> ·16	3		+11.498		
1051	7.5	Hydræ Lal. 16546	8 20 6.76	85.27	3	+ 3.1095	- 0.0048		88 3 58.10	85.27	3		+11.510	+0.366	
1052	2.4	e Argus	8 20 15.37	88.68	18	+ 1.2402	- 0.0090	-0.004	149 9 19.72	88.84	14	6	+ 11.520	+0.143	~0.01
1053	8.0	Volantis L. 3379	8 20 31.50	93.19	3	- 0.9141	- 0.1025		164 39 51.89	93.19	3		+11.539	-0.114	
054	4.0	a Chameleontis	8 21 21.31	93.21	3	- 1.4951	-0.1451	+0.028	166 34 18.61	93.21	3		+11.599	-0.183	-0.12
1055	7.4	lfydræ Lal, 16613	8 21 50.61	85.20	4	+ 3.0951	- 0.0046		88 48 40.17	85.30	5	•••	+11.634	+0.363	•••
056	8.7		8 22 29.16	92.16	3	- 0.2429	- 0·0643		161 51 9.02	92.16	3		+ 11 - 679	-0.034	
1057	7.1	Hydræ Lal. 16645	8 22 35.70	85.31	3	+ 3.0841	- 0.0044		89 23 31.15	85.31	3		+11.687	+0.361	
058	8.5	D.M 9° · 2529	8 23 7.04	91.13	3	+ 2.8840	- 0.0015		99 51 44.37	91.13	3		+11.724	+0.336	
1059	8.6	D.M 14° · 2532	8 23 10.05	91.18	4	+ 2.7978	- 0.0005		104 13 8.59	91.17	3		+11.728	+0.326	
060	9.1	M.Z. 8990	8 23 10.30	85.23	3	+ 0.9669	- 0·0159,		152 45 8.40	85.23	3		+ 11 . 728	+0.109	
1061	7.1	Volantis L. 3383	8 23 16.10	93.15	3	+ 0.1118	- 0.0473		159 53 25-18	93.15	3		+ 11 . 735	+0.008	
1062	7.9	Arg. + 0° · 2310	8 23 30.23	85.27	3	+ 3.0738	- 0.0043		89 56 4.96	85.27	3		+ 11 . 752	+ 0.328	
063	8.4	Chameleontis L. 3440	8 23 53.09	93.21	3	- 2.0061	- 0.1921		167 58 26.32	93.21	3		+ 11 . 779	-0.242	
1064	7.4	Hydræ Lal. 16676	8 23 54.13	85.25	3	+ 3.0613	- 0.0041	<b>.</b>	90 35 37.21	85.25	4			+0.356	
065	4.7	heta Chameleontis	8 23 55.84	88.43	17	- 1.6618	+ 0.1621	-0.044	107 7 45.04	88.43	12		+ 11 · 784	-0.201	-0.02
1066	9.0	D.M11°·2368	8 24 8.02	91.15	3	+ 2.8483	- 0.0011		101 43 8.98	91.15	3		· + 11 · 796	+0.331	
067	8.1	Chameleontis L. 3420	8 24 55.03	93.18	3	- 0.6409	- 0.0889		163 48 22.90	93.18	3		+11.852	-0.081	
068	7.9	Chameleontis L. 3437	8 25 16.38	93.22	3	- 1.2709	- 0.1328		166 4 17.94	93.23	3		+11.877	-0.155	
069	6.0	η Caneri	8 26 20.81	88.58	74	+ 3.4806	- 0.0131	-0.004	69 11 7.21	88.48	17			+0.402	+0.05
1070	8.2	D.M 10° · 2558	8 27 14.40	91.13	3	+ 2.8639	- 0.0012	••	101 1 54.73	91.13	3	••	+ 12.015	+0.329	
071	8.8	D.M 12° · 2575	8 28 6.81	91.14	3	+ 2.8245	- 0.0007		103 5 4.81	91.14	. 3		+ 12.076	+0.324	
072	7.6	Volantis L. 3432	8 28 40.06	93.16	3	+ 0.5906	- 0.0292		156 46 9.52	93.16	3			+0.063	
073	8.2	M.Z. 9002	8 28 40.60	85.23	3	+ 1.0077	- 0.0155		152 42 33.55	85.23	3			+0.112	
074	7.6	Volantis L. 3453	8 29 14.12	93.22	3	- 0.1450	- 0.0629		161 42 43.66	93.22	3		+ 12 . 154	-0.022	
075	7.7	Volantis L. 3436	8 29 57.12	93.20	4	+ 0.7822	- 0.0227	• •	155 8 55.39	93.21	3		+ 12 . 204	+0.085	••
076	5.7	Chameleontis B.A.C.2928	8 30 49.85	85.98	14	- 3.2838	- 0.3461		170 33 11.09	86.31	8	5	+ 12.265	-0.384	
077	9.2	Chameleontis	8 30 55.71	93.17	3	- 5.5158	- 0.6823		172 58 54 29	93.17	3		+ 12 . 272	-0.642	
078	9.6	M.Z. 47667	8 30 58.84	92.12	3	+ 0.3334	- 0.0403		158 53 48.35	92.11	3		+ 12 . 275	+0.033	
079	9.0	D.M 11° · 2407	8 31 5.13	91.13	4	+ 2.8469	- 0.0010		102 3 7.50	91.13	4		+ 12 . 284	+0.323	• •
080	9.0	D.M9° · 2593	8 31 18.83	91.18	?	+ 2.8870	- 0.0015		99 57 50.98	91.18	3		+12.298	+0.327	

28

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Ycar of Observations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890.0.	Mean Vear of Observations.	Obse tlo	ns.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				- Op	NO	_				Me		S.P.			
			h. m. s.			8.	s.	я.	0 / "				H	"	11
1081	8.4	D.M 14° · 2586	8 31 25·89	91.17	3	+ 2.8048	- 0.0005		104 13 53.44	91.17	3		+12.307	+0.318	
1082	4.2	δ Hydrae	8 31 49.93	90.19	7	+ 3.1849	- 0.0066	-0.007	83 54 46.31	90.18	7			+0.361	0.00
1083	5.1	6 Hydra	8 33 0.45	92.20	1	+ 3.1409	- 0.0057	-0.004	86 16 23				+12.415	+0.354	0.00
1084	6.7	Volantis L. 3489	8 33 26.66	93.16	3	- 0.3518	- 0.0774		162 58 46.79	93.16	3		+ 12.445	-0.046	
1085	8-9	Octantis ,.	8 34 56.94	93 · 18	3	- 8.1937	-1.2792		174 42 43 23	93.18	3	••	+12.548	-0.937	
1086	8.0	D.M 13° · 2640	8 35 3.66	91.15	- 3	+ 2.8285	- 0.0007		103 10 39-28	91 · 15	3		+12.556	+0.316	
1087	9.2	M.Z. 9017	8 35 38.50	85.21	3	+ 1.1045	- 0.0136		152 8 24.95	85 21	3		+ 12.596		
1088	9.0	D.M 10° · 2601	8 35 47.73	91.13	3	+ 2.8747	- 0.0013		100 46 23.11	91.13	3			+0.321	
1089	8 1	Volantis G. 11752	8 36 24.30	93.21	4	+ 0.0120	- 0.0583		161 16 28.09	93 . 21	3		+12.647	-0.004	
1090	4.8	γ Caneri	8 36 55.18	88.36	85	+ 3.4880	- 0.0143	-0.009	18 8 9.57	88.33	14		+12.682	+0.389	+0.03
1091	4.2	δ Caneri	8 38 26.02	88.70	6	+ 3.4183	- 0.0125	-0.003	71 26 29.63	88.78	7		+12.784	+0.379	+0.23
1092	4.8	$\theta$ Volantis	8 38 40.61	93.17	3	+ 0.2461	- 0.0473		159 59 39.42	93.17	3		+12.801		
1093	7.4	Chameleontis L. 3586	8 38 45.18	93.24	3	- 2.6295	- 0.2887		169 46 22.03	$93 \cdot 24$	3		+ 12.806	-0.301	
1094	9.0	D.M 11* · 2444	8 39 2.75	91.20	3	+ 2.8532	- 0.0009		102 2 42.39	91 . 20	3		+ 12.826		
1095	3.7	a Mali	8 39 10.30	90 · 29	4	+ 2.4108	+ 0.0028	-0.003	122 47 23.68	90-29	4		+ 12.834	+0.265	-0.02
1096	7.8	Volantis L. 3559	8 39 11 59	93 - 27	2	- 0.6760	- 0.1034		164 40 35.80	93·26	2		+ 12 . 836	-0.081	
1097	9.0	D.M9° · 2641	8 39 14 23	91.16	3	+ 2.8898	- 0.0014		100 5 18.06	91 · 16	3			+ 0.318	
1098	4.2	ι Caneri	8 40 2.36	88.64	7	+ 3.6439	- 0.0195	-0.005	60 50 17.02	88.64	7		+ 12.892	+0.401	+ 0.03
1099	8.9	D.M 13° · 2668	8 40 13.36	91.14	3	+ 2.8229	- 0.0005		103 42 34.79	91.14	3		+ 12.905	+0.310	
1100	3.5	$\epsilon$ Hydrae	8 40 57.03	88.69	90	+ 3.1946	0.0070	-0.014	83 10 40 32	88.47	15		+12.953	+0.350	+0.02
1101	6.8	Octantis L. 3759	8 41 31 23	87.43	/ 33	$-12 \cdot 2088$	- 2·596 <mark>3</mark>		176 11 13.65	88.41	21	14	+ 12 . 991	-1.361	
1102	2.8	δ Argus	8 41 39.99	88.24	14	+ 1.6558	- 0.0018	+0.001	144 18 17.44	88.24	11	3	+ 13.001	+0.178	+ 0.05
1103	10.0	M.Z. 27269	8 41 46.81	92.18	3	+ 0.7948	- 0.0245		155 55 52.76	92.18	4		+ 13.009	+0.083	
1104	9.3	D.M 10° · 2644	8 42 38.96	91.18	3	+ 2.8764	- 0.0012		100 56 39.59	91.18	3	•	+13.066	+0.313	
1105	6.6	Volantis L. 3568	8 42 51.62	93 · 22	3	+ 0.5881	- 0.0330		157 48 42.70	93·22	3		+ 13.081	+ 0.059	
1106	7.0	Chameleontis L. 3653	8 42 53 20	93·26	3	- 4 : 1023	- 0.5404		172 10 38.90	93.26	3		+ 13.082	-0.481	
1107	9.2	M.Z. 9029	8 42 59.47	85.21	3	+ 1.1170	- 0.0140		152 37 12.40	85.21	3		+13.089	+0.118	
1108	8.2	· · · · · ·	8 43 26.03	87.21	3	+ 2.2111	+ 0.0031		130 25 47.23	87.20	3		+13.118	+0.238	
1109	8.7	D.M 12° · 2689	8 43 52.69	91 · 17	3	+ 2.8395	- 0.0006		103 0 5.87	91.17	3		+ 13 · 148	+0.307	
1110	8.3	Chameleontis L. 3616	8 45 16.19	93·23	3	- 1.1804	- 0.1504		166 42 57.80	93 · 23	3	•••	+13.240	-0.135	
1111	9 · 1		8 45 16.59	92-21	3	- 0.7053	- 0.1112		165 6 59.37	92.21	3		+ 13 · 240	-0:083	
1112	9.3	D.M 11° · 2481	8 46 38.03	91 · 18	3	+ 2.8589	- 0.0008		102 4 21.59	91.18	3		+ 13 . 329	+0.306	
1113	7.5	Volantis L. 3588	8 46 41.86	93·22	3	+ 0.9290	- 0.0205		155 1 18.02	93 · 22	3		+13.333	+0.092	
1114	8.5	D.M 9° · 2679	8 47 10.10	91 · 16	3	+ 2.9050	- 0.0015		99 32 21.82	91.16	3		+ 13.364	+0.310	
1115	9.0	D.M 13° · 2700	8 47 20.65	91 · 22	3	+ 2.8257	- 0.0003		103 55 2.84	91 · 22	3		+ 13 · 375	+0.301	
1116	7.9	M.Z. 9039	8 47 35.40	85 · 21	3	+ 1.1387	- 0.0138		152 46 15.46	85.21	3		+13.391	+0.118	
1117	5.8*	Velorum L. 3580	8 48 36.04	92.35	1	+ 2.2895	+ 0.0035		128 18 34				+ 13 · 457	+0.242	
1118		ζ Hydræ	8 49 34 74	88.61	7	+ 3.1827	- 0.0070	-0.008	83 38 9.04	88.69	6	• •	+ 13 · 520	+0.337	-0.02
1119	9.7	M.Z. 47711	8 49 41.53	$92 \cdot 17$	3	+ 0.4947	- 0.0392		159 3 7.73	92 · 17	3		+13.528	+0.047	
1120	6.5	Volantis L. 3629	8 49 52.98	93.21	3	+ 0.0126	- 0.0654		162 8 16.57	93.21	3		+ 13.540	-0.002	

\* Boss 1900.

No.	Mag.	Star's Name.	Mean R.A., 1890 ° 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 ° 0.	Meau Year of Observations.	Number Observ tions	Annual Precession in N.P.D.	Secular Variation.	Abnu: Prope Mctio
										•				
			h. m. s.			S.	8.	S.	0 / //	5		10	"	"
1121	6.2	Chameleontis L. 3669	8 49 56.80	93-25	3	- 2.0456	- 0.2466		169 5 49.50	93.25		. + 13.544	-0.226	
1122	9.0	D.M 13° • 2715	8 50 42.19	91.18	4	+ 2.8418	- 0.0004		103 12 39.75	91.18		+ 13 . 593	+0.299	
1123 1124	8·0 8·4	D.M 10° · 2694 M.Z. 28205	8 50 47·31 8 51 9·77	91 · 16 92 · 18	3	+ 2.8863 + 0.9637	-0.0011 - 0.0199		100 43 56·77 155 3 7·40	91·16 92·18		. + 13.598	+0.304	+
1125	3.3	The or Madama	8 51 40.48	87.65	14	+ 4.1780	-0.0135 -0.0446	 0.044	41 31 32.58	87.69	1.10	+ 13.622 + 13.655	+0.097	
112+/		UTSæ Majoris	0 01 10 10	(1) (1)	14	7 7 1700	~ 0 0140	-0 044	1 91 92 90	01 05	10 .	. + 13.655	+0.440	+0.4
1126	4.3	a Caneri	8 52 28 23	89.94	58	+ 3.2849	- 0.0098	+0.001	77 42 59.35	88.36	15 .	. + 13.706	+ 0.344	+ 0.0
1127	9.4	M.Z. 11221	8 52 57.61	85.21	3	+ 1.2033	- 0.0123		152 28 48.82	85.21			+ 0 · 122	
1128	4.2	10 Ursæ Majoris	8 53 29.87	88.47	12	+ 3.9542	- 0.0342	-0.040	47 46 53.96	88.49		+ 13.772		
1129	8.5	Volantis G. 12214	8 53 49.72	93 . 27	3	+ 0.8037	- 0.0265		156 50 36.56	93.27			+ 0.079	
1130	4.8	b <sup>1</sup> Carinæ	8 54 16.94	88.14	16	+ 1.4729	- 0.0053		148 48 16.73	88.26	10	7 + 13 . 821		
1131	9.3		8 55 14.38	$92 \cdot 29$	3	- 3.0275	- 0.3904		171 0 45.87	92 · 29	3.	. + 13 · 882	-0.325	
1132	7.4	D.M 11° · 2523	8 55 17.24	91 · 16	3	+ 2.8726	- 0.0008		101 42 37.29	91.16	3.	. +13.885	+ 0 . 296	
1133	$9 \cdot 2$	D.M 9° · 2718	8 55 41.67	91.18	3	+ 2.9016	- 0.0013	••	100 3 56·03	91.18	3.	. + 13.911	+0.299	
1134	3.2	K Ursæ Majoris	8 56 6.81	89 22	9	+ 4.1249	- 0.0433	-0.004	42 24 27.78	89.24	9.	. + 13.937		+0.0
1135	8.3	D.M. – 13° · 2743	8 56 22.19	91 · 20	4	+ 2.8321	- 0.0001	••	104 3 34 48	91 · 20	3.	. + 13.953	+0.291	
1136	9.4		8 56 23 - 45	92.30	3	- 5.9583	- 0.9547		173 55 53 52	92.30	3.	. + 13 . 955	-0.630	
1137	7.0*	Volantis L. 3679	8 56 33			+ 0.3496	- 0.0490		160 35 23-21	93.28		. + 13.965	+ 0.030	
1138		M.Z. 11235	8 57 21.62	85.22	3	+ 1.2562	- 0.0110		152 14 15.33	85.22		+ 14.015	+ 0.125	
1139	9.3		8 58 40.98	92.28	3	- 1.7731	- 0.2332		168 53 57.55	92.28		. + 14.098	-0.190	
1140	9.1	Chameleontis G. 12359	8 58 44.70	93 . 24	3	- 1.5207	- 0.2047		168 18 31·75	93 . 24	3.	. +14.102	-0.164	
	100	-												
1141	9.1		8 58 59.87	92.19	3	+ 0.3306	- 0.0211		160 54 4.98	92.19			+0.028	
1142	8.5		8 59 3.40	92.23	4	+ 0.0083	- 0.0708	•••	162 47 19.51	92.23		. + 14 · 121	-0.002	
1143	7.8	D.M 12° · 2779	8 59 26.23	91.17	3	+ 2.8569	- 0.0004	•••	102 49 6.47	91.17	1	. + 14.145	1	
1144 1145	4·7 8·5	Lyneis B.A.C. 3097 D.M. – 10° · 2736	8 59 31 81 8 59 44 57	90·22 91·16	6	+ 3.8366 + 2.8894	-0.0304 - 0.0009		51 6 29·50 100 56 58·90	90.22		. + 14.150	1	
1140	00	$D.M 10^{\circ} \cdot 2736$	0 00 44 01	91.10		+ 2.9094	- 0.0009		100 90 99.90	91.16	3.	. + 14 · 164	+0.392	
1146	8.8	Chameleontis G. 12376	8 59 45.95	93-22	3	- 1.5242	- 0.2069		168 22 4.70	93.22	3.	. + 14 · 165	-0.163	
1147		Volantis L. 3694	8 59 53.03	93.27	3	+ 0.7020	- 0.0323		158 14 59.46	93.27		. + 14 172	1	
1148		a Volantis	9 0 42.65	87.31	8	+ 0.9602	- 0.0215		155 57 25.06	87.31		$3 + 14 \cdot 223$		+ 0.1
1149	7.0	Carinæ L. 3724	9 1 8.52	88.31	15	- 0.5106	- 0.1108		165 17 29.00	88.31	F	+ 14.250		
1150	5.2	к Caneri	9 1 47.33	88.50	87	+ 3.2567	- 0.0094	-0.003	78 53 21.42	88.00	15 .	. + 14 · 290	+0.327	-0.0
1151	7:7	Carinæ L. 3714	9 2 28.80	93 . 26	3	+ 0.4800	- 0.0442	1	160 10 4.34	93.26	3	1.14.220	+ 0.012	
1152	9.0	D.M 9° · 2749	9 3 1.37	91.18	3	+ 2.9078	-0.0442 - 0.0012	•••	$100 \ 10 \ 4^{\circ}34$ $100 \ 1 \ 2^{\circ}61$	93.20		$+ 14 \cdot 332$ $+ 14 \cdot 365$		
1153		10.MI 0 2140	9 3 7.95	92.21	3	- 0.6310	- 0.1230		165 52 14.81	92.20		$+ 14^{\circ}303$ $+ 14^{\circ}372$		
1154		D.M 13° · 2773	9 3 48.80	91.20	3	+ 2.8453	0.0000		103 44 21.33	91.20		. + 14 - 413		
1155		D.M 11° · 2565	9 3 55.00	91.16	3	+ 2.8766	- 0.0006		101 54 44.32	91.16		. + 14.420		
								1.						
1156		$\lambda$ Argus	9 3 56.99	90.04	25	+ 2.2067	+ 0.0045	-0.002	132 59 18.54	88.83		. + 14 422		-0.01
1157	9.1	M.Z. 11251	9 5 1.00	85.25	3	+ 1.2929	- 0.0104		152 33 7.92	85.25		. + 14 · 486		
1158		D.M. $-12^{\circ} \cdot 2826$	9 6 56.34	91.19	3	+ 2.8624	- 0.0002		102 55 5.86	91.19		. + 14.602		
1159		Carinæ L. 3767	9 6 57.99	93.20	3	- 0.1887	- 0.0902		164 18 31.68	93.20		. + 14.604	-0.025	• •
1160	8.0	$D.M 10^{\circ} \cdot 2769$	9 7 16.48	91 · 22	3	+ 2.8940	-0.0008		$101 \ 2 \ 35 \cdot 34$	91.22	3.	+14.622	+0.583	

\* Cape 1880.

30

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Seenlar Variation,	Annual Proper Motion.	Mean N.P.D., 1890'0,	Mean Year of Observations.	Num <sup>1</sup> Obse tic		Annual Precession in N.P.D.	Secular Variation.	Aunual Proper Motion.
				Mee	Nur Obe					Mer	-	S.P.			
			•												
			h. m. s.			8.	8.	8.	0 / //				N	"	n
1161	7.2	Chameleontis L. 3778	9 7 27.99	89.98	22	- 0.6266	- 0.1273		166 7 15.74	88.88	26		+ 14 634	-0.069	
1162	7.8	Carinæ I. 3752	9 8 6.70	93·22	3	+ 1.1146	- 0.0167		155 2 28.96	93 . 22	3		+14.672	+0.104	
1163	4.3	heta Hydræ	9 8 38 45	88.65	7	+ 3.1166	- 0.0057	<b>∓</b> 0.008	87 13 18.27	88.71	6	••	+14.704	+0.303	+0.31
1164	8.5		9 9 49.43	<b>92 · 2</b> 0	4	+ 0.3338	- 0.0556		161 44 4.80	92.21	3	• •	+ 14 · 775	+0.027	
1165	8.0	M.Z. 11267	9 9 56.21	85.25	3	+ 1.3398	- 0.0092		152 27 45.45	85.25	3	• • •	+14.781	+0.126	
1166	7.0*	Carinæ L. 3775	9 10 1.92	93 - 27	2	+ 0.7442	- 0.0329		158 48 9.71	93 . 27	2		+ 14.786	+0.087	
1167	9.5	D.M 9° · 2779	9 10 17.75	91 · 19	3	+ 2.9130	- 0.0010		100 1 51.66	91.19	3		+14.802	+0.280	
1168	7.3	Carinze L. 3774	9 10 17.89	$93 \cdot 25$	3	+ 0.9199	- 0.0248		157 16 6.33	93 . 25	3		+14.802	+0.084	
1169	6.4	D.M 13° · 2808	9 11 54.65	91 · 20	3	+ 2.8475	+ 0.0003		104 6 50.67	$91 \cdot 20$	3		+14.897	+0.271	
1170	1.7	$\beta$ Argus	9 11 59.42	88.55	12	+ 0.7096	- 0.0351	-0.035	159 15 50.60	89.00	8	2	+ 14.902	+0.083	-0.09
1171	5.3	ζ Octantis	$9 12 32 \cdot 29$	88.12	50	- 7.5996	- 1.5838	-0.114	175 13 18.18	88.67	24	18	+ 14 . 934	-0.746	-0.04
1172	8.7	D.M 11° · 2604	9 12 48 49	91.24	3	+ 2.8855	- 0.004		101 51 26.44	91.24	3		+14.949	+0.274	
1173	6.6	83 Caneri '	$9 \ 12 \ 50.48$	87.61	30	+ 3.3649	- 0.0134	-0.009	71 49 42.01	88.41	13		+14.952	+0.321	+0.14
1174	9.8		9 13 28.64	92.19	3	+ 0.3451	- 0.0566		161 57 49.03	$92 \cdot 19$	3		+14.988	+0.027	
1175	9.0	Chamelcontis L. 3882	9 14 0.22	93 • 26	3	- 3.1290	- 0.4775		171 52 16.03	93 · 26	3	••	+15.018	-0.309	
1176	2.2	ι Argus	9 14 8.73	88.43	23	+ 1.6101	- 0.0021	-0.005	148 48 49.25	88.34	15	12	+15.027	+0.149	0.00
1177	8.7	Chameleontis L. 3822	9 14 12.53	93.24	3	- 0.2607	0.1018		165 7 53.74	93.22	3		+15.031	-0.032	
1178	6.8	D.M 10° · 2804	9 14 15.07	91 · 20	3	+ 2.9029	- 0.0007		100 51 5.17	91.20	4		+15.033	+0.274	
1179	3.4	40 Lyneis	9 14 21.23	88.76	6	+ 3.6884	- 0.0267	-0.020	55 8 33.04	88.74	6		+15.039	+0.349	-0.03
1180	7.0	$D.M 12^{\circ} \cdot 2864$	9 14 39.60	91 · 17	3	+ 2.8713	0.0000	0 T	102 50 27.80	91.17	3	••	+15.057	+0.270	
1181	8.6	M.Z. 11284	9 14 46.91	85-25	3	+ 1.3807	- 0.0082		152 27 14.34	85.25	3		+ 15.064	+0.126	
1182	6.8	Chameleontis L. 3906.	9 17 43.21	88.31	9	-2.6150	- 0.4032		171 18 29.67	88.32	11		+15.232	-0.255	
1183	8.2	M.Z. 27397	9 18 27.69	92.17	3	+ 1.1252	- 0:0174		156 1 14.87	92.17	3		+15.274	+0.100	
1184	2.6	к Argus	9 18 42.30	92.24	2	+ 1.8578	+ 0.0027	-0.005	144 32 27.44	92.24	2		+ 15.288	+0.169	-0.02
1185	7.6	Octantis L. 3955	9 19 15 49	89.65	11	- 4.2498	- 0.7311		173 16 51.62	89.65	11		+15.320	-0.407	
1186	8.8	$D.M 9^{\circ} \cdot 2825$	9 19 37·71	91.17	3	+ 2.9224	- 0.0008		99 53 26-20	91.17	3		+15.340	+0.268	
1187		Carinæ L. 3868	9 19 57.09	93.23	3	+ 0.2371	- 0.0671		163 8 9.69	93.23	3		+ 15 . 359		•••
1188	8.8	D.M 13° · 2851	9 20 33.38	91.19	3	+ 2.8580	+ 0.0005		104 3 18.94	91.19	3		+15.393		
1189	1	Chanielcontis L. 3898	9 20 53.02	93.27	3	- 0.6851	- 0.1487		167 10 33.53	93.27	3		+ 15.411	-0.071	
1190	8.4	D.M 11° · 2635	9 21 0.65	91 · 22	3	+ 2.8899	- 0.0001		102 3 41.06	91.22	3		+ 15+418	+0.263	
1191	8.9	Carinæ G. 12871	9 22 2.68	93.30	2	+ 1.1435	<ul> <li>● 0.0170</li> </ul>		156 12 57.81	93.30	2		+ 15.476	+0.099	
1192		71 1.	9 22 10.90			+ 2.9504	- 0.0014	-0.002	98 10 54.54	88.60	15			+0.035 +0.267	-0.02
1193		a Hydrae $D.M 10^{\circ} \cdot 2838$	9 22 36.34	91.17	3	+ 2.9067	- 0.0004	-0 002	101 4 17.95	91.17	3		Contract of the	+0.261 +0.262	-0.00
1194	1	Carinæ L. 3893	9 23 17.43	93.27	3	+ 0.7605	- 0.0355		159 56 3.24	93.26	3		+ 15.545	+ 0.063	
1195		D.M 12° · 2905	9 23 38.13	91 · 20	3	+ 2.8765	+ 0.0003		103 5 20.71	91 · 20	3		+ 15.564		
1196	6.8	Chameleontis L. 3951	9 24 4.08	88.30	4	- 1.6588	- 0.2741		169 55 17.11	88.30	4		+15.588	-0.159	
1197		M.Z. 11305	9 24 47.01	85.25	3	+ 1.4892	-0.002141 - 0.0021		$152 \ 6 \ 57 \cdot 68$	85.25	* 3		+15.988 +15.627	+0.139 +0.129	
1198		Chameleontis L. 3931	9 25 17.83	93.30	3	- 0.3416	- 0.1195		166 15 0.00	93.30	3		+15.655	-0.038	
1199			9 25 32.17	93.30	1	- 0.8279	- 0.1707		167 55 33.56	93.30	1		+15.668	-0.082	
1200	1	Carinæ L. 3933	9 25 49.46	88.32	6	- 0.1014	- 0.0979		165 17 39-24	88.32	6		+15.684	-0.016	
	-											1			

\* Cape 1880. † G.Z. 1875.

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Anuual Proper Motion.	Mean N.P.D. 1890*0.	Mean Year of Observations.	Obse	ber of erva- on4.	Aunual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
				Меми Осъяе	Num Obse				13	Mear	-	S.P.			
			h						• / #						
1201	6.2	Carinæ L. 3914	h. m. s. 9 26 1.06	93 . 25	3	s. + 0.6387	$^{8}$ 0.0433	8.	161 7 26.95	93.25	3	1	+ 15.695	+ 0.051	
1202	3.9	4 Argus	9 26 22.09	88.16	°10	+ 2.3760	+ 0.0066	-0.019	129 59 7.07	88.15	10		+ 15.714	+ 0.209	-0.08
1203	6.0	D.M 9° · 2858	9 26 34.44	91 . 17	3	+ 2.9280	- 0.0007		99 53 9.38	91.17	3		+ 15.725	+ 0.258	
1204	6.8	Carinae L. 3922	9 26 45.29	88.31	5	+ 0.6240	- 0.0445		161 18 2.45	88.31	6		+ 15 . 735	+0.050	
1205	9.0	M.Z. 28269	9 26 50.17	92.20	3	+ 1.2929	- 0.0116		155 2 19.76	92·20	3		+ 15 . 739	+0.110	
1206	9.0	M.Z. 28270	9 27 5.74	92.22	3	+ 1.2691	- 0.0126		155 21 35·02	92.23	3	••	+ 15.753	+0.108	
1207	6.8	Octantis L. 4027	9 27 9.60	88.32	4	- 5.0203	- 0.9896		174 11 15 13	88.32	4		+15.757	-0.463	••
1208	4.6	10 Leonis Minoris	9 27 29.01	88.73	6	+ 3.6919	- 0.0294	+0.001	53 6 51.36	88.74	6			+ 0.326	+0.01
1209	8.7	D.M-11° · 2659	9 27 38.62	91.22	3	+ 2.8957	+ 0.0001		102 6 2.98	91.22	3	•••	+ 15.783	+0.254	
1210	5.5*	ι Chameleontis	9 27 47.40	<b>9</b> 0 · 76	3	- 1.7540	- 0.2974	-0.060	170 18 40.82	90.76	••	3	+ 15.791	$\rightarrow 0.164$	-0.08
1211	9.0	D.M 13° · 2878	9 27 49.01	91-18	3	+ 2.8674	+ 0.0007		103 58 42.17	91 · 19	4	1	+ 15.792	+0.251	
1211	9.6		0 00 10 10	92·33	4	- 6.2141	-1.3552		174 58 11.46	92.33	4		+ 15 .868	-0.201	· · ·
1212	8.7		e. 9 29 13.48 e. 9 29 41.90	92.28	3	- 0.6893	-0.1610	••	167 46 21.12	92.28	3		+ 15.893	-0.068	
2114	8.3	~ . ~ ~ ~ ~ ~ ~ ~ ~	. 9 30 46.15	93.22	3	+ 1.1493	- 0.0178		157 9 12.53	93.22	3		+ 15.950	+ 0.092	
1215	7.3	C . T DOTO	9 30 48.16	88.32	9	+ 0.3791	- 0.0628		163 15 36.83	88.32	14		+ 15.952	+0.027	
												1			
1216	8.7	D.M 12° · 2944	9 30 57.80	91 · 19	3	+ 2.8846	+ 0.0006		103 4 12.69	91 · 19	3		+15.960	+0.248	
1217	8.7	M.Z. 11323	9 30 59.92	85.25	3	+ 1.5019	- 0.0047		152 44 31 21	85.25	3		+15.962	+0.126	
1218	10.0	M.Z. 47801	9 31 2.24	92.20	3	+ 0.9764	- 0.0259		158 53 41.04	92.20	3		+15.964	+0.029	
1219	7.3	D.M 10° · 2874	9 31 10.13	91.17	3	+ 2.9186	- 0.0002		100 46 54.36	91.17	3		+15.971	+0.250	
1220	5.8	D.M 13° · 2917	9 35 1.94	91 · 17	3	+ 2.8779	+ 0.0010		103 50 0.23	91.17	3	••	+ 16 · 173	+0.241	
		125	0.05.30.55	00.00			0.0000	0.010	F0 00 04 00	00.07	1.0		10 100		. 0.00
1221 1222	3·8 8·7	o Leonis	9 35 16.77	89.66 92.21	71	+ 3.2172	- 0.0092	-0.010	79 36 26.03	88.67 92.21	16	•••	+16.186 +16.199	+0.270 +0.105	+0.02
1222	10.0	M.Z. 27456 M.Z. 11333	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	85.25	3	+ 1.3062 + 1.5614	-0.0117 - 0.0029		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	85.25	3	•••	+16.199 +16.204	+0.103 +0.127	•••
1223	8.0	Chameleontis L. 40		88.31	16	-2.0053	-0.3609	•••	132 28 23 17	88.31	19	•••	+16.204 +16.204	-0.120	•••
1225	9.3		9 35 44.35	92.24	3	+ 0.6585	- 0.0456		161 56 36.62	92.24	3		+ 16.210	+ 0.050	
1226	7.0	D.M -9° · 2903	9 36 5.24	91 • 19	3	+ 2.9340	- 0.0003		100 0 8.04	91 · 19	3		+ 16 . 228	+0.244	
1227	9.3		9 36 18.10	92.23	3	+ 0.3541	- 0.0676		163 54 18.38	92.23	3		+ 16 . 239	+ 0.023	
1228	7.8	D.M. 110 0000	. 9 36 25 34	91 · 21	3	+ 2.9043	+ 0.0004		102 6 45.73	91 · 21	3	1	+ 16 . 245	+0.241	
1229	5.3	ζ Chameleontis	9 37 6.20	87.53	18	- 1.5656	- 0.2932		170 26 48.28	87.37	10	12	+ 16 . 280	-0.140	
1230	8.9	Carinæ G. 13261	9 38 42.11	<b>93 · 26</b>	3	+ 1.3311	- 0.0108		156 3 50.51	<b>93 · 2</b> 6	3	•••	+ 16.361	+0.105	•••
1001	0.0	D. 1. 1.05	0.00	01.10					100	01 14			1 10 000		
1231	9.0	0 T 1000	9 39 1.81	91.18	4	+ 2.8951	+ 0.0008		102 57 5.30	91.18	4		+ 16.378	+0.237	
1232 1233	7·7 3·1	T	9 39 30·21 9 39 36·40	93·21 88·91	3	+ 1.1686 + 3.4192	-0.0179 -0.0179	- 0.004	158 0 9·21 65 43 9·56	93·21 88·58	3	0	+16.402 +16.407	+0.091 +0.280	+ 0.01
1233	3·1 8·0	<ul> <li><i>ϵ</i> Leonis</li> <li>D.M 10° · 2912</li> </ul>	0 40 10.00		69 3	+ 3.4192 + 2.9259	+ 0.0001	-0.004	100 50 53·15	91.22	15		+16.407 +16.443	+0.230 +0.237	+0.01
1234	6.71	G . T 1010	9 40 19·39 9 41 17·11	93.28	3	+ 0.7744	-0.0400		$160 \ 30 \ 33 \ 13$ $161 \ 41 \ 10.93$	93.28	3		+ 16 445	+ 0.057	
1236	7.2	Chameleontis L. 40	80 9 42 6.57	93.24	4	- 1.8197	- 0.3499		171 12 27.91	93.24	4		+ 16.532	-0.157	
1237	Var.	l Carinze	9 42 13.46	90.52	6	+ 1.6505	- 0.0001	-0.004	152 0 1.23	90.52	3	3	+ 16 . 537	+ 0.129	-0.01
1238	92		9 42 15.67	92.33	3	- 0.1915	- 0.1224		166 57 36.59	92.33	3		+ 16.539	-0.023	
1239	9.0	D.M 13° · 2953	9 42 39.99	91.19	3	+ 2.8875	+ 0.0012		103 47 5.46	91.20	3		+ 16 . 559	+ 0.230	
1240	9.6	M.Z. 11358	9 42 41.95	85.25	3	+ 1.6353	- 0.0005		152 19 9.03	85.25	3		+ 16.561	+0.127	

• Boss 1900.

<sup>†</sup> Cape 1800.

32

No.	Mag,	Star's Name.	Mean R.A., 189010.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890+0,	<ul> <li>Mcan Year of Observations.</li> </ul>	Obse	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				Mei Obs	Nu					Me	-	S.P.		2	
															1
			h. m. s.			8.	S.	3	0 / //	00.00			. 14 ~ = 0		N
1241	9.0	Carinæ G. 13366	9 42 56.83	93 . 26	. 2	+ 0.4424	- 0.0645	•••	164 1 50.31	93.26	2		+ 16.573	+0.029	••
1242	7.1	Carinæ L. 4050	9 43 6.67	88.31	16	+ 1.0876	- 0.0223	• •	159 15 16.83	88.31	18		+16.581	+0.082	
1243	9.0	D.M 9° · 2931	9 43 30 14	91.17	3	+ 2.9396 - 0.1545	-0.0001 -0.1201		100 3 15·16 166 56 0·93	$91 \cdot 17$ $92 \cdot 30$	3		+16.600 +16.611	+0.233 -0.020	••
1244	$9 \cdot 2 = 7 \cdot 5$	Carinæ L. 4054	9 43 42·76 9 43 45·60	$92 \cdot 31$ $93 \cdot 20$	4	-0.1543 + 1.0582	-0.0240	••	159 36 34 65	93.20	3		+ 16.613		
1245	1.9	Carinze L. 4054	3 43 40 00	33 20	J	T I COOL	- 0 0240		105 10 54 00	00 20		* 4		F 0 010	
1246	3.7	v Argus pre.	9 44 21 13	87.12	10	+ 1.5045	- 0.0045	-0.004	154 33 41.95	86.72	6	3	+ 16.642	+0.115	-0.01
1247	9.2	D.M 11° · 2732	9 44 21.88	91.23	3	+ 2.9172	+ 0.0006		101 46 0.36	91.23	3		+ 16.642	+0.230	
1248	7.8	Chameleontis L. 4083	9 44 41 . 16	93 . 29	3	- 0.7868	- 0.1971		169 5 6.50	93 . 29	3		+16.658	-0.071	
1249	9.9	M.Z. 28311	$9 \ 45 \ 28 \cdot 54$	$92 \cdot 24$	5	+ 1.4697	- 0.0057		155 12-22.00	$92 \cdot 23$	4		+16.697	+0.112	
1250	9.9	M.Z. 28310	9 45 28.66	$92 \cdot 21$	3	+ 1.4765	- 0.0055		155 6 44.38	92.21	2		+ 16-697	+0.115	
1251	6 0	6 Sextantis	9 45 41 43	88.73	6	+ 3.0243	- 0.0025	0.000	93 43 40.88	88-73	6			+0.237	+0.01
1252	6.3	D.M 10° · 2940	9 46 18.56	91.23	3	+ 2.9317	+ 0.0003		100 49 26.25	91 - 23	3		+ 16.737	+0.228	••
1253	7.0*	Octantis S. 5346	9 46 29 53	90.76	3	- 6.2869	- 1.6168		175 30 25.32	90.76		3	+16.746	-0.512	
1254	4.1	$\mu$ Leonis	9 46 30.40	88:91	72	+ 3.4395	-0.0197	-0.019	63 28 30·03	88.54 90.75	16	•••		+0.269	+0.04
1255	7.6*	Octantis L, 4169	9 46 42.59	90 - 75	3	- 6.2742	- 1.6152		175 30 25.76	90.49	••	• 2	+ 16.756	-0.210	••
1256	8.7	D.M 12°-3013	9 47 51.09	91.17	3	+ 2.9039	+ 0.0012		103 1 27.69	91.17	3		+16.811	+0.224	
1257	7.3	Chameleontis L. 4086.	9 47 56.78	93.21	3	+ 0.3027	- 0.0794		165 16 1.09	93.21	3		+16.815		
1258	9.7	M.Z. 11378	9 49 5.51	85.25	3	+ 1.7053	+ 0.0018		152 8 18.44	85.25	3			+0.127	
1259	8.8	Octantis	9 50 21.30	90.35	9	- 9.4872	- 3.1708		176 44 5.30	90.69	5	2	+16.929	-0.749	
1260	7.6	Carinæ L. 4096	9 50 58.88	93 . 22	3	+ 1.0081	-0.0282		160 56 4.98	$93 \cdot 22$	3		+16.958	+0.071	
					1.										
1261	9.1	••• ••	9 51 3.20	$92 \cdot 24$	3	+ 0.7464	- 0.0454		162 57 23.49	92.24	3		+16.962	+0.051	
1262	8.7	Carinæ M., 495	9 51 17.64	$93 \cdot 25$	3	+ 1.4114	- 0.0080	• •	156 48 3.86	93 - 25	3		+16.973	+0.105	••
1263	8.2	D.M 9° · 2966	9 51 21.55	91 · 21	3	+ 2.9493	+ 0.0001	••	99 49 16·55	91.21	3		+16.976	+0.222	
1264	8.0	D.M. – 13° · 2988	9 51 29.81	91.19	3	+ 2.8971	+ 0.0017	••	103 52 5.44	91.19	3		+16.982	+0.218	• •
1265	8.2	$D.M 11^{\circ} \cdot 2765$	9 51 32.11	91 · 24	3	+ 2.9195	+ 0.0010	• •	102 9 16.31	91.24	3	••	+ 16 987	+0.219	••
1266	8.5	Carinæ G. 13579	9 51 55-26	93 . 27	3	+ 1.2162	- 0.0170		$159 \ 6 \ 5 \cdot 82$	93 . 27	2		+ 17.002	+ 0:087	
1267	6.8	Chameleontis L. 4139.	9 52 36.83	93.30	3	-0.7491	- 0.2068	* *	169 12 31.91	93.30	3		+17.034	-0.065	
1268	3.8	φ Argus	9 53 0.10	87.96	9	+ 2.1027	+ 0.0094	-0.004	144 2 39.16	87.79	10		+ 17.052	+0.154	0.00
1269	9.8	M.Z. 27536	9 53 23.52	92.21	3	+ 1.5048	- 0.0044		155 53 30.56	92.21	3		+ 17.070	+0.108	
1270	5.5	$\pi$ Leonis	9 54 24.00	$89 \cdot 52$	89	+ 3.1775	- 0.0080		81 25 40.50	88.39	14		+ 17.116		+ 0.01
					1					-					
1271	9.0	D.M 10° · 2968	9 54 47.13	91 · 21	4	+ 2.9397	+ 0.0006		100 49 29.67	91.21	3		+17.134		S
1272	9.9	M.Z. 11392	9 54 56 94	85.25	3	+ 1.7285	+ 0.0029		152 41 52.90	85.25	3		+17.141	+0.153	
1273	9.5	D.M 12° · 3049	9 55 14.77	91 · 23	3	+ 2.9115	+ 0.0015	•••	103 5 29.24	91 · 23	3			+ 0.212	
1274	9.2		9 56 46.80	92.31	4	- 0.8412	- 0.2290	••	170 4 38.03	92.31	4		+ 17 · 224	-0.020	••
1275	9.0	Carinæ B. 2804	9 57 25.02	93.22	3	+ 0.9423	- 0.0339		162 15 43.54	93 · 22	3	••	+ 17 - 252	+0.063	
1976	9.0	D.M 9° · 2988	0.50 (.02	01.10	2	+ 2.9542	+ 0.0005		00 59 95.70	01.10	9		17.906	+ 0. 200	
1276 1277	8·0 9·6		9 59 4 92 9 59 6 23	91·18 92·24	3 4	$+ 2^{.9542}$ + 0.7500	+ 0.0005 - 0.0484		99 58 25 79 163 50 27 32	91.18	3		+17.326 +17.327	+0.209 +0.048	
1278	8.1	Carinæ L. 4154	9 59 0·25 9 59 7·58	92.24	*	+ 1.2039	-0.0185		$163 \ 50 \ 27 \ 32$ $160 \ 11 \ 52 \ 20$	93.24	3		+17.321 +17.328	+0.081	
1279	8.6	Carmae L. 4104	9 59 7.73	92.35	-4	- 3.2208	-0.7489		173 53 51.01	92.35	4		+17.328	-0.244	
1280	9.4		9 59 36.80	92.30	3	- 0.0640	- 0.1284		167 56 7.80	92.30	4		+ 17.349	-0.012	
					1										

No.	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year cf Observations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890*0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Prop : Motion
	-				Mea	Nur Obs					Mea	-	S.P.			
							-									
				h. m. s.			8,	8.	s.	0 / #				11	-	"
1281	4.7	v² Hydræ	••	9 59 46.09	90.09	5	+ 2.9237	+ 0.0015	-0.003	$102 \ 31 \ 52.76$	90.26	4		+17.356	+0.206	-0.04
1282	9.0		••	$10 \ 0 \ 4.07$	92.22	3	+ 0.3557	- 0.0835	••	166 11 5.41	92.22	3		+17.369	+0.018	
1283	9.6 8.8	M.Z. 11408 D.M. – 11° · 2794	•••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	85·25 91·21	3	+ 1.7816	+ 0.0048 + 0.0013		152 39 8.08	85.25	3	•••	+17.373	+0.122	
1284 1285	9.0	$D.M 11^{\circ} \cdot 2794$ $D.M 14^{\circ} \cdot 3025$	••	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$91 \cdot 21$ $91 \cdot 25$	3	$^{\circ}$ + 2.9310 + 2.9032	+ 0.0013 + 0.0022		101 58 40.96 104 16 31.99	$91 \cdot 21$ $91 \cdot 25$	3	••	+17.377 +17.391	+0.206 +0.203	
1200		17, 31, -14 3020	•••	10 0 30 40	31 20	0	T 2 0032	+ 0 0022		104 10 51 55	51 2.5	0	•••	T11 391	+0 200	
1286	3.6	$\eta$ Leonis		10 1 20.07	88.73	6	+ 3.2787	- 0.0129	+- 0.001	72 42 2.79	88.73	6		+17.424	+0.229	0.00
1287	1.3	a Leonis		10 2 30.81	89.32	92	+ 3.2179	- 0.0100	-0.018	77 29 42.22	88.19	15		+ 17 . 475	+0.223	-0.02
1288	7.5	Carinæ L. 4175		10 3 10.69	93.28	3	+ 1.4771	- 0°.0054		157 45 44.47	93.28	3	1	+17.504	+0.098	
1289	9.0	D.M. $-10^{\circ} \cdot 3003$		10 3 38.01	91.20	3	+ 2.9462	+ 0.0011		100 59 54.22	91.20	3		+17.523	+0.201	
1290	60	$\mu^1$ Chameleontis		$10 \ 3 \ 38.50$	87.70	35	- 1.3731	- 0.3400		171 40 55.57	87.35	15	15	+17.523	-0.102	
	10.0	•• ••	•••	$10 \ 3 \ 49.61$	92-21	3	+ 0.4976	- 0.0726	••	165 51 12.40	92.21	3		+17.531	-⊢ 0·028	
1292	6.8	D.M 12° · 3098	•••	$10 \ 4 \ 1 \cdot 20$	91.22	3	+ 2.9250	+ 0.0018	••	102 49 22.54	91.22	4		+17.539	+0.199	
1293	3.6	$\lambda$ llydræ		10 5 13.50	88.75	6	+ 2.9383	+ 0.0015	-0.012	101 48 38.02	88.74	6	1	+17.590	+0.198	+0.07
1294	8.1	Carine L. 4191	•••	10 5 34.69	93.22	3	+ 1.7017	+ 0.0031	••	154 58 18.75	93.22	3		+ 17.605	+0.111	
1295	6.0	Carinæ 1. 4184	•••	10 5 38.51	93.25	3	+ 1.6831	+ 0.0024		155 16 36.14	93.25	3		+17.608	+0.110	
1296	9.0		pre.	10 5 59.88	92.30	3	- 0.6148	- 0.2145		170 11 5.79	92.30	3		+17.623	-0.050	
1297	7.5	Chameleontis L. 42	~	10 6 27.77	93.28	3	- 1.4336	-0.3618		171 58 20.11	93.28	3		+17.642	-0.107	
1298	9.5	M.Z. 11429		10 6 48.17	85.25	3	+ 1.8579	+ 0.0075		152 26 38.90	85.25	3		+17.656	+0.121	
1299	8.2	D.M 9° · 3017		10 6 53.31	91.26	3	+ 2.9634	+ 0.0007		99 46 42.60	91.26	3		+17.660	+0.197	
1300	8.9	D.M 13° · 3059		10 7 26.08	91.21	3	+ 2.9144	+ 0.0025		104 4 34.59	91.21	3		+17.682	+0.193	
		and an and a second second	141											_		
1301	8.0	$D.M 11^{\circ} \cdot 2829$	••	10 8 56.38	91.24	3	+ 2.9397	+ 0.0017		102 2 20·67	$91 \cdot 24$	3		+17.744	+0.192	
1302	7.0*	Octantis L. 4342	•••	10 9 50.01	87.85	15	- 6.6881	-2.2387		176 22 34.98	88.37	14		+17.780	-0.458	
1303	4.6	q Velorum	••	10 10 7.11	88.22	10	+ 2.5254	+ 0.0120	-0.012	131 34 36.90	87.71	8		+17.792	+0.162	-0.06
1304	4.8	M Carinæ		10 10 23.80	93.27	3	+ 1.7018	+ 0.0036		155 49 38.83	93.27	3	••	+17.803	+0.106	
1305	3.1	$\lambda$ Ursæ Majoris	•••	10 10 27.74	88.64	9	+ 3.6553	- 0.0383	-0.012	46 32 9.40	88.60	10	•••	+17.806	+0.238	+0.06
1306	3.1	ζ Leonis		10 10 34.32	88.88	5	+ 3.3456	- 0.0174	0.000	66 2 3.75	88.80	6		+ 17.810	+0.217	-0.02
1307		Octantis L. 4297	pre.	10 10 41.76	93.32	2	- 2.3539	- 0.5951		173 32 51.41	93.32	2			-0.165	
1308	8.7	D.M 10.3028	·	10 10 42.66	91.22	3	+ 2.9542	+ 0.0014		100 55 6.92	91.21	4		+17.816		
1309	8.0	Octantis L. 4297	seq.	10 10 44.05	93.32	2	- 2.3521	- 0.5951		173 32 51.41	93.32	2		+17.817	-0.165	
1310	8.5			10 11 34.35	92.20	3	+ 1.1061	- 0.0266	••	$162 \ 47 \ 17.95$	92.20	3	•••	+17.850	-0.066	
			1.											2		
1311	8.5	$D.M 12^{\circ} \cdot 3132$	••	10 12 28.11	91.24	3	+ 2.9332	+ 0.0023	••	102 58 38.57	91.24	3		+17.886		
1312	8.2	Carinæ G. 14042	••	10 12 30.83	93.25	3	+ 1.4910	- 0.0047	••	159 5 22.46	93.25	3		+17.888	+0.091	
1313 1314		M.Z. 11451 D.M 10°·3039	•••	10 12 57.19	85.25	3	+ 1.9240	+ 0.0100		152 20 23.90	85.25	3		+17.905	+0.119	
1314	[	Chameleontis 1. 42		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$91 \cdot 21$ $93 \cdot 29$	3	+ 2.9650 + 0.1473	+ 0.0012 - 0.1204		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91 · 21 93 · 29	4		+17.938 +17.939	+0.186	
1010		Chanter Onors 18 12		10 10 10 04	00 40	0	F 0 1410	- 0 1204		100 21 20 30	00 20	3	•••	11 000	+0.002	•••
1316	2.3	$\gamma^1$ Leonis		10 13 54.44	88.43	56	+ 3.2945	- 0.0148	+ 0.021	69 36 6·97	88.64	15		+17.942	+0.207	+0.14
1317	:	D.M 11° · 2857		10 14 47.88	91.35	3	+ 2.9503	+ 0.0019		101 39 22.93	91.35	3		+17.977	+0.183	
1318	9.0	D.M 11° · 2860		10 15 5 04	91.31	3	+ 2.9508	+ 0.0019		101 38 18.22	91.31	3	[	+17.988	+0.183	
1319	9.5	$D.M 10^{\circ} \cdot 3043$		10 15 9.70	91.27	3	+ 2.9658	+ 0.0013		100 14 48.37	91.27	3		+17.991	+0.183	
1320	9.4			10 15 15.74	92.30	3	+ 0.5324	- 0.0776		166 55 31.31	92.30	3		+17.995	+0.027	

\* Cape 1880.

9589.

33

D

34

.

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annuai Precession in N.P.D.	Seeular Variation.	Annual Proper Motion.
				Mea	Nur Obs					Mea	-	S.P.			
									*****						
			h. m. s.		1	s.	s.	s.	0 1 11				"	"	"
1321	8.8	D.M 13° · 3095	10 15 23.63	91 · 23	3	+ 2.9251	+ 0.0029		104 2 35.27	$91 \cdot 23$	3		+18.000	+0.180	
1322	$3 \cdot 3$	$\mu$ Ursæ Majoris	10 15 46.49	87.94	9	+ 3.6022	- 0.0360	-0.008	47 56 48.84	87.94	9	•••	+ 18.012	+0.223	-0.03
1323	9.1	•• •• ••	10 16 19.79	92.21	3	+ 1.4761	- 0.0054		159 53 47.35	92.21	3			+0.087	
1324	9.0	Chameleontis G. 14147	10 16 30.75	93.29	3	+ 0.8560	- 0.0475		165 15 17.17	93.29	3			+0.047	
1325	$9 \cdot 2$	•• •• ••	$10 \ 17 \ 9.67$	92.33	3	-12.1901	- 6.3257		177 49 25.94	92.33	3		+18.068	-0.780	
1326	8.4	D.M. $-10^{\circ} \cdot 3051$	10 17 33.78	91.30	3	+ 2.9631	+ 0.0016		100 43 29.16	91.30	3		+18.083	+0.179	C. Salar
	10.2	M.Z. 11472	10 11 55 78	85.39	3	+ 1.9641	+ 0.0010 + 0.0118		152 35 23.06	85.39	3	[		+0.115	
1328	8.7	D.M 12° · 3155	10 18 39.04	91.26	3	+ 2.9392	+ 0.0027		103 6 39.25	91.26	3		+18.124		
1329	8.3	Carinæ G. 14197	10 18 49.54	93·26	3	+ 1.8400	+ 0.0089		155 8 7.17	93.26	3		+ 18.130	+ 0.107	
1330	8.9	Carinæ B. 3005	10 20 16.33	93.32	2	+ 1.6881	+ 0.0041		157 51 2.42	93.32	2	• • •	+ 18 · 184	+0.096	
1331	6.5	Chameleontis L. 4346	$10\ 20\ 34\cdot 00$	87.39	7	- 1.1147	- 0.3497		172 21 20.67	87.39	3	2	+18.192	-0.076	
1332	4.1	$\mu$ Hydræ	10 20 46.21		102	+ 2.9088	+ 0.0041	-0.002	106 16 29.01	88.38	14	••		+0.170	+0.06
1333	9:4	D M. − 10°·3063	10 21 3.53	91·36	3	+ 2.9644	+ 0.0019		100 56 31.35	91.36	3		+18.213	+0.173	
1334	4.4	31 Leonis Minoris	$10\ 21\ 31\cdot 32$	88.78	6	+ 3.4963	- 0.0296	-0.011	52 43 43.48	88.77	6			+0.205	+0.08
1335	4.1	a Antlize	$10\ 22\ 7.07$	88.92	5	+ 2.7462	+ 0.0098	-0.008	120 30 26.48	88.80	8	•••	+ 18 · 252	+0.158	-0.01
1336	4.2	l Carinæ	10 22 12.61	93.29	3	+ 1.2081	- 0.0218	-0.009	163 28 18.23	93.29	3		+ 18.255	+0.065	+0.02
1337	9.2	1 Oaima	10 22 41.90	92.30	3	+ 0.2157	-0.1231		169 5 17.63	92.30	3		+ 18.273	+ 0.005	
1338	8.1		10 23 20.78	92.23	3	+ 1.3885	- 0.0103		161 59 54.22	92.23	3		+ 18.296	+0.075	
1339	8.0	D.M 13°·3129	10 23 23.36	91.22	3	+ 2.9371	+ 0.0032		103 54 12.33	91.22	3		+ 18 . 297	+0.167	
1340	$7 \cdot 2$	Octantis S. 5777	10 23 29.34	88.39	8	-26.9185	-27.7021		178 57 21.58	88.38	2	2	+ 18.301	-1.611	
1341	9.5	$D.M 9^{\circ} \cdot 3087$	10 23 30.39	91.26	3	+ 2.9767	+ 0.0016	• • •	99 56 58·88	91.26	3	•••	+18.302	+0.170	
1342	8.0	$D.M 11^{\circ} \cdot 2886$	10 23 42.25	$91 \cdot 24$	3	+ 2.9579	+ 0.0024	••	101 52 21.30	91.24	3		+18.309	+0.168	
1343	10.0	M.Z. 11496	10 24 20.65	85.37	3	+ 2.0249	+ 0.0143		152 38 56.06	85.37	3		+ 18.331	+0.112	
1344 1345	$\frac{7\cdot 5}{9\cdot 1}$	$D.M 10^{\circ} \cdot 3073$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$91 \cdot 29$ $92 \cdot 33$	3	+ 2.9753 - 1.1740	+ 0.0018 - 0.3880	••	100 14 38·57 172 52 33·76	$91 \cdot 29$ $92 \cdot 33$	4		+18.358 +18.405	+0.167 -0.076	
1949	9.1	•• •• ••	10 20 20 20	92.99	3	- 1.1140	~ 0.3990	•••	172 02 05 10	04 00	J	•••	T 10 400	-0 010	••
1346	$7 \cdot 2$	D.M 10° · 3076	10 26 34.10	91.25	3	+ 2.9709	+ 0.0021		100 51 26.85	91.25	3		+ 18.409	+0.164	
1347	3.8	$\rho$ Leonis	10 27 1.12	89.26	82	+ 3.1643	- 0.0079	-0.001	80 7 37.74	88.42	14			+0.174	-0.01
1348	8.5	Carinæ G. 14374	10 27 15.13	93.31	3	+ 1.8769	+ 0.0115		156 14 24.21	93.31	3		+ 18 • 433	+0.100	
1349	$9 \cdot 2$	Chameleontis G. 14387	10 27 25.43	93 • 27	3	+ 0.3211	- 0.1154		169 11 18.47	93.27	3	1		+0.010	
1350	9.4		10 27 34.25	92.21	3	+ 1.2514	- 0.0197	ia	163 55 41.58	92.21	3	•••	+ 18 • 444	+0.064	
													10 100	. 0. 3.07	
1351	6.7	D.M. $-12^{\circ} \cdot 3194$	10 27 47.73	91.22	3	+ 2.9532	+ 0.0030		102 50 15.19	91.22	3	1	+18.452		
1352	4.3	p Carinæ	10 28 6·85	86.58	6	+ 2.1266	+ 0.0168	-0.004	151 7 9.51	86.58	3		}	+0.113	0.00
1353 1354	8.5 8.7	Carinæ B. 3086	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	92·31 93·25	3	-2.6762 + 1.5257	-0.8315 -0.0027	••	174 48 50·73 161 32 39·18	$92 \cdot 31$ $93 \cdot 25$ .	3		+18.463 +18.497	-0.160 + 0.078	••
1354		G 1 G 14400	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	93·25 93·25	3	+ 1.5262	-0.0021 - 0.0026	••	$161 \ 32 \ 34.00$	93.25	3	(		+0.018	
1000	00	Carinæ G. 14420	10 20 0 01	00 20	0	1 1 0202	0 0020		TOT ON OT OU	00 00					
1356	7.0*	Octantis S. 5810	10 29 51.82	93 . 29	1	- 4.2453	- 1.4834	١	175 59 47.30	93 . 29	1		+18.523	-0.246	
1357	8.2	M.Z. 11514	10 30 25.06	85.37	3	+ 2.1088	+ 0.0172		152 8 34.70	85.37	3	1	+ 18.540	+0.109	
1358	6.6	D.M 9° · 3108	10 30 49.04	91.22	3	+ 2.9830	+ 0.0020		100 0 45.73	91.22	3		+18.554	+0.157	
1359	6.7	Carinæ G. 14495	10 31 49.73	93.33	1	+ 1.7803	+ 0.0093		158 46 51.99	93.33	1		+ 18.587	+0.089	
1360	7.1	D.M 11° · 2921	10 32 0.58	91.24	3	+ 2.9677	+ 0.0028		101 49 27.06	91.24	3		+18.593	+0.154	

\* Cape 1880.

.

.

ND.	Mag.	Star's Name.	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations,	Number of Observations.	Annual Precessioo ln R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 • 0.	Mean Year of Observations.		erva-	Annual Precessioo In N.P.D.	Secular Variation.	Annnal Proper Motion.
				Mei Obs	Nu					Mei Obs	-	S.P.	1		
													1		
			h. m. s.			s.	s.	S.	0 / //				*		"
1361	9.0	D.M 13°·3176	10 32 33.20	91.27	3	+ 2.9475	+ 0.0038		104 6 9.57	91 . 27	3	••	+18.611	+0.152	
1362	4.2	p Velorum	10 32 40.75	88.00	9	+ 2.5271	+ 0.0173	-0.012	$137 \ 39 \ 14.95$	$88 \cdot 22$	10		+18.615	+0.129	+0.02
1363	6.7	Chameleontis L. 4411	10 33 22.68	93.28	3	+ 1.1316	- 0.0302		165 44 19.70	$93 \cdot 28$	3		+18.638		••
1364	4.2	$\gamma$ Chameleontis	10 34 9.70	93.30	2	+ 0.7641	- 0.0675	-0.017	$168 \ 2 \ 14 \cdot 45$	93.30	2		+18.663		-0.03
1365	9.1	$D.M 10^{\circ} \cdot 3109$	10 34 45.26	91.23	3	+ 2.9781	+ 0.0026		100 59 48.96	$91 \cdot 23$	3	•••	+18.682	+0.150	••
1366	8.9		10 34 57.94	92.23	3	+ 1.4866	- 0.0048		163 0 29.87	$92 \cdot 22$	3		+18.688	+0.071	
1367	9.0		10 35 2.60	92.25	4	+ 1.4875	- 0.0047	· · · · ·	163 0 34.77	92.26	3		+18.691	1 -	
1368	8.0	D.M 12° · 3235	10 35 7.33	91.28	3	+ 2.9614	+ 0.0035		102 56 15.12	91.28	3		+18.693		
1369	6.4	33 Sextantis	10 35 48.42	88.77	6	+ 3.0628	- 0.0019	-0.012	91 9 47.70	88.76	6		+18.715	+0.153	+0.10
1370	8.1		10 36 26.38	92.22	3	+ 1.5147	- 0.0031		162 59 10.80	$92 \cdot 22$	3		+ 18 • 735	+0.071	••
1371	9•6	M.Z. 11537	10.90.00.05	05 05	0	0.1019	1 0.0107		150 04 41.01	07.97			1.10.590	1.0.104	
1372	5.4	Chameleontis B.A.C. 3676	$\begin{array}{c} 10 \ 36 \ 32 \cdot 37 \\ 10 \ 36 \ 40 \cdot 71 \end{array}$	85.37	3	+ 2.1613	+ 0.0197 - 0.0089		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	85·37 86·60	3		+18.738 +18.742		
1373	8-4		10 36 53.17	86·59 92·30	3	+ 1.4233 - 0.3313	-0.0089 -0.2447	••	$103 \ 53 \ 10^{-}03$ $172 \ 4 \ 5\cdot33$	92.30	3		+18.742 +18.749		•••
1374	6.8	Oetantis L. 4510	10 37 25.42	87.79	37	-2.9439	- 1.0404	 -0.008	175 31 13.11	88.53	20		+18.765		+0.02
1375	8.9	D.M13°·3205	10 38 31.68	91.22	3	+ 2.9570	+ 0.0041		103 56 52.06	91.22	3		+ 18.799		
1376	8.7	D.M 12°·3252	10 38 44.96	91.26	4	+ 2.9721	+ 0.0034		102 12 47.25	91 . 26	3		+18.806	+0.143	
1377	5.3	42 Leonis Minoris	10 39 44.85	88.77	6	+ 3.3510	-0.0225	-0.004	58 44 16·93	88.77	6		+18.836	+0.160	+0.02
1378	8.4	M.Z. 28414	10 39 47.92	92.48	4	+ 2.0940	+ 0.0199	••	154 54 8.29	92.57	3		+18.838	+0.097	
1379	6.5	Carinæ L. 4466	10 40 5.31	93.28	3	+ 1.3813	- 0.0121		164 53 13.39	93.28	3		+18.846	+0.061	
1380	7.2	D.M 9° · 3134	10 40 19.22	91.26	3	+ 2.9911	+ 0.0025		100 8 4.54	91 · 26	3		+18.853	+0.141	
		-													
1381	6.3	37 Sextantis	10 40 22.02	90.36	3	+ 3.1280	- 0.0058	-0.003	83 2 48.71	90.32	3		+18.855		+0.03
1382	8.7	M.Z. 37547	10 40 46.93	92.23	3	+ 1.9510	+ 0.0170		158 0 31.76	92.23	4		+18.864	1.	
1383	6.6	$\eta$ Argus	10 40 47.65	88.48	26	+ 2.3156	+ 0.0219	-0.005	149 6 22.47	88.36	14	1	+18.867		-0.02
1384 1385	$\frac{7 \cdot 0}{2 \cdot 8}$	Carinæ L. 4467	10 41 0.83	93.30	3	+ 1.8123	+ 0.0124		160 16 53·21	93.30	3		+18.874		
1999	4.9	$\mu$ Argus	10 42 2.32	$92 \cdot 24$	2	+ 2.5623	+ 0.0192	+0.009	138 50 20.76	92.24	2	•••	+18.904	+0.111	+0.05
1386	8.7	M.Z. 11558	10 42 2.63	85.37	в	+ 2.2245	+ 0.0222		152 15 27.83	85.37	3		+18.904	+0.100	
1387	8.6	Chameleontis L. 4504	10 42 23.07	93.33	3	+ 0.1157	- 0.1744		171 27 28.07	93.33	3		+18.914		
1388	5.3	l Leonis	10 43 28.48	89.41	65	+ 3.1587	- 0.0080		78 52 21.44	88.65	15		+18.945		
1389	3.5	ν Hydræ	10 44 11.82	90.12	4	+ 2.9512	+ 0.0052	+0.005	105 37 4.38	90.33	4		+18.966	+0.132	-0.22
1390	5.9	δ <sup>1</sup> Chameleontis	10 44 12.97	88.37	8	+ 0.6385	- 0.0937		169 53 19·70	91.32	4	••	+18.966	+0.022	
1001	0.0											1			
1391	8.9	The 100 0.074	10 44 29.22	92.29	3	+ 1*1959	- 0.0285	••	167 1 13.28	92.29	3		+18.974		
1392 1393	9.3	D.M 12° · 3276	10 44 34.55	91.27	3	+ 2.9746	+ 0.0040		102 46 11.95	91.27	3		+18.977		••
1394	$\frac{9\cdot 5}{4\cdot 7}$	D.M. $-10^{\circ} \cdot 3135$ $\delta^2$ Chameleontis	10 44 43.07	91.23	3	+ 2.9879	+ 0.0032	0.020	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91.23	3		+18.981		0.00
1395		O I I' T AFRO	10 44 44 · 88 10 46 31 · 05	86.90 89.26	16 13	+ 0.6373 - 3.4784	-0.0944 -1.4381	-0.020	169 57 36.18 176 19 11.74	$87 \cdot 37$ $89 \cdot 21$	10		+18.982 +19.031		0.00
		Uetantis L. 4578	10 40 91 03	00.20	19	- 3 4/04	- 1 4001		110 13 11-14	09-21	4	1	+ 19.091	-0.108	
1396	7.7	Carinæ B. 3261	10 47 25.89	93.28	3	+ 2.1274	+ 0.0232		156 13 52.38	93.28	3		+19.056	+0.089	
1397	8.4	M.Z. 11574	10 47 28.66	85.38	3	+ 2.2794	+ 0.0246		152 19 17.42	85.38	3		+ 19.057		
1398	4.9*	ω Ursæ Majoris	10 47 38.78	86.34	3	+ 3.4703	- 0.0364		46 13 26.99	86.34	3		+ 19.062	1	+0.06
1399	9.2	D.M 13° · 3239	10 47 41.30	91.23	3	+ 2.9713	+ 0.0046		103 43 6.62	91.23	3		+19.063		

36

No.	Mag.	Star's Name.	Mean R.A., 1890·0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Obse tio	erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				Mea	Nun Ob90					Mea	-	S.P.			
			h						0 1 11		-		W	"	
1401	9.0		h. m. s. 10 48 24 • 92	92.30	3	s. $+ 1.6384$	+ 0.0053	s.	164 0 55.83	92.30	3		+19.083	+0.065	
1401	6.8	D.M 11°·2970	$10 \ 48 \ 24 \ 52$ $10 \ 48 \ 28 \cdot 28$	$92 \cdot 30$ $91 \cdot 27$	3	+ 2.9864	+ 0.0038		104 0 55 85 101 50 55 12	$92 \cdot 30$ $91 \cdot 27$	3	•••	+19.084 +19.084	+0.003 +0.126	
1402	8.0	Carinæ G. 14918	$10 \ 49 \ 10 \ 20 \ 20$	93.35	3	+ 2.0383	+ 0.0222		$151 \ 50 \ 50 \ 12$ $158 \ 32 \ 11 \cdot 40$	93.29	3	•••		+0.082	
1404	9.2	M.Z. 38384	$10 \ 49 \ 35 \cdot 52$	92.21	3	+ 2.1252	+ 0.0241		156 53 23.80	$92 \cdot 21$	3		+ 19.114	+ 0.086	
1405	9.2		10 49 51.80	92.24	3	+ 1.8346	+ 0.0157		161 58 40.62	92.24	3	••	+ 19 • 121	+0.073	
1406	9.8	M.Z. 47988	10 50 4.96	$92 \cdot 24$	3	+ 2.0266	+ 0.0223		158 59 55.44	$92 \cdot 24$	3		+19.127	+0.081	
1407	6.6	Chameleontis L. 4544	10 50 39.30	93·33	4	+ 1.0282	- 0.0493		168 58 25.98	$93 \cdot 32$	4		+19.142	+0.037	
1408	9.2	$D.M 12^{\circ} \cdot 3312$	$10 52 34 \cdot 34$	$91 \cdot 22$	4	+ 2.9828	+ 0.0046		103 1 54.58	91.23	3		+19.191	+0.118	
1409	8.7	$D.M 10^{\circ} \cdot 3165$	10 52 57.54	$91 \cdot 26$	3	+ 2.9988	+ 0.0037		100 49 44.93	91.26	3		+19.201	+0.118	
1410	9.4	M.Z. 11588 pre.	10 53 54.94	85.37	3	+ 2.3491	+ 0.0275		152 16 43.72	85.37	4	••	+19.225	+0.089	
1411	9.3	M.Z. 11588 seq.	10 53 55.66	85.39	1	+ 2.3492	+ 0.0275		152 16 44			••	+19.225	+0.089	
1412	4.5	a Crateris	10 54 24.92	90.30	3	+ 2.9520	+ 0.0069	-0.034	107 42 46.11	90.30	3	•••	+19.238	+0.113	-0.16
1413	5.6	d Leonis	10 54 52.76	89.56	88	+ 3.1000	- 0.0038	-0.005	85 47 29.69	88.44	14	••	+19.249	+0.119	+0.01
1414	9.0	D.M 11° · 2996	10 55 22.36	91.28	3	+ 2.9937	+ 0.0042	••	101 58 6.40	91.28	3	•••	+19.261	+0.113	••
1415	9.0	D.M. $-13^{\circ} \cdot 3274$	10 55 31.37	91.32	3	+ 2.9809	+ 0.0051		103 51 41.68	91.32	3	•••	+19.265	+0.113	••
1416	9.6	$D.M 9^{\circ} \cdot 3190$	$10 55 52 \cdot 12$	91.24	3	+ 3.0083	+ 0.0032		99 52 27·25	91 · 24	3		+ 19 . 273	+0.113	
1417	8.5	Carinæ B. 3339	10 56 10.28	93.28	3	+ 2.1513	+ 0.0277		$158 \ 15 \ 1 \cdot 25$	93.28	3		+19.280	+0.078	
1418	7.0	Chameleontis L. 4605	$10 57 55 \cdot 39$	93 · 39	3	+ 0.8224	- 0.0847		170 58 2.24	93.39	3		+19.322	+0.024	
1419	9.1		10 58 26.95	92.29	3	+ 1.6325	+ 0.0065	••	166 9 40·28	$92 \cdot 28$	4	•••	+19.334	+0.055	
1420	7.8		10 58 28.53	92.24	3	+ 1.9202	+ 0.0224		162 5 <mark>3 47·01</mark>	92•24	3	••	+19.335	+0.066	
1421	4.7	$\chi$ Leonis	10 59 20.56	89.45	57	+ 3.1212	- 0.0056	-0.026	82 4 8.78	88.45	14		+19.355	+0.111	+0.02
1422	8.7	$D.M - 12^{\circ} \cdot 3339 \dots$	10 59 22.38	91.28	3	+ 2.9939	+ 0.0048	1 <del>.</del>	102 40 38.11	91.28	3		+19.355	+0.106	
1423	7.9	D.M 10° · 3189	10 59 24.01	$91 \cdot 25$	3	+ 3.0036	+ 0.0041		101 9 55.78	91.25	3		+19.356	+0.106	
1424	8.0	Carinæ B. 3380	10 59 40.08	93.29	3	+ 2.0603	+ 0.0277		161 2 2.64	93.29	3		+19.362	+0.070	
1425	8.3	M.Z. 11598	$11 \ 0 \ 2.16$	85.37	4	+ 2.4119	+ 0.0303		152 22 8.22	85.37	4	••	+19.370	+0.083	•••
1426	6.3	$\eta$ Octantis	$11 \ 0 \ 4.10$	88.14	50	- 0.2174	- 0.3142	-0.055	174 0 7.02	87.84	15	16	+ 19.371	-0.016	0.00
1427	8.0	Carinæ G. 15177	11 0 20.46	93·32	3	+ 2.3353	+ 0.0311		154 58 44.82	93.32	3		+19.377	<b>-+-0.029</b>	
1428	8.8		11 1 49.63	$92 \cdot 34$	4	+ 1.4548	- 0.0078		168 16 35·75	$92 \cdot 34$	3		+19.410	+0.045	
1429	9.1		$11 \ 1 \ 53 \cdot 24$	92.30	3	+ 1.3531	- 0.0182	•••	168 57 47.88	92.30	3		1	+0.041	
1430	7.7	D.M 11° · 3030	11 2 9.26	91 • 29	3	+ 3.0016	+ 0.0046		101 59 25·29	91 • 29	3	•••	+19.418	+0.101	
1431	8.9	D.M 13° · 3308	11 2 21.08	91 · 22	3	+ 2.9893	+ 0.0056		$104  2  23 \cdot 93$	91·22	3	}	+19.422	+0.100	
1432	7.9	Chameleontis L. 4632	11 2 40.53	93.30	- 3	+ 1.7897	+ 0.0178		165 32 7.53	93.30	3		+19.429	+0.056	
1433	5.8	Carinæ L. 4625	11 2 51.75	93.29	3	+ 2.1519	+ 0.0315	-0.01	160 16 58.54	93.29	3	1	+ 19.433	+0.069	0.0
1434	3.5	$\psi$ Ursæ Majoris	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	88.55	12	+ 3.4000	-0.0366	-0.002	44 54 15.60 99 48 5.19	88.55	12		+19.446 +19.457	+0.113 +0.098	+0.04
1435	8.0	D.M. $-9^{\circ} \cdot 3221$	11 3 59.67	$91 \cdot 24$	3	+ 3.0167	+ 0.0037	••	99 48 9.19	91 · 24	3	••	7 19 497	-0.099	•••
1436	9.5	M.Z. 11618	11 6 14.22	85.42	3	+ 2.4771	+ 0.0333		152 26 25.22	85.42	3		+19.504	+0.076	
1437	3.9	$\beta$ Crateris	11 6 14.84	88.87	7	+ 2.9456	+ 0.0100	-0.005	112 13 29.90	88.80	6		+19.504	+0.092	+0.09
1438	9.3	$D.M 10^{\circ} \cdot 3221$	11  7  11.68	91.28	3	+ 3.0125	+ 0.0045		101 7 53.53	<b>91</b> ·28	3		+19.523	+0.092	
1439	8.5	D.M 13° · 3324	11 7 47.23	91.25	3	+ 3.0017	+ 0.0056		103 12 15.94	$91 \cdot 25$	3		+19.535	+0.091	
1440	2.6	δ Leonis	11 8 15.43	90.06	61	+ 3.1882	- 0.0131	+0.010	68 52 23.81	88.42	15		+19.544	+0.096	+0.12

.

No.	Mag.	Star's Name,	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0,	Mean Year of Observations.	Numi Obse tio		Annuai Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				Mea	Nun Obs					Mea	-	s.P.			
			h. m. s.			8.	s	s.	0 / //				"	"	10
1441	3.0	$\theta$ Leonis	11 8 28.06	88.79	6	+ 3.1582	-0.0098	-0.006	73 58 8.17	88.78	6		+19.548	+0.094	+ 0.06
1442	8.1	Carinæ G. 15384	11 8 51.08	93.30	3	+ 2.4000	+ 0.0366		$156 \ 15 \ 4.59$	<b>93 · 3</b> 0	3	••	+ 19.556	+0.069	••
1443	7.2	D.M 10° · 3227	11 9 51.40	91.31	3	+ 3.0162	+ 0.0046		100 59 14.12	91.31	3		+19.575	+0.087	
1444	8.8	M.Z. 48043	11 10 7.27	92.25	3	+ 2.3232	+ 0.0383	••	158 55 53.63	$92 \cdot 25$	3		+19.580	+0.065	••
1445	8.0	$D.M 9^{\circ} \cdot 3247 \dots$	11 10 23.29	91.34	3	+ 3.0218	+ 0.0042	•••	100 0 57.10	91.34	3	••	+19.585	+0.086	
1446	9.0	M.Z. 38443	11 11 3.90	92.33	4	+ 2.4113	+ 0.0383		156 48 28.38	$92 \cdot 32$	4		+19.597	+0.066	
1447	8.4	D.M 11° · 3068	11 11 15.26	91.28	3	+ 3.0122	+ 0.0052		102 4 8.71	91.28	3		+19.601	+0.084	
1448	7.6	D.M 13°·3334	11 11 18.18	91.36	3	+ 3.0027	+ 0.0061		103 54 26.82	91.36	3		+ 19.602	+0.084	
1449	3.8	ξ Ursæ Majoris	11 12 18.78	90.35	3	+ 3.2461	- 0.0212	-0.037	57 51 5.43	90.35	3		+19.620	+0.089	+0.57
1450	3.4	ν Ursæ Majoris	11 12 32.20	88.72	7	+ 3.2558	- 0.0226	0.000	56 18 18.00	88.88	7		+19.624	+0.089	-0.02
1.1.7.1						. 0.0407	. 0.0410		101 50 50 55	09.94	0		10 090	. 0. 050	
1451 1452	8.7	M.Z. 11631	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	92.24	3	+ 2.2467 + 2.5571	+ 0.0410 + 0.0367	•••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92·24 85·43	3	••	+19.639 +19.640	+0.058 +0.067	•••
1452	8·5 3·8	2 0 1 .	$11 13 23.99 \\11 13 50.44$	85·43 88·66	95	+ 3.0049	+ 0.0064	0·011	$104 \ 10 \ 59.27$	88.39	15		+19.648	+ 0.079	-0.21
1454	8.4	o Crateris $D.M 10^{\circ} \cdot 3243$	11 13 50 44	91.32	3	+ 3.0201	+ 0.0050		$101 9 44 \cdot 20$	91.32	3		+19.653	+ 0.079	
1455	8.0	D.M 13° · 3350	11 14 41.57	91.29	3	+ 3.0106	+ 0.0061		103 16 57.52	91.27	3		+19.662	+0.078	
1456	7.4	Chameleontis L. 4720	11 15 11.89	93.34	3	+ 2.0881	+ 0.0398	•••	165 13 21.60	93.34	3	••	+19.671	+0.051	
1457	4.3	$\sigma$ Leonis	11 15 27.81	88.63	6	+ 3.1026	- 0.0041	-0.002	83 22 2.57	88.71	7	•••	+19.675	+0.023	0.00
1458	6.9	Muscæ L. 4722	11 15 40.04	93.29	3	+ 2.2645	+ 0.0435	•••	162 21 21·23	93 - 29	3		+ 19.679	+0.055	••
1459	8.3	Muscæ G, 15552	11 16 56.29	93-37	3	+ 2.3790	+ 0.0445	••	160 11 57.18	93.37	3		+19.700	+0.056	•••
1460	8.9	$D.M 11^{\circ} \cdot 3090 \dots$	11 19 29.85	$91 \cdot 24$	3	+ 3.0228	+ 0.0027		101 56 33.92	91.24	3		+19.741	+0.069	•••
1461	7.2	D.M 13° · 3365	11 20 10.66	91.27	3	+ 3.0152	+ 0.0067		$103 55 57 \cdot 35$	91.27	3		+ 19.751	+ 0.068	
1462	9.5	M.Z. 39324	11 20 29.91	92.26	5	+ 2.5068	+ 0.0458		157 56 21.59	92.26	3		+ 19.756	+ 0.054	
1463	8.6	Muscæ G. 15632	11 20 31.38	93.29	3	+ 2.3992	+ 0.0490		161 12 21.84	93.29	3		+ 19.756	+0.052	
1464	8.5	M.Z. 11645	11 20 52.09	85.42	3	+ 2.6357	+ 0.0404		152 31 28.75	85.42	3		+19.761	+ 0.057	
1465	7.0	Muscæ L. 4752	11 20 54.39	93.40	3	+ 2.3289	+ 0.0498		163 1 44·93	93.40	3		+19.762	+ 0.049	
							1		S						1
1466	6.0	83 Leonis	11 21 11.23	90.33	4	+ 3.0868	- 0.0021	-0.021	86 23 13.60	90.34	3		+19.766		-0.18
1467	9.5		11 21 39.50	92.32	3	- 1.4424	- 1.1549		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92·32	3			-0.043	
1468 1469	$\begin{array}{c} 9 \cdot 1 \\ 5 \cdot 2 \end{array}$	$\tau$ Leonis	$11 \ 21 \ 56 \cdot 74 \\11 \ 22 \ 16 \cdot 80$	92·37 89·54	3	+ 1.8303 + 3.0857	+ 0.0320 - 0.0020	-0.001	86 32 15.66	92·37 88·46	3	••	+19.777 +19.782		··· 0·01
1470		$\tau$ Leonis D.M 10° · 3271	$11 22 10 30$ $11 22 21 \cdot 29$	91.29	74	+ 3.0322	+ 0.0051	-0.001	$100\ 27\ 14.87$	91.29	3	•••	+19.782 + 19.783	+0.003	
				01 00						01 -0			1 10 100	10001	
1471	9.5	D.M 10° · 3272	11 22 59.72	91.32	3	+ 3.0312	+ 0.0054		100 52 25.56	91.32	3		+ 19.792	+ 0.063	
1472	5.4*	57 Ursæ Majoris	11 23 8.71	86.38	3	+ 3.2518	- 0.0278		50 3 26.66	86.38	3		+19.794	+0.068	
1473	7.9	Museæ M <sub>1</sub> 563	11 23 38.40	93.30	3	+ 2.6008	+ 0.0457		155 53 0.20	<b>93·3</b> 0	3			+0.052	
1474			11 23 46.01	85.42	5	+ 0.9455	- 0.1141		174 20 58.63	86.05	4			+0.013	
1475	8.8	D.M 13°·3377	11 23 47.96	91.35	3	+ 3.0232	+ 0.0066		103 II 38·95	91.35	3	•••	+ 19.803	+0.061	
1476	9.5		11 24 17.59	92 37	3	+ 1.6129	+ 0.0104		171 54 40.45	92.37	3		+ 19.810	+0.028	
1477	7.1	Octantis S. 6404	11 24 46 25	88 13	46	- 5.5386	-5.7210		178 38 18.01	88.17	26		+19.816	-0.132	
1478	9.2	D.M 9°· 3308	11 26 16.95	91.31	3	+ 3.0380	+ 0.0051		99 58 48.46	91.31	3		+ 19.836	+0.057	
1479		M.Z. 11664	11 26 50.25	85.42	3	+ 2.7014	+ 0.0434		152 32 58.11	85.42	3		+19.843	+0.048	
1480	8.9	D.M 11° · 3121	11 27 14.81	91.26	. 4	+ 3.0322	+ 0.0062		101 57 39.58	<b>91</b> · 26	3	1		+0.055	
															1

\* Boss 1900.

† Cape 1880.

No.	Mag.	Star's Name.	4	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.		ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
					Mea	Nur Obs			1		Mea	-	S.P.			
				h. m. s.			8.	8.	8.	0 1 11				11	"	"
1481	3.4	ξ Hydræ		11 27 35.47	89.16	12	+ 2.9582	+ 0.0168	-0.017	121 14 54.59	89.22	10		+19.853	+0.052	+0.04
1482	8.7			11 28 17.78	92.37	3	+ 1.9316	+ 0.0479		170 49 18.43	92.37	3		+19.862	+0.030	
1483	8.5	D.M 13° · 3397		11 28 29.51	91.35	3	+ 3.0267	+ 0.0073		104 2 54.45	91.35	4		+19.864	+0.052	
1484	8.1			11 29 46.17	92.32	3	+ 1.6656	+ 0.0210		172 52 35.26	92.32	3	1	+19.879	+0.023	
1485	9.0	$\mathrm{D.M.}-10^\circ\cdot3300$	••	11 30 36.39	91.31	3	+ 3.0396	+ 0.0058		100 54 19·60	91.31	3		+19.888	+0.048	
1486	9.5	D.M 12° · 3461	••	11 31 11.17	91.31	3	+ 3.0334	+ 0.0070		103 7 34.55	91 · <b>3</b> 1	3		+19.895	+0.047	
1487	4.5	v Leonis		$11 \ 31 \ 18.96$	89.33	83	+ 3.0718	+ 0.0004	-0.002	90 12 58.56	88.41	14		+ 19 · 896	+0.048	-0.05
1488	9.4			$11 \ 32 \ 16 \cdot 61$	$92 \cdot 25$	4	+ 2.4215	+ 0.0695		166 4 59.57	92.26	3		+19.906	+0.034	
1489	6.7	Muscæ L. 4822		$11 \ 32 \ 20.36$	$93 \cdot 31$	3	+ 2.6518	+ 0.0568		159 3 54.42	93.31	3		+19.907	0·038	
1490	$7 \cdot 8$	M.Z. 11675	•••	11 32 41.62	85.42	3	+ 2.7645	+ 0.0464	· · · · ·	152 42 51·17	85.42	3		+ 19 • 911	+0.039	
1491	6.4	Muscæ L. 4826		$11 \ 32 \ 49.50$	$93 \cdot 29$	3	+ 2.7000	+ 0.0535		157 0 39.91	93.29	3		+19.912	+0.038	
1492	7.0	Muscæ L. 4848		11 33 0.07	93.38	3	+ 2.7349	+ 0.0203		155 2 47.23	93.38	3		+19.914	+0.038	
1493	6.4	D.M 13° · 3420		$11 \ 34 \ 17.08$	91.26	3	+ 3.0356	+ 0.0076		103 51 31.25	91.26	3		+19.927	+0.041	
1494	9.0	D.M 11° · 3150		$11 \ 34 \ 51.75$	91.35	3	+ 3.0414	+ 0.0067		102 1 21.99	91.35	4		+19.932	+0.040	
1495	7.5	Octantis L. 4865	••	$11 \ 34 \ 55 \cdot 47$	87.56	24	+ 1.4436	- 0.0183		174 52 38.70	87.71	14	12	+19.933	+0.012	
1496	9.8	D.M 9° · 3341		$11 \ 35 \ 3.83$	91.28	3	+ 3.0465	+ 0.0057		100 9 2.84	91.28	3		+ 19 · 934	+0.040	
1497	7.5	$D.M 9^{\circ} \cdot 3342$		$11 \ 35 \ 15 \cdot 17$	91.31	3	+ 3.0489	+ 0.0053		99 18 25·01	91.31	3		+19.936	+0.039	
1498	6.8	Chamelcontis L. 487	3	$11 \ 37 \ 12 \cdot 29$	93.47	2	+ 2.0655	+ 0.0786		172 29 25.19	93.47	2		+19.954	+0.021	
1499	6.8	Muscæ L. 4866		$11 \ 37 \ 23.78$	93.39	3	+ 2.5941	+ 0.0752		164 37 1.29	93.39	3		+19.955	+0.029	
1500	$7 \cdot 9$	Museæ L. 4871	••	11.38 28.65	93 · 33	3	-⊱ 2·7643	+ 0.0593		157 52 5.00	93.33	3		+ 19 . 965	+0.029	
1501	5.5	$\zeta$ Crateris	• •	11 39 11.21	90·16	4	+ 3.0338	+ 0.0100	+0.001	107 44 20.35	90·16	4		+ 19 · 970	+0.032	+0.01
1502	8.9	$D.M 12^{\circ} \cdot 3482$	•••	11 39 13.88	$91 \cdot 28$	3	3·0444	+ 0.0075		103 6 17.31	91.28	3		+ 19.970	+0.032	
1503	9.0	$D.M 10^{\circ} \cdot 3336$	•••	<b>11 39 49·7</b> 5	$91 \cdot 25$	3	+ 3.0500	+ 0.0064		100 51 10.21	91.25	3		+19.975	+0.031	
1504	9.3		••	$11 \ 39 \ 52.15$	$92 \cdot 32$	3	+ 2.3467	+ 0.0981		170 49 15.67	92.32	3		+19.976	+0.022	
1505	9.8	M.Z. 11694	••	11 40 8.52	85.44	3	+ 2.8496	+ 0.0499	••=	152 34 40.65	85.44	4		+19.978	+0.028	
1506	3.8	χ Ursæ Majoris		11 40 14.37	89.37	9	$+ 3 \cdot 2022$	- 0.0356	-0.012	41 36 35.93	89.24	8		+ 19.978	+ 0.032	-0.03
1507				11 40 50.84	92.35	3	+ 2.3567	+ 0.1031		171 8 23.09	92.35	3			+ 0.020	
1508	8.8	Muscæ G. 16101		11 41 11.27	93.45	3	+ 2.7665	+ 0.0675		160 17 34.57	93.46	3		+19.985	+0.025	
1509	8.2	Musca L. 4891		11 41 19.19	93.41	4	+ 2.7686	+ 0.0677		160 17 56.24	93.39	3		+19.986	+0.024	
1510	6.6	D.M 9° · 3366		11 42 47.81	91.32	3	+ 3.0554	+ 0.0060		99 41 52.49	91.32	3		+19.996	+0.025	
1511	7.2	D.M 13°·3448		11 43 5.84	91·35	3	+ 3.0485	+ 0.0081		103 43 52.09	91.35	3		+19.998	+0.024	
1512		$\beta$ Leonis		11 43 26.90	89.26	71	+ 3.0987	- 0.0073	-0.036	74 48 45.70	87.90	13		+ 20.001	+0.024	+0:10
1513	1	D.M 11° · 3184	••	$11 \ 43 \ 28.88$	91.37	3	+ 3.0521	+ 0.0072		102 0 9.61	91.37	3		+ 20.001	+ 0.024	
1514	9.0			11 44 35.19	92.38	3	+ 2.6861	+ 0.0971		166 54 36.92	92.36	- 3		+20.008	+0.018	
1515	3.2	$\beta$ Virginis	• •	11 44 57.92	88.74	5	+ 3.0762	- 0.0002	+0.048	87 36 54.54	88.83	6		+ 20.010	+0.021	+ 0.26
1516	9.0			11 45 2.84	92.29	3	+ 2.7466	+ 0.0889		105 1 35.82	92.29	3		+ 20.010	+0.018	
1517		Muscæ L. 4915		11 45 26.73	93.35	3	+ 2.7963	+ 0.0808	•••	$162 55 23 \cdot 83$	93.35			+20.012	+0.012	
1518		D.M 10° · 3357		11 46 34.05	91.32	3	+ 3.0577	+ 0.0067		$100 \ 41 \ 50 \ 37$	91.32	1	1.		+0.018	
1519				1	90.43	3	+ 3.1345	- 0.0236		51 29 29.78	90.45			+ 20.019	+0.018	
1520		M.Z. 11712		11 47 8.40	85.43	3	+ 2.9281	+ 0.0533		152 33 29.94	85.43			+ 20.021	+0.015	
									-						-	

\* Boss 1900.

No.	Mag.	Star's Name.	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Aonual Precession in R.A.	Secuiar Variation.	Annual Proper Motion.	Mean N.P.D., 1390.0.	Mean Year of Observations.		ber of erva- bos.	Annual Precession in N.P.D.	Seenlar Variation	Annua Prope Motion
				Meal	Nur Obse					Mean	-	S.F.			
										1					
			h. m. s.			s.	s.	s.	0 /				"	N	11
1521	7.7	Muscæ L. 4927	11 47 55.25	93 · 39	3	+ 2.9229	+ 0.0585		$154 \ 47 \ 32 \cdot 12$	93·39	3	•••	+20.025	+0.014	
1522	9.0	D.M 13°·3465		91.28	3	+ 3.0562	+ 0.0082		103 13 56.88	91.28	3		+20.026	+0.012	
523	8.4	M.Z. 38569		92.29	3	+ 2.9170	+ 0.0647	•••	$157 \ 3 \ 32 \cdot 61$	92.29	3	•••	+20.028	+0.015	••
524	9.6	M.Z. 38572		92.27	3	+ 2.9358	+ 0.0357		157 5 21.30	$92 \cdot 27$	3	• •	+20.034	+0.010	•
525	9.0	D.M 13° · 3477	11 50 52.91	91.32	3	+ 3.0592	+ 0.0088	••	104 5 20.69	91.32	3	•••	+ 20.037	+0.003	•
526	8.8	M.Z. 48146	11 50 53.23	92.40	4	+ 2.9334	+ 0.0725		159 5 12.24	92.37	3		+ 20.037	+0.009	
527	9.0	D.M11°·3209	11 51 2.58	91.36	3	+ 3.0617	+ 0.0076		101 45 52.21	91.36	3		+ 20.038	+ 0.003	
528	7.5	D.M 9° · 3396	11	91.37	3	+ 3.0633	+ 0.0007		100 6 33.92	91.37	3		+ 20.038	+0.009	.
529	7.7	Chameleontis G. 16324	11 51 58.75	93.37	3	+ 2.8104	+ 0.1403		169 52 56·15	93.36	3		+20.041	+0.006	
530	8.1	M.Z. 11728	11 54 14.62	85.42	3	+ 3.0088	+ 0.0559		152 13 8.75	85.42	3		+ 20.047	+0.002	
531	4.6	$\pi$ Virginis		89.81	80	+ 3.0760	- 0.0022	-0.003	82 46 19.21	88.28	15		+20.049	+0.001	+0.
532	9.0	$D.M 10^{\circ} \cdot 3386$		91.32	3	+ 3.0673	+ 0.0074		100 57 58.75	91.32	3	••	+ 20.049	+0.000	
533	9.3	D.M. 10.0770		92.42	4	+ 2.9050	+ 0.1897		171 56 47.09	92.41	4		+20.050	-0.001	· ·
534	9.0	D.M. $-12.3550$	11 56 32.72	91.28	3	+ 3.0679	+ 0.0085	••	102 48 46.85	91.28	3		+- 20.051	-0.002	
535	$6 \cdot 2$	Octantis B.A.C. 4058	11 56 50.99	87.98	44	+ 2.8615	+ 0.2975	•••	175 1 9.20	88.22	17	23	+20.051	-0.003	•
536	7.1	Muscæ 1. 4996	11 58 4.79	93.47	2	+ 3.0345	+ 0.1008		163 36 5.58	93.47	2		+20.052	-0.002	.
537	6.5	D.M9°·3425	11 58 22.22	91.37	3	+ 3.0709	+ 0.0069	•••	99 41 1.49	91.37	3		+20.052	-0.005	.
538	9.3	D.M 11° · 3232	11 58 40.17	91.36	3	+ 3.0709	+ 0.0082	•••	102 11 16.16	91.36	3		+20.053	-0.003	
539	8.8	M.Z. 11739	11 58 55.78	85.43	3	+ 3.0606	+ 0.0583	•••	152 17 28.81	85.43	3		+20.053	-0.007	
540	5.5	$\kappa$ Chamcleontis	11 59 5.67	93.39	3	+ 3.0515	+ 0.1193		165 54 27.70	93.39	3		+20.053	-0.007	
~ ~ 1	0.5		11 50 10.10	02 13		0.0***	0.0001		161 50 20.00	00 10	0		. 00 050	0.005	
541	8.5	T 199,9400	11 59 10.19	92.41	4	+ 3.0578	+ 0.0921		161 50 39·99	92.40	3	•••	+20.053	-0.007	
542 543	8·0 4·2	D.M 13° · 3486 o Virginis	11 50 90.91	91·30 88·83	3 6	+ 3.0717 + 3.0729	+ 0.0093 - 0.0030	-0.016	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91·30 88·83	36	•••	+20.053 +20.053	-0.007 -0.008	-0.
544	9.1		11 59 30 31 11 59 46.25	92.29	4	+ 3.0689	+ 0.0830	-0 010	$159 \ 46 \ 53 \cdot 20$	$92 \cdot 29$	4	•••	+20.053 +20.053	-0.008	1
545	6.6	Muscæ L. 5019	10 0 90.90	93.33	3	+ 3.0813	+ 0.0360		$158 \ 2 \ 19 \cdot 24$	93.33	3		+20.053	-0.010	
• • •	ŨŨ			00 00			1 0 0100						1 20 000		
546	9.0		12 0 43.18	92.33	4	+ 3.1349	+ 0.4633		176 8 52.28	92.33	4		+20.053	-0.010	
547	9.7	M.Z. 29040	12 0 52.05	92.44	3	+ 3.0839	+ 0.0691		155 56 31.03	92.44	3		+ 20.053	-0.010	
548	10.2		12 3 51.48	92.43	4	+ 3.2850	+ 0.3231		173 57 16.28	92.42	4		+20.050	-0.012	
549	8.3	D.M 12° · 3573	12 4 19.13	91.31	3	+ 3.0783	+ 0.0000		102 49 23.23	91.31	3		+ 20.049	-0.012	
550	3.2	$\epsilon$ Corvi	12 4 28.02	89.79	102	+ 3.0830	+ 0.0143	-0.006	112 0 27.91	87.85	12	•••	+ 20.049	-0.012	-0.
==1	0.0	D.M. 109, 2414	10 4 20.50	01.97	9	9.0777	1 0.0070		100 #9 49.91	01.07	0			0.010	
551 552	$\frac{9\cdot 0}{7\cdot 5}$	D.M. $-10^{\circ} \cdot 3414$ D.M. $-9^{\circ} \cdot 3457$	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$91 \cdot 37$ $91 \cdot 34$	3	+ 3.0777 + 3.0787	+ 0.0079 + 0.0075	••	$\begin{array}{c} 100 \ 53 \ 43 \cdot 31 \\ 99 \ 57 \ 29 \cdot 66 \end{array}$	91.37	3	1	+20.049 +20.046	-0.018	· ·
553	8.0	N. 17. 3 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91·34 85·44	3	+ 3.0181 + 3.1426	+ 0.0013 + 0.0629	••	$152 \ 46 \ 5.45$	$91 \cdot 34$ $85 \cdot 44$	3		+20.046 +20.046	-0.020 -0.021	
554	8.7	D M 190 0500	10 7 10 74	91.37	3	+ 3.0828	+ 0.0096		$103 \ 37 \ 57.13$	91.37	3		+20.040 +20.043	-0.021 -0.023	
555	7.8	D.M. $-13^{\circ} \cdot 3502$ D.M. $-11^{\circ} \cdot 3256$	10 5 15 55	91.31	3	+ 3.0817	+ 0.0088	••	102 10 40.45	91.31	3		+ 20.043	-0.023	
						-									1
556	7.2	Octantis L. 5096	12 8 47.64	89.80	31	+ 4.4093	+ 1.4579		177 48 13.80	. 90 . 60	7	5	+ 20.038	-0.033	
557	8.4	M.Z. 38631	12 9 39.25	92.43	4	+ 3.2070	+ 0.0799		157 17 0.61	92.42	3		+20.035	-0.028	
558	8.5	D.M 11° · 3268	12 10 34.24	91.33	3	+ 3.0850	+ 0.0086		101 24 30.19	91.33	3		+20.032	-0.029	
559	9.5	D.M10°·3434	12 10 57.21	91.37	3	+ 3.0845	+ 0.0081		100 37 17.54	91.37	3	••	+20.030	-0.030	•
560	6.5	Museæ L. 5083	12 11 8.88	93.36	3	+ 3.2124	+ 0.0725		155 4 51.64	93.35	3		+20.029	-0.031	

0

.

**4**0

No.	Mag.	Star's Name		Mean R.A., 1890 <sup>.</sup> 0,	Mean Year of Observations.	Number of Observations.	Annual Procession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D. 1890 • 0.	Mean Year of Observations.		ber of erva- ons.	Annnal Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
					Mea Obs	Nul Obs					Mea		S.P.			
										0 1 11				H	"	
1561	10.0	M.Z. 48211		h. m. s. 12 11 35·20	92.43	3	$^{8.}$ + 3.2479	s. + 0.0888	S.	158 56 6.98	$92 \cdot 42$	. 4		+ 20.027	-0.033	
1562	9.3	D.M 12° · 3599		12 11 48.88	91.28	3	+ 3.0881	+ 0.0094	•••	$102 \ 46 \ 9.77$	91.28	3		+ 20.026	-0.035	•••
1563	4.3	$\beta$ Chameleontis		$12 11 54 \cdot 46$	87.28	30	+ 3.4200	+ 0.1855	-0.018	168 42 4.88	88.02	16	16	+ 20.026	-0.034	-0.02
1564	8.3	Muscæ G. 16784		$12 \ 12 \ 36.85$	93.44	3	+ 3.2894	+ 0.1029		$161 \ 16 \ 21.58$	93.44	3		+ 20.022	-0.035	
1565	8.9	M.Z. 14311		12 13 46.24	85.44	3	+ 3.2245	+ 0.0642		152 9 40.49	85.44	3		+ 20.017	-0.032	
1566	4.0	$\eta$ Virginis		12 14 16·66	89.78	54	+ 3.0726	+ 0.0027	-0.006	90 3 18·99	88.50	15		+ 20.014	-0.037	+0.02
1567	8.3	D.M 9° · 3483		12 14 33.04	91.37	3	+ 3.0878	+ 0.0081		100 11 5.21	91.37	3		+20.013	-0.037	
1568	8.5	D.M 14° · 3494		12 14 42.08	91.34	3	+ 3.0942	+ 0.0104		104 13 13.31	91.34	3		+ 20.012	-0.038	
1569	7.9	DM11°-3286		$12 \ 15 \ 42 \cdot 49$	91.31	3	3.0923	+ 0.0093		$102 \ 10 \ 12.00$	91.31	3	•••	+ 20.006	-0.039	
1570	$7 \cdot 1$	Museæ L. 5111	•••	$12 \ 15 \ 57.67$	$93 \cdot 37$	3	+ 3.3748	+ 0.1185		162 53 33 27	93.37	3		+20.004	-0.043	••
1571	6.4	Octantis L. 5107		12 16 53·33	87.46	4	+ 4.3346	+ 0.6983		175 32 25.72	87.47	1	2	+19.999	-0.052	
1572	8.2	•• ••	•••	$12 \ 16 \ 53.56$	$92 \cdot 34$	3	+ 3.6766	+ 0.2573		170 44 37.84	$92 \cdot 34$	3	P	+19.999	-0.048	
1573	8.7	M.Z. 29074		$12 \ 17 \ 41.78$	92·42	4	+ 3.3059	-⊢ 0·0804		156 9 38.76	92.42	4		+19.993	-0.046	
1574	7.5	Chamcleontis L. 5124	£	$12 \ 17 \ 52 \cdot 69$	93·39	3	+ 3.5100	+ 0.1633		166 36 17.26	93.39	3	•••	+19.992	-0.049	•••
1575	8.3	Muscæ G. 16924	•••	12 19 26.52	93·44	3	+ 3.3502	+ 0.0890		157 48 42.14	93.44	3	•••	+19.981	-0.020	•••
1576	6.0	D.M 10° · 3467		$12 \ 19 \ 31 \cdot 27$	91.35	3	3.0946	+ 0.0089		100 59 58.92	91.35	3		+19.980	-0.047	
1577	8.6	D.M 12° · 3634		$12 \ 19 \ 46 \cdot 22$	91.28	3	+ 3.0985	+ 0.0098		102 43 37.39	91.28	3		+19.978	-0.048	
1578	9.2	M.Z. 14332		12 20 15.24	85.45	3	+ 3.3008	+ 0.0690		$152 \ 39 \ 56.98$	85.45	3		+ 19.975	-0.051	
1579	1.0	a <sup>1</sup> Crucis		12 20 29.06	87.93	27	+ 3.3016	+ 0.0686	-0.006	$152 \ 29 \ 21.07$	87.85	13	15	+19.973	-0.052	+0.02
1580	1.7	a <sup>2</sup> Crucis		12 20 29.78	87.98	2	+ 3.3018	+ 0.0686	0 · 006	152 29 24·50	85.53	1		+ 19.973	-0.02	+0.04
1581	8.9	Muscæ L. 5149		12 21 1.77	<b>93·3</b> 6	3	+ 3.5254	+ 0.1453		164 51 48.94	93.36	3		+19.969	-0.056	
1582	6.3	Octantis L. 5145		12 21 3.02	88.73	20	+ 4.0999	+ 0.4186		173 11 38·59	87.79	8	5	+19.968	-0.063	
1583	7.9	Muscæ G. 16972		12 21 52.76	$93 \cdot 42$	3	+ 3.4215	+ 0.1029	• •	159 56 10.67	93 · 42	3		+19.962	-0.056	
1584	7.0	$D.M 13^{\circ} \cdot 3540$		$12 \ 22 \ 19.74$	91 .35	3	+ 3.1046	+ 0.0106	•••	103 50 27.42	91.35	3		+19.958	-0.053	
1585	9.2	D.M 11° · 3307	••.	12 22 30.49	91.37	3	+ 3.1003	+ 0.0096		101 57 12.64	91.37	3		+19.956	-0.023	
1586	9.0	$D.M 9^{\circ} \cdot 3504$		12 23 49.42	91.38	3	+ 3.0971	+ 0.0086		100 1 53.83	91.38	3		+19.945	-0.056	
1587		$\delta^2$ Corvi		12 24 10.31	89.27	96	+ 3.1126	+ 0.0119	-0.014	105 54 9.67	88.50	15	1	+ 19 . 941	-0.056	1
1588	5.7	20 Comæ		12 24 11.61	88.89	6	+ 3.0170	- 0.0080	+0.003	68 29 39·59	88.87	6	1	+ 19 . 941	-0.055	+0.02
1589	9.7	M.Z.14342		12 25 30.42	85.44	3	+ 3.3614	+ 0.0718		152 47 53.66	85.44	3	• • •	+19.929	-0.063	B
1590	9.3			12 25 57·83	92.33	3	- <del>-</del> 3.6014	+ 0.1427		164 3 5.09	92.33	3		+19.924	-0.068	•••
1591	9.0			$12 \ 26 \ 11.72$	92.35	9	+ 3.6000	+ 0.1410		163 52 38·19	92.35	3	•••	+ 19 . 922	-0.068	
1592	8.1	Muscæ G 17082	••	$12 \ 26 \ 12 \cdot 12$	93 · 43	3	+ 3.5354	+ 0.1203		161 45 56.01	93.43	3		+19.922	-0.067	
1593		D.M 13° · 3552	•••	12 26 54.46	91.31	3	+ 3.1094	+ 0.0106		103 14 58.76	91.31	3		+19.915	-0.062	
1594		M.Z. 29482	• •	12 27 16.29	92.43	5	+ 3.4143	+ 0.0813	••	155 5 31.25	92.44	3		+ 19.911	-0.068	•••
1595	8.2	$D.M 10^{\circ} \cdot 3494$	••	12 27 54.80	91.35	3	+ 3.1012	+ 0.0088	••	100 1 1.40	91.35	3	•••	+19.904	-0.064	••
1596	6.2	Muscæ L. 5203		12 28 27.84	93.40	3	+ 3.4655	+ 0.0917		157 8 59.99	93.40	3		+ 19.898	-0.071	
1597	4.0	8 Canum Venaticorum	β	12 28 31.12	88.19	.10	+ 2.9234	- 0.0205	-0.062	48 2 39.14	88.05	9	1	+19.898	-0.061	-0.29
1598	8.9			12 28 33.65	$92 \cdot 39$	3	+ 3.7338	+ 0.1719		165 53 37.65	92.39	3	•••	+19.897	-0.076	
1599	3.0	β Corvi		$12 \ 28 \ 36.52$	88.93	90	+ 3.1425	+ 0.0165	-0.003	112 47 17.28	88.89		1	+19.897	-0.066	+0.05
1600	4.9	23 Conize		12 29 22.13	90.47	3	+ 2.9992	- 0.0085		66 45 52.67	90.47	3		+19.888	-0.064	

No.	Mag.	Star's Name.	Mean R.A., 1890•0.	Mean Year of Observations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	C C	oei ol erva- ons,	Annual Precession ia N.P.D.	Secular Variation.	A anua Prope Motior
				Mea	Nur Obs					Mea	_	S.P.			
			h. m. s.			s.	s.	8.	0 1 11				N	N	"
1601	5.4	24 Comæ sec	10 00 00 00	88.90	6	+ 3.0133	-0.0062	-0.001	71 1 0.61	88.89	6		+19.886	-0.065	-0.0
1602	8.5	$D.M 9^{\circ} \cdot 3520$ .	12 00 00 50	91.37	3	+ 3.1030	+ 0.0088		99 46 41.63	91.37	3		+ 19.876	-0.069	
1603	6.1	/ Virginis	10.01 7.00	90.40	3	+ 3.0891	+ 0.0064	-0.003	95 13 30.74	90.40	3		+19-868	-0.070	+ 0.0
1604	8.5	D.M 11° · 3337 .	10 01 = 00	91.31	3	+ 3.1103	+ 0.0099		101 46 25.33	91.31	3		+19.868	-0.070	
1605	8.0	Museæ L. 5219 .	12 31 25.12	93.37	3	+ 3.5484	+ 0.1044		158 59 49.01	93.37	3		+19.865	-0.079	
1606	7.1	Chameleontis L. 5217.	. 12 31 48.41	93-44	3	+ 3.7856	+ 0.1703		165 27 36.61	93.44	3		+19.860	-0.082	
1607	8.7	D.M 14°·3548 .	. 12 31 57-21	91.35	3	+ 3.1197	+ 0.0114	••	104 14 52.63	91.35	3		+19.858	-0.072	
1608	9.8	M.Z. 14359	. 12 32 4.97	85.44	3	+ 3.4280	<b>+</b> 0 ⋅ 0729		152 18 34.96	85.44	3		+19.857	-0.078	
1609	8.3	Museæ G. 17220 .	. 12 33 29-71	93.42	3	+ 3.6392	+ 0.1212	••	161 2 25.47	93.42	3	• • •	+19.839	-0.086	••
1610	$9 \cdot 2$		. 12 34 10.64	92.33	3	+ 5.3765	+ 0.8596	••	175 4 21.88	92.32	3	••	+19.830	-0.125	••
1611	9.0	D.M 12°·3673 .		91.36	3	+ 3.1188	+ 0.0107	••	102 46 22.64	91.36	3	••	+19.817	-0.078	• •
1612	8.7	D.M. $-10^{\circ} \cdot 3533$ .		91.38	3	+ 3.1124	+ 0.0097		100 58 46.73	91.38	3	••	+19.814	-0.028	
1613	3.0	$\gamma^1$ Virginis		89.18	33	+ 3.0756	+ 0.0043	-0.039	90 50 41.87	88.85	16	••	+19.805	-0.079	-0.0
1614	8.2	Мняезе G. 17306 .		93.44	3	+ 3.6763	+ 0.1191	••	160 26 4.99	93.44	3	••	+19.793	-0.095	
1615	9.1	•• •• •	12 37 16.66	$92 \cdot 37$	3	+ 3.6642	+ 0.1152	••	$159 54 7 \cdot 43$	92.37	3	••	+19.788	-0.092	
1616	6.7	Octantis B. 4091	12 37 40.89	07.00	0.0	1 10.0596	09.9766	-0.088	179 11 43.22	87.83	19	21	+19.782	-0.453	0.00
1617	6.7	II T FOFF	10 00 10 00	87-99	68 4	+18.6526 +3.6290	$+ 23 \cdot 3766 + 0 \cdot 1043$		158 13 41.28	93.38	4		+19.782 +19.774	-0.097	
1618	8.9		10 00 00 07	93·38 85·44	*	3.4981	+ 0.0757	••	150 13 41 20 152 22 5.68	85.44	3	••	+19.772	-0.091	
1619	9.4	D 31 100.0545	10 00 10 50	91.32	3	+ 3.1134	+ 0.0095	••	102 22 0 00 100 11 33.21	91.32	3	••	+19.761	-0.086	•••
1620	9.2		10 00 00.00	92.41	4	+ 4.7126	+ 0.4400		172 3 53.11	92.41	3		+19.758	-0.126	••
1020			11 00 10 00	02 41	-		1. 0 3300	••	114 0 00 11				1 10 100		
1621	8.8	D.M 14° · 3568 .	12 39 23.07	91.36	4		+ 0.0118		104 17 34.56	91.37	3		+ 19.758	-0.087	
1622	8.4	D.M 11°·3359 .	10 10 0 00	91.38	3	+ 3.1203	+ 0.0103		101 37 6.85	91.38	3		+ 19.747	-0.088	
1623	7.6	Chameleontis L. 5266.		93.44	3	+ 4.4376	+ 0.3216		170 6 6.31	93.44	3		+ 19.732	-0.124	
1624	1.5	$\beta$ Crucis	12 41 17.85	90.54	5	+ 3-4727	+ 0.0659	-0.007	149 5 12.98	90.54	4	1	+ 19 . 728	-0.099	+ 0 . 02
1625	8.9		. 12 41 27.21	92.46	4	+ 3.9530	+ 0.1730		164 43 20.47	92.46	3		+19.726	-0.112	
											1				
1626	9.2	D.M 11° · 3371 .	12 43 15.97	91.33	3	+ 3.1224	+ 0.0103		101 14 7.11	91.33	3		+19.697	-0.094	
1627	8.8	$D.M 12^{\circ} \cdot 3700$ .	. 12 43 17.23	91.37	3	+ 3.1306	+ 0·0113		103 1 43.26	91.37	3		+19.696	-0.094	
1628	5.7	ι Octantis		87.93	68	-+ 5·7035	+ 0.8328	+0.032	174 31 32.11	89.80	20	17	+19.693	-0.165	-0.0
1629	9.5	M.Z. 29531		92.42	3	+ 3.6324	+ 0.0903	••	155 6 56.40	92.42	3	i	+19.671	-0.111	
1630	9.1	M.Z. 29532	. 12 44 58.42	92.45	3	+ 3.6379	+ 0.0911	•••	155 14 54.74	92.45	3		+19.668	-0.115	
										0.5					
1631		Chameleontis B. 4215 .		93.42	3	+ 4.2714	+ 0.2379		167 26 21.40	93.42	3	••	+19.649	-0.133	••
1632	9.8	·· ·· ·		92.38	3	+ 4.2291	+ 0.2242	••	166 53 4.62	92.38	3	••	+19.641	-0.133	• •
1633	9.5	D.M11° • 3380 .		91.38	3	+ 3.1292	+ 0.0108		$101 50 21 \cdot 22$	91.38	3		+19.639	-0.101	
1634		D.M. $-9^{\circ} \cdot 3571$ .	10 18 10 04	91.37	3	+ 3.1206	+ 0.0098		99 57 45.30	91.37	3		+19.629	-0.102	•••
1635	7.8	$D.M 13^{\circ} \cdot 3612$ .	12 47 12.85	91.32	3	+ 3.1408	+ 0.0121	•••	104 1 18.88	91.32	3	••	+ 19 - 629	-0.105	
1626	4.4	n Centauri B.A.C. 4321 .	19 17 20.70	88.07	0	1 9.900.9	1 0.0201	1.0.000	129 34 48.68	88.07	0		10.696	-0:107	10.0
1636 1637	4·4 8.7	21 // 1 /005	10 15 00 10	88.07	9	+ 3.2992	+ 0.0321		129 34 48.08 152 34 6.92	88.07 85.47	9	£	+19.626 +19.625	-0.107 -0.116	+0.0
1638	9.2		10 10 00.00	85·47 92·46	3	+ 3.6019 + 4.0519	+ 0.0800 + 0.1698		152 54 0 52 163 53 45.94	92.43	3	•••	+19.529 +19.599	-0.133	
1639	6.6	34 7 2010	10 10 11 01	93.40	3	+ 3.9278	+ 0.1408		161 35 18.15	93.40	3	••	+19.593 +19.593	-0.130	
1640		Musere L. 5318 . M.Z. 40618	10 10 00.00	92.47	3	+ 3.5218 + 3.7480	+ 0.1403 + 0.1030		156 56 45.88	92.47	4	•••	+19.584	-0.130 -0.126	
-010			10 00 00	12 21	0	1 0 1400	1 0 1000		100 00 10 00		×			1.00	

41

9589.

42

No.	Mag.	Star's Name.	Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annuai Precession in R.A.	Secular Variation:	Annual Proper Motion.	Mean N.P.D., 1890 <sup>,</sup> 0.	Mean Year of Observations.		erva- erva-	Annual Precession in N.P.D.	Secular Variation.	Annu Prope Motio
				Mea	Nur Obs					Mea	_	S.P.			
			h. m. s.			8.	8.	s.	0 / //				N	17	
1641	9.0	M.Z. 41183	12 50 1.03	92.44	3	+ 3.8354	+ 0.1194		159 13 21.60	92.44	3		+ 19 - 577	-0.130	
1642	3.7	δ Virginis	12 50 3.71	89.11	73	+ 3.0523	+ 0.0026		86 0 15.57	88.73	16		+19.576	-0.102	+0.0
1643	8.6	D.M 12° · 3722	12 50 4.36	91.38	3	+ 3.1395	+ 0.0116	· · · ·	103 0 59.90	91.38	3		+ 19.576	-0.108	
1644	9.0	D.M 10° · 3578	12 50 18.36	91.36	3	+ 3.1276	+ 0.0103		100 42 46.53	91.37	3		+19.572	-0.108	
1645	2.84	a Canum Venaticorum	12 50 52·91	88.28	23	+ 2.8348	- 0.0151	-0.025	51 5 13.39	87.89	13	•••	+ 19 • 561	-0.100	-0.0
1646	8.9	Muscæ G. 17675	12 53 53·01	93.39	3	+ 3.7683	+ 0.0989		155 53 16.33	93.39	3	••	+ 19.501	-0.136	
1647	8.0	Muscæ G, 17699	12 54 45.07	$93 \cdot 43$	3	+ 3.8812	+ 0.1177		158 38 11.42	93.43	3	•••	+19.483	-0.142	
1648	7.5	Chameleontis L. 5338	12 54 56.88	93 • 47	3	+ 4.9815	+ 0.3923		170 33 29.49	93.47	3	••	+ 19.479	-0.181	
1649	8.2	$D.M 11^{\circ} \cdot 3413 \dots$	12 55 29.93	91.33	3	+ 3.1408	+ 0.0113		$102 \ 1 \ 28.54$	91.33	3	•••	+ 19 • 468	-0.118	
1650	6.7	Octantis L. 5325	12 55 54·45	87.84	58	+ 9.1689	+ 2.7173		176 58 5.33	88.16	19	17	+19.459	-0.331	
1651	9.3	M.Z. 14406	12 56 10.69	85.48	3	-÷ 3•6981	+ 0.0833		152 35 12.59	85.48	3		+19.453	-0.139	
1652	8.5	D.M 9° · 3607	12 56 16.72	91.38	3	+ 3.1290	+ 0.0101		99 51 37.31	91.38	3	••	+ 19 • 451	-0.119	
<b>1653</b>	9.1	•• •• ••	12 56 37.98	92.34	3	+ 4.3897	+ 0.2211		166 3 27.72	92.34	3		+19.443	-0.165	
1654	3.0	$\epsilon$ Virginis	12 56 42.03	89.58	49	+ 3.0022	- 0.0006	-0.019	78 26 56.49	88.66	16	••	+19.442	-0.116	-0.
1655	8.6	D.M. – 13° • 3644	12 57 6.48	91 • 36	3	+ 3.1547	+ 0.0126		103 59 40.90	91.36	3	•••	+19.434	-0.122	
1656	9.1		12 58 17.60	92.40	3	+ 4.7917	+ 0.3173		168 55 44.00	92.40	3		+19.409	-0.184	
1657	9.0	D.M 10° • 3601	12 58 37.20	91.33	3	+ 3.1389	+ 0.0110		101 6 26.53	91.33	3		+19.401	-0.124	
1658	9.0	D.M 12° • 3747	12 58 40.30	91.38	3	+ 3.1486	+ 0.0119	1	102 40 17.17	91.38	3		+ 19.399	-0.125	
1659	6.4	Chamelcontis L. 5369	12 59 30.70	93.40	4	+ 4.6679	+ 0.2779		167 51 22.93	93.40	4		+19.381	-0.183	
1660	7.2	Muscæ G. 17804	12 59 44.72	93.21	1	+ 3.7989	+ 0.0944	• •	154 37 21.73	93.51	1	• •	+19.375	-0.121	
1661	6.0	θ Muscæ	13 I 1·43	93 • 43	3	+ 3.8173	+ 0.0955		154 43 2.83	93.43	4	••	+ 19.346	-0.155	
1662	9.4		13 3 1.77	92.34	3	+ 5.3520	+ 0.4528		170 57 7.57	92.34	3	•••	+19.299	-0.250	
1663	9.0	D.M 11° • 3448	13 3 14.51	91.34	3	+ 3.1498	+ 0.0117	•••	101 58 37.87	91.34	3	• •	+19.294	-0.134	•
	8.8	$D.M 13^{\circ} \cdot 3661$	13 3 32.07	91.38	3	+ 3.1623	+ 0.0127		103 46 59.81	91.38	3	•••	+19.287	-0.135	
1665	6.2	D.M 9° · 3636	13 3 59 • 79	91 • 36	3	+ 3.1358	+ 0.0104		99 44 31.89	91.36	3	••	+19.276	-0.134	•
666	4.4	heta Virginis	13 4 15.24	89.37	97	+ 3.1046	+ 0.0079	-0.004	94 57 4.69	88.73	16		+19.270	-0.134	+0.
667	9.7	M.Z. 14427	13 4 36.37	85.48	3	+ 3.7801	+ 0.0848		152 16 26.37	85.48	3	••	+19,262	-0.162	
668	6.5*		13 5 9.36	90.90	3	+ 4'8161	+ 0.2893	-0.004	167 51 46.05	90.90	••		+19.248	-0.202	+0.
669		43 Comæ	13 6 44 . 38	88.77	5	+ 2.8647	- 0.0078		61 33 50.01	88.87	6		+19.209	-0.158	-0.
670	8.2	D.M 10° · 3630	13 6 54.72	91.33	3	+ 3.1473	+ 0.0113		100 59 48.35	91 .33	3	•••	+19.204	-0.140	•
671		D.M 12°·3779	13 7 33.71	91.36	3	+ 3.1614	+ 0.0124		102 53 8.96	91.36	3		+19.188	-0.142	· ·
672	1 1	Muscæ B. 4367	13 7 43.24	93.46	3	+ 4.0030	+ 0.1148		157 17 48.84	93.46	3		+19.184	-0.178	
673	1 1	$\eta$ Muscæ	13 7 48.00	93.43	4	+ 4.0048	+ 0.1149	and the second second	157 18 40.82	93.43	4		+19.182	-0.178	+0.
674		Observation T 5404	13 8 53.44	92.34	3	+ 4.2795	+ 0.1604		161 50 36·44 169 23 40·13	92.34	3		+ 19.154	-0.193	
675	6.2	Chameleontis L. 5424	13 8 55.01	93 • 46	3	+ 5.1872	+ 0.3668		109 29 40.13	93 • 46	3	••	+19.123	-0.535	•
676	9.7	M.Z. 14450	13 10 15.63	85.48	3	+ 3.8545	+ 0.0886		152 42 34.82	85.48	3		+19.118	-0.128	
677	8.0	D.M11° · 3476	13 11 24.81	91.34	3	+ 3.1592	+ 0.0120		101 56 34.72	91.34	3		+19.087	-0.120	
678	7.0	D.M 9° · 3654	13 11 41.38	91.36	3	+ 3.1448	+ 0.0109	1	99 57 58.42	91 • 36	3		+19.080	-0.149	
679	9.0	D.M 13° • 3685	13 12 25.06	91.38	3	+ 3.1761	+ 0.0132		103 59 48.83	. 91 • 38	3		+19.060	-0.152	
680	4.8	61 Virginis	13 12 39.00	90.97	4	+ 3.2055	+ 0.0155	-0.076	107 41 55.75	90.47	3		+19.054	-0.124	+1.

† Boss 1900.  $\alpha_1 + \alpha_2$ . \* Cape 1880.

No.	Mag.	Star's Name.		Mean R.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0,	Mean Year of Observations.		orva-	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
					Me	and ob					Me		S.P.			
				h. m. s.			8.	s.	8.	0 / "						
1681	3.1	γ Hydræ		13 12 56.47	88.84	7	+ 3.2466	+ 0.0188	+0.003	112 35 26.72	88.90	6		+19.046	-0.156	+0.04
1682	7.5	Virginis Lal. 24689	)	13 13 2.23	88.37	3	+ 3.1573	+ 0.0118		101 26 8.68	88.38	4		+19.043	-0.153	
1683	8.7	D.M 12° • 3795		13 14 28.70	91.37	3	+ 3.1681	+ 0.0125		102 36 57.38	91.37	3		+19.003	-0.156	
1684	6.5	D.M10° •3655		$13 \ 14 \ 33 \cdot 32$	91.35	3	+ 3.1535	+ 0.0114	1	100 43 32.61	91.35	3		+19.001	-0.155	
1685	10.2	D.M 11° • 3493	•••	13 14 37.59	88.41	4	+ 3.1618	+ 0.0120	••	101 47 16.71	88.41	4	•••	+18.999	-0.156	
1686	6.9	Muscæ L. 5480		13 14 43.63	93.42	3	+ 4.3574	+ 0.1612		161 34 10·40	93.42	3		+ 18.996	-0.212	
1687	8.8	••		13 15 57.14	92.37	3	+ 4.7194	+ 0.2268		165 12 16.93	92.37	3		+ 18.962	-0.232	
1688	8.3	M.Z. 14467		13 15 59.94	85.48	4	<b>3 • 9</b> 013	+ 0.0883		152 17 43.01	85.48	4		+18.960	-0.193	
1689	7.8	Virginis Lal. 2477:		13 16 19.27	88.37	3	+ 3.1654	+ 0.0122		102 0 9.73	88.38	4		+18.951	-0.129	
1690	6.0	1 <sup>1</sup> Musere	•••	13 16 27.91	93.44	3	+ 4.6310	+ 0.2076	-0.033	164 18 31 92	93 • 44	3	••	+ 18 • 947	-0.229	+0.23
1691	7.7	Muscæ L. 5508		13 17 45.02	93.41	3	+ 4.1711	+ 0.1248		157 57 14.84	93.41	3		+18.910	-0.211	
692	9.0			13 17 58.22	92.41	3	+ 6.1665	+ 0.5932		171 47 42.52	92.41	3		+18.904	-0.308	
693	1.2	a Virginis		13 19 23.85	88.95	86	+ 3.1574	+ 0.0116	-0.004	100 35 12.57	87.92	12	1	+18.862	-0.164	+ 0.02
694	8.2	Octantis L. 5444		13 19 44.73	93.47	3	+ 9.8616	+ 2.2698		176 9 32.18	93.47	3		+ 18 .851	-0.499	
695	8.4	D.M 11° • 3507		13 19 49.52	91.34	3	+ 3.1688	+ 0.0123		101 54 44.58	91.34	3		+18.849	-0.166	
696	8.7	D.M 9° • 3689		13 20 15.30	91.37	3	+ 3.1531	+ 0.0112		99 57 50.88	91.37	3		+ 18.836	-0.166	
697	8.9	D.M 14° · 3721		13 20 22.81	91.39	3	+ 3.1889	+ 0.0137	•••	104 13 9.46	91.39	3	•••	+ 18.832	-0.168	
698	8.5	Virginis Lal, 24870		13 20 31.79	88.37	3	+ 3.1744	+ 0.0137	••	102 28 50.03	88.37	3	•••	+ 18.828	-0.162	
699	5.3	68 Virginis		13 20 54.46	88.14	4	+ 3.1719	+ 0.0125	-0.012	102 8 5.07	88.45	3		+ 18.816	-0.168	+ 0.02
700	8.2	Virginis Lal. 24888		13 21 25.60	88.43	3	+ 3.1777	+ 0.0129	•••	102 44 22.28	88.43	3		+18.800	-0.169	
701	8.9	$D.M - 12^{\circ} \cdot 3822$		13 22 9.94	91.38	3	+ 3.1809	+ 0.0130		103 0 14.42	91.38	3		+18.778	-0.171	
702	9.1			13 22 3 54 13 22 24.63	91 38	3	+ 4.4244	+ 0.0130 + 0.1266	••	160 48 48·36	91.38	3	••	+13.778 +18.770	-0.232	
703	5.1	κ Octantis		13 23 14.69	87.97	90	+ 8.7543	+ 1.5731	-0.076	175 13 17.03	32·45 88·84	27	21	+18.745	-0.462	+0.02
704	9.0	D.M 10° • 3689	•••	13 24 5.98	91.35	3	+ 3.1651	+ 0.0119		100 55 36.83	91.35	3	41	+18.718	-0.174	
705	7.1	Muscæ L. 5560		13 24 22.17	93.42	3	+ 4.0928	+ 0.1041		154 45 13.24	91 3.5	3	•••	+18.709	-0.523	••
706	0.0	N. 7. 1 (100		10.04.00.00	0.5.10		1.0001							10 000	0.010	
	8·9 10·5	M.Z. 14490 Virginis	•••	13 24 23.00	85.48	.5	+ 4.0091	+ 0.0932	••	152 48 24.84	85.48	3		+ 18 • 709	-0.218	••
	7.0	Virginis Virginis Lal. 24990	••	13 24 48.84	88.41	4	+ 3.1855	+ 0.0132	••	103 8 45.77	88.41	7		+18.695 +18.677	-0.176	•••
709	8.0*	Muscæ B. 4505	(	13 25 22.94	88.44	3	+ 3.1838	+ 0.0131	••	102 52 51.58	88.44	3			-0.177	•••
710	8.3	D.M 11° • 3535	•••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	93·46 91·37	1 3	+ 4.1810 + 3.1781	+ 0.1142 + 0.0127		156 10 0 102 5 46·38	01.97	•••		+ 18.659 + 18.639	-0.232	
110	0.0	19.10 11 09.60	•••	10 20 01 11	51 51	J	T 0 1761	+ 0 0127	••	102 5 40 58	91.37	Э	•••	+ 19.039	-0.123	•••
711	5.5	D.M 9° · 3711		13 27 10.40	91.35	3	+ 3.1565	+ 0.0113		99 35 52.17	91.35	3		+ 18 • 620	-0.179	
712	8.7	Chamelcontis L.55	65.,	13 27 28.82	93.43	3	+ 5.0618	+ 0.2597	••	165 56 43.26	93.44	4		+ 18.610	-0.283	••
713	8.8	D.M 13° • 3726		13 27 32.39	91.38	3	+ 3.1938	+ 0.0136		103 40 49.72	91.39	3	••	+18.608	-0.182	
714	9.6			13 27 59.12	92.41	3	+ 7.0465	+ 0.7932		172 49 6.61	92.41	3		+18.593	-0.333	•••
715	3.7	ζ Virginis		13 29 5.26	88.93	98	+ 3.0727	+ 0.0065	-0.021	90 1 59.02	88.98	16	••	+ 18 • 557	-0.178	-0.06
716	9.3	M.Z. 41302		13 29 48.00	92.44	3	+ 4.3927	+ 0.1387		158 51 28.47	92.44	3		+18.533	-0.253	
717	5.5	Canum Venatico		13 29 53.10	88.99	7	+ 2.6769	- 0.0092	6	52 15 12.50	88.91	8		+18.530		+ 0.01
-	0.0	B.A.C. 4536	0	10 00 50 00						Kill Sno						
718	9.3	D.M. 109-0710	••	13 29 58.35	92.49	4	+ 5.4412	+ 0.3304		167 48 57.46	92.49	4		+18.527	-0.312	••
719	8.5	D.M 10° · 3716		13 30 24.19	91.34	3	+ 3.1712	+ 0.0121		100 52 27.38	91.34	3		+18.513	-0.186	
720	8.5*	Museæ G. 18503		13 30 49.22	93.45	1	+ 4.6554	+ 0.1773		161 56 36.66	93.45	1		+18.499	-0.270	

\* Gou 1875.

No.	Mag.	Star's Name.	Mean R.A. 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession In R.A.		Sceular ariation.	Annual Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.		erva-	Annnal Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
				Me	aNu Ob			-			Mea		S.P.			
			h. m. s.			8.		8.	s.	0 / //				11	11	11
1721	7.8	Museæ L. 5594	13 31 14.55	93 • 41	3	+ 4.2998		0.1233		157 6 17.61	93.41	3		+18.484	-0.221	
$\begin{array}{c} 1722 \\ 1723 \end{array}$	$9 \cdot 1$ $9 \cdot 3$	M.Z. 14516	13 32 4.93	85.48	4	+ 4.0862		0.0946		152 43 7.05	85.48	4	• •	+18.456	-0.241	
1724	4.9	25 Canum Venaticorum	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	93·44 90·50	3	+ 5.8559 + 2.6787		0·4147 0·0086		169 18 44 · 87 53 8 41 · 26	93.44	3	••	+18.440 +18.439	-0.344	•••
1725	8.6	D.M 12° · 3856	13 32 34 37 13 32 35.62	91.36	3	+ 3.1938		0.0134		$\begin{array}{c} 53 & 8 & 41 & 20 \\ 102 & 59 & 44 & 03 \end{array}$	90.*50 91 *36	3	••	+18.439 +18.438	-0.101 -0.101	
			10 02 00 02	01 00		1 0 1000		0 0104		102 00 44 00	51 50	J	•••	T 10 400	-0 151	•••
1726	7.8*	Octantis S. 7461	13 32 46.04	88.52	10	+ 13 • 3517	-+-	4.1259		177 4 5.04	88.52	3	3	+18.432	-0.776	
1727	7.9	Museæ G. 18557	13 32 56.49	93.46	3	+ 4.2603	+	0.1157		156 3 27.98	93.46	3		+18.426	-0.253	
1728	7.6	D.M 12° • 3869	13 35 8.03	91.38	3	+ 3.1893	+	0.0130		102 13 28.59	91.38	3		+18.350	-0.195	
1729	8.0	D.M 9° • 3745	13 35 33.62	91.37	3	+ 3.1670	+	0.0117		99 53 45 • 28	91 • 37	3		+18.335	-0.192	
1730	5.34	<i>m</i> Virginis	13 35 50.35	90.49	4	+ 3·1502	+	0.0108	-0.000	98 8 49.85	90.49	4	••	+18.325	-0.194	-0.05
1731	9.3	D 31 100-0770	10 07 77.07	01.04		0.0000		0.0140		100 11 01 10						1
1732	8.0	D.M. $-13^{\circ} \cdot 3750$ D.M. $-10^{\circ} \cdot 3743$	$\begin{array}{c} 13 \ 35 \ 57 \cdot 85 \\ 13 \ 38 \ 24 \cdot 85 \end{array}$	91·34 91·36	3	+ 3.2066 + 3.1795	1	0.0140	••	103 51 31.78	91.34	3		+18.321	-0.198	••
1733	9.1	$D.M_{\bullet} = 10^{\circ} \cdot 3743$	$13 \ 38 \ 30.75$	92.40	4	+ 31793 + 4.5994		0·0124 0·1546		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91·36 92·40	3	•••	+18.232 +18.229	-0.201 -0.287	•••
1734	8.7	M.Z. 14537	$13 \ 38 \ 44 \cdot 72$	85.48	3	+ 4.1396		0.0943		159 57 19 13 152 22 46.92	85.48	3	••	+18.220 +18.220	-0.281 -0.260	
1735	8.7	D.M 13° · 3763	13 39 10.01	91.38	3	+ 3.2051		0.0138		103 18 17.60	91.38	3		+18.205	-0.204	
1736	8.2	Museæ G. 18701	$13 \ 39 \ 54.79$	93.44	3	+ 4.4418	• •	0.1305		157 35 43.13	93.44	3		+ 18 • 177	-0.281	
1737	8.6	M.Z. 29663	13 40 0.76	92.44	3	+ 4.3004	+	0.1122		155 17 19.10	92·44	4	• • •	+18.174	-0.273	
1738	5.8	Octantis L. 5633	13 41 39.60	90.92	3	+ 7.2180	+	0.7262		172 7 11.64	90.92		3	+18.150	-0.459	
1739	4.5	au Bootis	13 42 2.05	89.70	52	2.8853		0.0002	-0.032	71 59 39.52	88.28	13		+18.098	-0.189	-0.04
1740	8.8	•• •• ••	13 42 13.67	92.49	3	+ 5.2109	+	0.2450	••	164 54 21.97	92.49	3		+ 18.091	-0.336	• •
1741	3.8	De territ	10 10 51.50	00.00	C	0.7504		0.0000		101 0 00 00				10.005	0.0004	
1741	8.6	ν Centauri D.M. – 14° · 3806	$13 \ 42 \ 54 \cdot 52 \\13 \ 42 \ 58 \cdot 83$	86·92 91·40	6 3	+ 3.5794 + 3.2192		0.0380 0.0144	••	131 8 20.30	86.85	1		+ 18.065	-0.234	••
1743	3.5	$\mu$ Centauri	13 42 50 65 13 42 59.47	90.50	3	+ 3.5941		0.0391	-0.005	104 10 33.83 131 55 30.27	91·40 90·50	3		+18.062 +18.062	-0.212 -0.235	+ 0.01
1744	9.2	μ centimin	13 43 5.56	92.40	3	+ 6.7329		0.5784	-0.003	170 58 35.66	92.40	3	•••	+18.058	-0.432	+0.01
1745	7.8	D.M11° • 3704	13 43 52.45	91.38	4	+ 3.1970	ł	0.0131		102 0 13.90	91.38	4		+ 18.028	-0.212	
24														1 10 010		
1746	4.5	89 Virginis	13 43 53.61	89.06	5	+ <b>3</b> ·2581	+	0.0165	-0.009	107 35 8.18	88.94	6		+18.027	-0.216	+ 0 • 05
1747	9.4		13 44 6.14	92.47	3		+	0.3111		166 54 48.75	92.47	3		+ 18 • 019	-0.366	
1748	8.9	D.M 10° • 3765	13 44 41 53	91.41	3	+ 3.1790		0.0122		100 14 13.26	91.41	3		+17.997	-0.212	
1749	1.5	M.Z. 13493	13 44 51.63	85.48	3	+ 4.1831		0.0934		151 59 54.16	85.48	3	••	+17.990	-0.277	
1750	8.6	M.Z. 14559	13 45 9.40	85.48	3	+ 4.1945	+	0.0944		152 10 34.50	85.48	3	•••	+17.979	-0-279	
1751	6.5	Centauri B.A.C. 4620	13 45 10.53	87.50	-	2 .5010		0.0915		195 52 9.10	97.50	9		1 17:070	0.004	
1752	7.2	O' ' ' T MEOR	$13 \ 45 \ 10^{\circ}53$ $13 \ 47 \ 38^{\circ}00$	87·50 93·42	4	+ 3.5010 + 4.4215	1	0·0317 0·1181		125 53 3·19 155 50 38·96	87.52 93.42	3		+17.978 +17.882	-0.234 -0.300	•••
1753	9.4	D.M 12° · 3918	13 47 50.19	91.38	3	+ 3.2097		0.0137		155 50 58.96 102 45 23.95	91.38	3	•••	+17.882 +17.874	-0.300 -0.220	
1754		D.M 10° • 3778	13 48 15.95	91.37	3	+ 3.1925		0.0128	•••	102 + 3 + 23 + 55 $101 + 9 + 13 \cdot 66$	91.37	3		+17.857	-0.220	
1755			13 48 53 . 32	92.39	3	+ 4.8655		0.1752		161 9 58.76	92.40	3		+17.832	-0.332	
1756	6.4	Apodis L 5694	13 49 13.71	93.44	3	+ 5.9709	+-	0.3681		168 3 9.37	93.44	3		+17.818	-0.407	
1757	6.0	$\eta$ Bootis	13 49 26.77	88.77	91	+ 2.8615		0.0006	-0.002	71 3 0.62	87.97	13		+17.809	-0.199	+ 0.34
1758	9.3	M.Z. 41362	13 50 24.66	92.45	4	+ 4.6895		0.1484		159 2 21.60	92.44	5		+17.770	-0.325	
1759	1	D.M 10° • 3786	13 50 56.09	91.39	3	+ 3.1848		0.0123	••	100 13 59.51	91.39	3		+17.749	-0.224	
1760	7.9	Cireini G. 18961	13 51 49 62	93.42	3	+ 4.5468	+	0.1283		156 58 11.05	93.42	3		+17.713	-0.318	

\* Cape 1880. † Boss 1900.

•

N0.	Mag,	Star's Name.		Mean R.A. 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation,	Annual Proper Motion.	Mean N.P.D. 1890 <sup>.</sup> 0.	Mean Year of Observations.	Numb Obse tio	erva-	Annual Precossion in N.P.D.	Secular Variation.	Annual Proper Motion.
					Mee	Nul Obs					Med	-	S.P.			
				h. m. s.			8.	8.	S.	0 1 11				н	"	"
1761	9.0	D.M 11° • 3641		13 52 24.86	91.35	3	+ 3.2074	+ 0.0134		102 5 15.51	91.35	3		+17.689	-0.228	· · ·
1762	9.0	M.Z. 14574		13 52 48.58	85.47	3	+ 4.2657	+ 0.0951		152 5 54 .91	85.47	3		+17.672	-0.302	
1763	9.0	D.M 13° · 3803		13 52 49.89	91.37	3	+ 3.2284	+ 0.0144		103 51 19:57	91.37	3		+17.671	-0.230	
1764	7.2	D.M 12° • 3933		13 54 12.90	91.38	3	+ 3.2193	+ 0.0139	A	102 55 56.76	91.38	1		+17.614	-0.232	
1765	6.1	heta Apodis		13 54 37.76	88.97	9	+ 5.6957	+ 0.2966	· · ·	166 15 54.25	88.97	6	3	+17.597	-0.406	
												-				1
1766	6.7	Octantis L. 5691	•••	13 55 20.87	88.69	31	+ 9.2277	+ 1.2552	••	174   11.42	88.18	11	8	+ 17.566	-0.626	••
1767	8.9	D.M 10° • 3802	•••	13 56 0.43	91 .36	3	+ 3.1978	+ 0.0128		100 56 23.68	91.36	3	••	+17.538	-0.314	
1768	4.3	$\tau$ Virginis	•••	13 56 2.86	89.20	55	+ 3.0490	+ 0.0065	-0.001	87 55 21.22	88.38	15		+17:537	-0.223	+0.03
1769	8.0	Circini G. 19041	••	13 56 3.76	93.42	1	+ 4.4559	+ 0.1127		154 53 7.15	93.42	1		+ 17.536	-0.323	+ 0.02
1770	0.8	$\beta$ Centauri	•••	13 56 3.92	87.79	27	+ 4.1885	+ 0.0846	-0.000	149 50 29.88	87.84	15	15	+17:536	-0.304	
1771	6.0	11 Bootis		13 56 11.18	88.97	6	+ 2.7286	- 0.0032	-0.002	62 4 54.08	88.97	6		+17.531	-0.201	-0.02
1772	9.1		•••	13 56 12.86	92.41	3	+ 7.5449	+ 0.7091		171 44 25.82	92.41	4		+17.529	-0.241	
1773	9.3	D.M 11° • 3662		13 59 22.17	91.38	3	+ 3.2153	+ 0.0135		102 6 41.77	91.38	3		+17.394	-0.241	
1774	9.3	D.M 9° · 3847		13 59 51.84	91.37	3	+ 3.1860	+ 0.0122		99 38 26.31	91.37	3		+17.372	-0.240	
1775	9.2	·		14 0 0.28	92.46	3	+ 5.3912	+ 0.2318		163 55 7.24	92.46	3		+17.366	-0.401	
													1			
1776	9.1	M.Z. 14591		14 0 4.40	85.48	3	+ 4.3712	÷ 0.0937		152 45 8.68	85.48	3		+17.363	-0.326	
1777	2.5	heta Centauri		14 0 12.56	91.69	33	+ 3.5559	+ 0.0319	-0.046	125 49 40.83	89.85	11		+ 17:357	-0.267	+0.52
1778	7.0	D.M 13° • 3824	•••	14 0 44.82	91.40	3	+ 3.2361	+ 0.0144		103 40 42.43	91.40	3		+ 17 .333	-0.245	
1779	7.0	Circini L. 5804		14 1 21.50	93.47	2	+ 4.9062	+ 0.1603		159 46 57 43	93.47	3		+17:307	-0.369	•••
1780	9.0		•••	14 1 56.17	92.39	3	+ 6.1910	+ 0.3620	•••	167 43 50.07	92.39	3		+17.281	-0.462	••
1781	9.0	D.M. − 12° • 3967	•••	14 2 12.66	91.38	4	+ 3.2275	+ 0.0140		102 50 51.73	91.38			+17.269	-0.247	••
1782	8.0	Apodis L. 5805	•••	14 3 33.44	93 '43	3	+ 5.8130	+ 0.2914		165 56 23.10	93.43		••	+17.209	-0.443	
1783	8.3	D.M. $-10^{\circ}$ 3836	• •		91.39	1	+ 3.2043 + 3.2054	+ 0.0129 + 0.0129		100 49 4.11	91.39		•••	+17.178 +17.158	$ -0.248 \\ -0.249$	
1784 1785	8.6 7.4	D.M 10° · 3837 Apodis L. 5816	••	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91·43 93·46	3	+ 5.2034 + 6.1210	+ 0.0129 + 0.3401		100 52 14·47 167 8 56·06	91·43 93·46			+17.138 +17.126	-0.412	1
1100	1.4	Apouls L. 5610	••	14 0 20 02	99.40	1	+ 0 1210	+ 0 3401	•••	107 8 30 00	00 10	1		T11 120	-0 114	••
1786	4.9	d Bootis		14 5 22.90	89.04	7	+ 2.7391	- 0.0018	-0.002	64 23 11.52	88.97	6		+17.126	-0.212	+ 0.08
1787	8.5	D.M 11° · 3686	•••	14 6 24 .49	91.36	3	3.2189	+ 0.0135		101 48 9.82	91.36			+ 17.079		
1788	8.9	D.M 13° '3843		14 6 57.00	91.37	3	+ 3.2434	+ 0.0145		103 39 16.79	91.38			+ 17.054	-0.256	
1789	4.5	ĸ Virginis		14 7 1.62	89.69	10	+ 3.1935	+ 0.0124	0.000	·99 45 39·43	89.01			+ 17 .051	-0.252	
1790	100.000	Octantis B. 4614		14 7 7.34	87.74	49	+ 38 . 8838	+ 31 . 3932		178 52 24.91	88.15	18	1.000	+ 17.046	-2.994	
1791	8.9			14 7 22.17	92.39	3	+22.2461	+ 9.3012		177 53 36.24	92.39	- 3		+ 17.035	-1.719	
1792	9.4	M.Z. 14608	• • •	14 7 26.02	85.48	3	+ 4.4302	+ 0.0991		152 32 15.26	85.48	3		+17.032	-0.348	
1793		Circini L. 5846	• •	14 7 57.75	93.43	3	+ 4.6689	+ 0.1235		156 4 27.87	93.43			+17.008	-0.368	•••
1794			•••	14 8 11.97	93.45	1	+ 8.3477	+ 0.8403		172 20 26.63	93.45			+ 16 • 996		
1795	9.2	M.Z. 40851	•••	14 9 3.42	92.47	3	+ 4.7587	+ 0.1322		157 3 39.60	92.47	3	•••	+ 16 • 951	-0.328	
1800	0.0	NT T 11100		14 0 10.00	02.72		1 1.0170	1 0.7 700		100 40 40.40	02.00			1 10.045	0.000	
1796		M.Z. 41423	•••	14 9 10.83	92.52	4	+ 4.9152	+ 0.1503	•••	158 48 46 42	92.52			+16.945	-0.390	
1797	1.1.1	Apodis G. 19304 δ Octantis	• •	14 9 19.88	93.51	3	+ 5.1356	+ 0.1775	0:052	160         53         7 • 99           173         9         45 • 99	93·48 87·34			+16.944 +16.942	$ -0.408 \\ -0.712$	+ 0.02
1798 1799	1.000	*** * *	•••	14 9 21·49 14 10 14·73	87·40 88·98	52	+ 9.0368 + 3.1415	+ 1.0329 + 0.0103	-0.053 -0.003	95 28 30·85	81.34		1	+16.942 +16.901	-0.712 -0.254	1
1800	1		•••	14 10 14 73	88.66		+ 3.1413 + 2.8134	+ 0.0103 + 0.0004	-0.003 -0.080	55 28 50 85 70 14 39 51	88.29			+16.882		+1.98
	00	a Bootis		10 00 04 44	00 00	1 64	1 # 0101	0 0001	0000	10 11 00 01	00 40	40		1	1 10 M 10	1

\* Cape 1880.

No.	Mag.	Star's Name.		Mean R.A , 1890-0.	Mcan Year of Observations.	Number of Observations.	Annual Precession In R.A,	1	Secular arlation.	Annual Proper Motion.	Mcan N.P.D., 1890°0.	Mean Year of Observations.	tio	erva- ons.	Annual Precession in N.P.D.	Secular Varlation.	Annn Prope Motlor
					NO N	20						20		5.L.			
		· · ·		h. m. s.		-	s.		s.	s.	0 / 11				"	"	H
1801	9.1	D.M 13° • 3863		14 10 46.19	91.37	3	+ 3.2422	+	0.0143		103 13 16.75	91.37	3		+ 16 . 876	-0.263	
1802	8.9	D.M 10° • 3866		14 11 29.17	91.38	4	+ 3.2148	+	0.0131		101 5 31.22	91.38	3		+ 16.842	-0.262	
1803	4.3	$\lambda$ Bootis		14 12 12.05	89.86	6	+ 2.3017	-	0.0050	-0.013	43 24 20.44	89.86	6		+16.808	-0.190	-0.
1804	8.5	Apodis L. 5865		14 12 24.04	93.44	3	+ 5.4680	+	0.2170		163 3 0.87	93.44	3		+16.799	-0.443	
1805	9.0	Apodis G. 19349		14 12 24.50	93.44	3	+ 5.4682		0.2170		163 3 3.02	93.44	3	۱	+16.798	-0.443	
1806	6.4	Centauri L. 5886		14 12 44.87	87.50	3	+ 3.6139		0.0326		126 29 37 41	87.52	3		+16.782	-0.296	
1807	4.5	$\lambda$ Virginis		14 13 9.50	91.00	4	+ 3.2401	+	0.0141	-0.002	102 51 50.09	90.49	4		+16.762	-0.267	-0.0
1808	9.0			$14 \ 14 \ 22.73$	92.40	3	+ 5.8225	+	0.2648		164 56 40.24	92.40	3		+16.703	-0.477	
1809	7.8	D.M 11° · 3716		14 14 50.22	91.39	3	+ 3.2283		0.0136		101 51 38.45	91.39	3		+ 16.681	-0.268	
1810	9.0	M.Z. 14625		14 14 51.07	85.50	3	+ 4.5125		0.1007		152 44 20.88	85.50	3		+16.681	-0.372	
				1. 1. 0. 0.	00 00						100 11 10 00	00 00				0 0.0	
1811	9.1	D.M 13° · 3880		14 15 33.34	91.38	2	+ 3.2551	-1-	0.0146		103 45 57.24	91.38	3		+16.646	-0.272	
1812	9.3			14 15 38.98	92.51	2	+ 6.2318		0.3275		166 42 59.17	92.51	3		+16.642	-0.514	
1813	8.6	D.M. – 9° • 3915		14 15 39.99	91.36	3	+ 3.2023		0.0125		99 51 58.25	91.36	3		+16.641	-0.268	•
1814	8.4	M.Z. 29755		14 16 5.67	92.44		+ 4.6754		0.1156		154 58 56 . 79	92.44	4		+16.620	-0.389	
1815	8.9	Apodis G. 19460		14 10 5 07 14 17 23.72	93.43	4	+ 5.3778		0.1954		161 52 55·68	93.43	3		+16.526 +16.556	-0.420	•
1010	0.0	Apodis 0. 13400	•••	11 17 20 72	00.49	3	+ 0 0110	T	0 1904		101 02 00 03	00 40	0	••	T 10 000	-0 400	
1816	4.9	$ au^1$ Lupi		$14 \ 19 \ 4.69$	00.15	0	+ 3.8275		0.0439		134 43 23.10	88.14	0		+ 16.472	- 0.325	
1817	4.8		•••		88.15	9			0.0439		134 43 23 10 134 52 52.72	87.00	6		+16.471		
			•••	14 19 6.52	86.89	6	+ 3.8319			••					4 · ·	-0.326	
1818	6.5	$D.M 12^{\circ} \cdot 4042$	•••	14 19 19.99	91.39	3	+ 3.2468		0.0141	••	102 51 16.59	91.39	3	••	+ 16 • 460	-0.277	•
1819	8.7		•••	14 19 38.26	92.40	3	+ 7.0040		0.4544	••	168 59 15.55	92.40	3	••	+16.444	-0.591	
1820	8.3	Circini G. 19528	••	14 19 57.38	93.51	4	+ 5.1498	+	0.1631	••	159 44 37.46	93.52	3		+ 16 • 429	-0.438	
	0.0	7. 7. 7.00 0000													10.007		
1821	9.0	D.M 10° • 3900	••	14 20 42.28	91.37	3	+ 3.2240		0.0132	••	101 7 36.74	91.37	3	••	+ 16 . 391	-0.278	
1822	7.5	Apodis B. 4901	••	14 20 52.28	93.54	2	+ 5.7434	[	0.2384		163 53 55.71	93.54	2	•••	+16.382	-0.490	
1823	5.4	f Bootis	•••	14 21 20.35	89.83	52	+ 2.7953		0.0010	-0.000	70 16 40.52	87.93	12	• •	+16.329	-0.243	-0.0
1824	9.1	M.Z. 14648	•••	14 21 23.49	85.50	3	+ 4.5772		0.1012	••	152 47 42.18	85.50	3	••	+16.326	-0.333	
1825	8.7	Circini G. 19582		14 22 21.09	93 • 43	3	+ 4.9886		0.1417	•••	157 54 7.12	93 • 43	3	• •	+ 16.302	-0.431	
1826	7.4	Octantis M. <sub>1</sub> .728		$14 \ 22 \ 21.96$	87.85	42	+13.9789		2.7604	•••	175 55 9.67	88.48	17		+16.307	-1.194	
1827	9.1		•••	14 23 32.06	92.39	3	+ 5.4947	+	0.1998	••	162 4 24.02	92.39	3	• •	+16.247	-0.472	
1828	9.5	D.M 12° • 4063	•••	14 23 34.08	91.38	3	+ 3.2417		0.0138		102 10 36.07	91.38	3		+16.245	-0.284	
1829	8.0	D.M 9° • 3949	••	14 23 37.48	91 • 43	3	+ 3.2118	+	0.0127		100 4 30.71	91.43	3		+16.242	-0.282	
1830	9.0	D.M 13° • 3911	•••	14 24 8.37	91.39	3	+ 3.2655	+	0.0147	••	103 47 6.68	91.39	4		+16.216	-0.287	
1831	9.4	M.Z. 30852		14 24 35.26	92.52	4	+ 4.8376	+	0.1233		155 55 33.31	92.51	4	•••	+16.193	-0.423	
1832	7.3	Circini G. 19659		14 25 25.98	93.47	3	+ 5.1336	+	0.1537		158 58 2.25	93 • 47	3		+16.149	-0.451	
1833	8.9			14 26 37.55	92.49	4	+ 8.1021	+	0.6514		170 58 58.90	92.49	4		+16.087	-0.712	
1834	3.7	ρ Bootis		14 27 5.31	88.61	70	+ 2.5944	-	0.0012	-0.009	59 8 42.22	87.80	12		+ 16.063	-0.233	-0.1
1835	3.0	γ Bootis		14 27 38.83	88.96	6	+ 2.4272	-	0.0027	-0.011	51 12 35.43	88.89	7		+16.034	-0.220	-0.1
									38		Sector 1				-		
1836	8.2	D.M 12° • 4087		14 28 9.37	91.38	3	+ 3.2584	+	0.0142		102 59 40.36	91.38	3		+16.007	-0.293	
1837	9.0	D.M 10° • 3925		14 28 22.19	91.40	3	+ 3.2247		0.0130		100 41 19.59	91:40	3		+15.995	-0.290	
1838	9.2			14 28 36.18	92.53	3	+ 9.5782		1.0097		172 55 33.21	92.53	3		+15.983	-0.850	
1839	8.4	Circini B. 4963		14 28 47.14	93.50	4	+ 4.9625		0.1315		156 50 49.41	93.50	4		+ 15.974	-0.444	
1840	9.5	** **		14 29 17.01	92.41	4	+12.1721		1.8508		174 54 36.30	92.39	3		+ 15.947	-1.083	
							Cam Area					0- 00				- 000	

46

No.	Mag.	Star's Name.		Mean R.A., 1890 • 0.	Mean Year of Observations.	Number of Observations.	Annuai Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
					Mea	Nur			1000		Mea		S.P.			
				h. m. s.			S.	s	s.	0 / //			-			"
1841	9.8			14 29 36.23	92.54	3	+ 6.3223	+ 0.3027	• •	165 58 17.31	92.55	3		+15.930	-0.567	
1842	8.6			14 29 39.76	92.48	3	+17.2399	+ 4.2327		176 43 6.80	92.48	3		+15.927	-1.535	
1843	8.1	Apodis G. 19763		14 30 11.28	93.45	3	+ 5.7965	+ 0.2266		163 20 54.65	93.45	3		+15.899	-0.522	
1844	9.3	M.Z. 14685		14 30 18.83	85.50	3	+ 4.6362	+ 0.0991		152 27 49.12	85.50	3		+15.892	-0.419	
1845	8.5	D.M 13° • 3931		14 30 19.04	91.40	3	+ 3.2690	+ 0.0145		103 32 48.58	91 • 40	3		+15.892	-0.298	
1040	10.0	D.M 14° • 3992		14 30 54.98	91.51	3	+ 3.2794	-+ 0.0149		104 11 26.96	91.51	3		+15.860	-0.299	1
1846 1847	10·0 9·4	D.M 14 - 3992	•••	14 30 54 50 14 31 51.12	92.52	3	+ 6.8884	+ 0.3873	••	167 50 16.98	92.52	3		+ 15.810	-0.622	••
1848	0.2	a <sup>2</sup> Centauri		14 32 8.25	88.11	24	+ 4.5214	+ 0.0880	-0.487	$150 22 44 \cdot 24$	88.08	12	12	+ 15.794	-0.413	-0.74
1849	7.0	D.M 9° · 3975		14 33 5.57	91.37	3	+ 3.2198	+ 0.0127		100 4 44.05	91.37	3		+ 15 .743	-0.298	
1850	8.4	Octantis L. 5882		14 34 4.60	93.54	2	-+15.0353	+ 2.9530		176 1 8.43	93.54	2		+ 15.689	-1.372	
												1			100	
1851	8.8	M.Z. 29806	••	14 34 9.76	92.50	3	+ 4.8707	+ 0.1169		155 8 41.47	92.50	3		+15.685	-0.449	••
1852	9.1		•••	14 34 11.13	92.55	3	+ 5.7813	+ 0.2170		162 54 18.47	92.55	3	1	+15.683	-0.232	
1853	6.4	z Octantis B.A.C. 479		14 34 58.72	87.82	85	+ 23 . 8920	+ 8.4367	-0.184	177 41 54.60	88.21	20	21	+ 15.640	-2.187	+ 0.08
1854	9·5 8·2	D.M 13° • 3945 D.M 13° • 3947		14 35 3·75 14 35 18·39	91·40 91·45	3	+ 3.2698 + 3.2731	+ 0.0144 + 0.0145	••	$\begin{array}{c} 103 \ 15 \ 35 \cdot 19 \\ 103 \ 27 \ 22 \cdot 50 \end{array}$	91·40 91·45	3		+15.636 +15.622	-0.305 -0.306	
1855	0 2	D.M 15 5547	•••	14 00 10 00	91.49	0	- 0 - 101	~ 0 0140	••	103 27 22 30	91 40	0		710 044	-0 300	•••
1856	8.0	D.M 10° • 3941		14 35 22.45	91.46	3	+ 3.2339	+ 0.0131		100 53 28.78	91.47	3		+ 15.618	-0.303	
1857	5.0	$\pi$ Bootis	pre.	14 35 33.32	88.96	6	+ 2.8177	+ 0.0025	-0.001	73 6 33.78	88.95	6		+15.608	-0.265	+ 0.01
1858	8.8	310 A. (1986)		14 35 50.33	92.53	3	+ 5.4992	+ 0.1802		160 53 41.35	92.53	3		+15.593	-0.211	
1859	3.9	ζ Bootis	••	14 35 53.70	90.50	5	+ 2.8598	+ 0.0033	+0.005	75 47 57.04	90.20	4		+15.591	-0.269	+0.01
1860	9.5	M.Z. 14705	•••	14 36 47.75	85.20	3	+ 4.6870	+ 0.0983		152 22 32.64	85.20	3		+15.540	-0.439	
1001	4.1	Vincinia	1 ann	14 97 15.74	90.00	8	+ 3.1493	+ 0.0104	+0.006	95 10 45.98	00.00	-		. 15.514	0.000	1.0.20
1861 1862	4·1 9·5	$\mu$ Virginis	••	$\begin{array}{r} 14 \ 37 \ 15 \cdot 74 \\ 14 \ 37 \ 35 \cdot 29 \end{array}$	89.08 92.51	3	+ 5 1493 + 7.8201	+ 0.0104 + 0.5345		169 52 0·82	88.90 92.51	7		+ 15.514 + 15.496	-0.298 -0.730	+0.30
1863	7.8	Apodis L. 6045	•••	14 38 34.74	93.51	3	+ 5.4334	+ 0.1688		160 8 8.92	93.51	3		+ 15 441	-0.512	
1864	8.7	D.M 13° · 3967		14 38 49.53	91.38	3	+ 3.2838	+ 0.0147		103 53 34.47	91.38	3		+ 15 . 427	-0.312	
1865	9.3			14 39 8.01	92.46	3	+ 9.2123	+ 0.8289		172 4 5.13	92.46	3		+ 15.410	-0.866	
1866	8.3	D.M 11° • 3800	••	14 39 45.96	91.39	3	+ 3.2532	+ 0.0136		101 53 18.80	91.39	3		+15.375	-0.311	
1867	2.6	$\epsilon^2$ Bootis	••	14 40 10.96	88.54	40	+ 2.6239	0.0000	-0.004	62 27 41.19	88.26	13		+15.351	-0.253	0.00
1868	8.1	Apodis L. 6061	••	14 40 23.01	93.48	3	+ 5.4478	+ 0.1678		160 4 29.38	93.48	3		+15.340	-0.218	
1869	8.8	D.M 9° · 3988	••	14 40 28.82	91:40	3	+ 3.2250	+ 0.0127		100 2 0.07	91.40	3		+15'334	-0*310	
1870	3.9	109 Virginis	••	14 40 41.20	88.96	6	+ 3.0370	+ 0.0074	-0.008	87 38 34.99	88.97	6	••	+ 15 • 323	-0.292	+0.05
1871	9.5	D.M 10° · 3964		14 41 54.64	91.51	3	+ 3.2425	+ 0.0132		101 4 52.95	91.51	3		+ 15 . 253	-0.313	
1872	8.0	D.M12° •4137		14 42 48.57	91.39	3	+ 3.2683	+ 0.0140		102 39 33.98	91.39	3	1	+ 15 . 202	-0.317	
1873	9.4	M.Z. 14734		14 43 39.35	85.50	. 3	+ 4.7383	+ 0.0971		152 16 22.11	85.50	4		+ 15 • 154	-0.459	
1874	6.0	a <sup>1</sup> Libræ		14 44 36.12	91.21	28	+ 3.3171	+ 0.0155		105 32 20.47	90.00	4	1	+15.099	-0.325	
1875	2.9	a <sup>2</sup> Libræ		14 44 47.56	89.86	98	+ 3.3181	+ 0.0155	-0.008	105 35 2.41	88.61	14		+15.089	-0.325	+0.07
1976	5.9	Octantis B.A.C. 488	23	14 45 41.93	87.59	26	+ 9.8787	4 0.0412		172 35 43.52	97.10	0	19	1 15-096	0:000	
1876 1877	8.5	D.M9° •4017	••	14 46 24.55	87·52 91·40	26 3	+ 9.8787 + 3.2211	+ 0.9413 + 0.0124	- ··· )	172 35 43·52 99 29 58·55	87·48 91·40	9		+ 15 • 036 + 14 • 995	-0.960 -0.318	
1878		$D.M 13^{\circ} \cdot 4003$		14 46 37.14	91.40	3	+ 3.2211 + 3.2864	+ 0.0124 + 0.0144	•••	99 29 58 55 103 32 8 64	91.40	3		+14.993 +14.983	-0.318 -0.325	•••
	10.0	D.M 13° 4003		14 46 41.05	91.53	3	+ 3.2927	+ 0.0144	•••	103 52 8 04 103 54 49.24	91.53	3		+ 14 933	-0.320 -0.326	•••
1880	9.2			14 46 50.98	92.43	. 3	+ 6.1530	+ 0.2391		163 53 35.65	92.43	3		+ 14 .969	-0.601	
						-								000		

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mcan Year of Observations.	N mber of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 • 0.	Mean Year of Observations.	Obs	erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
					Mea	N					Mea	-	S.P.			
			4													
				h. m. s.			s.	s.	s.	0 1 11				"	"	"
1881	7.3	D.M. $-11^{\circ} \cdot 3821$		14 46 53.79	91.43	3	+ 3.2605	+ 0.0136		101 55 51.46	91.43	3		+14.967	-0.323	
1882	6.4	Apodis L. 6088	••	14 47 18.03	93.20	4	+ 6:8483	+ 0.3327		166 42 54.58	93.20	4	•••	+14.943	-0.673	
1883	6.2	Octantis L. 6006	• •	14 47 20.58	85.59	11	+12.0903	+ 1.5512		174 21 10.86	85.58	4	4	+14.941	-1.182	
1884	9.0	•• ••	•••	14 47 25.36	92.41	3	+ 5.7785	+ 0.1936	••	161 45 19.21	92.41	3		+14.936	-0.269	
1885	7.7	Circini G. 20168	•••	14.47 44.56	93 • 47	3	+ 4.9583	+ 0.1120	••	154 38 59.70	93.47	3	•••	+14.917	-0.480	•••
1000	9.9	D.M 9° •4024		14 48 44.42	91.38	3	+ 3.2290	+ 0.0123		00 59 10 91	01.99	9		14.950	0.9.92	1 25
1886 1887	9.9	M.Z. 40947	•••	$14 49 21 \cdot 26$	91.38	3	+ 5.2051	+ 0.0123 + 0.1324	-	99 53 19·34 157 6 37·65	91.38 92.51	3		+14.859 +14.823	-0.323 -0.518	••
1888	9.1	M.Z. 41525	•••	$14 \ 50 \ 14 \cdot 49$	92.53	60	$+ 5 \cdot 4160$	+ 0.1514		158 54 4.61	92.53	3	•••	+14.523 +14.770	-0.219	
1889	9.0	D.M. $-12^{\circ}$ · 1169		14 50 25.59	91 . 10	3	+ 3.2788	+ 0.0140		102 50 27.67	91.40	3	•••	+14.759	-0.330	••
1890	6.3	ξ² Libræ		14 50 47.96	90.49	3	+ 3.2481	+ 0.0130	-0.002	100 57 53.16	90.19	3		+ 14 . 737	-0.328	-0.01
	5	2														
1891	5.6	Bootis B.A.C. 4926		14 51 1.69	88.97	6	+ 2.8312	+ 0.0036	-0.001	75 6 30.01	88.90	7		+ 14.724	-0.287	-0.02
1892	6.0	Libræ B.A.C. 4923		14 51 2.53	90+51	3	+ 3.4194	+ 0.0185	+0.069	110 55 5*31	90.51	3	• • •	+14.723	-0.345	+1.77
1893	9.2	Apodis G. 20241	•••	14 51 13.78	93.54	2	+ 6.6013	+ 0.2876		165 33 48.09	93.54	2	• •	+14.712	-0.660	
1894	8.6	M.Z. 14764	•••	14 51 50.07	85.20	3	+ 4.8202	+ 0.0973	•••	152 28 1.45	85.20	3	• •	+14.676	-0.482	
1895	3.3	$\kappa$ Centauri	••	14 52 0.14	86.56	1	-+ 3.8838	+ 0.0377	-0.004	131 39 42.82	86.61	1	••	+14.666	-0.393	+0.05
1896	6.7	$D.M 10^{\circ} \cdot 3994$		14 52 15.76	91.45	3	+ 3.2452	+ 0.0129		100 42 44.33	91.45	3		+ 14.650	-0.329	
1897	8.3	Apodis G. 20327		14 54 1.58	93.47	3	+ 6.3168	+ 0.2447		164 9 43.68	93 • 47	3		+14.544	-0.640	
1898	9.0	D.M. $-14^{\circ}$ 4085		14 54 8.84	91.38	3	+ 3.3071	+ 0.0147	••	104 17 21.78	91.38	3		+ 14 . 537	-0.338	
1899	9.1		•••	14 55 44 . 51	92.39	3	+15.7441	+ 2.7212	••	175 48 48 27	92.39	3		+14.440	-1.599	
1900	9•1	D.M 11° • 3858	••	14 55 44.56	91 • 40	3	-⊦ 3·2677	+ 0.0134		101 52 57.70	91 • 40	3	••	+14.440	-0.332	
1901	9.4	D.M 13° • 4044		14 55 47.00	91.47	3	+ 3.3045	+ 0.0145	• •	104 2 12.42	91.47	3		+14.438	-0.341	
1902	7.8	$D.M 9^{\circ} \cdot 4058$		14 56 54.51	91.45	3	+ 3.2362	+ 0.0125		99 57 28.77	91.45	3		+14.370	-0.332	
1903	3.7	y Scorpii		14 57 37.90	88.91	7	+ 3.5058	+ 0.0209	-0.008	114 50 55.98	88.99	6		+14.325	-0.364	+0.05
1904	3.3	$\beta$ Bootis		14 57 48.13	89.30	14	+ 2.2636	0.0009	-0.002	49 10 29.99	88.18	9		+14.315	-0.237	+ 0.04
1905	7.1	Apodis L. 6185	••	14 58 13.35	93.54	2	5·6897	+ 0.1678		160 16 58.84	93.54	2		+14.289	-0.288	
1906	8.4	M.Z. 14786		14 58 37.80	85.50	3	+ 4.8697	+ 0.0928		152 23 52.81	85.50	3		+14.264	-0.505	
1907	9.1	D.M 12° • 4196		14 59 29.46	91.40	3	+ 3.2915	+ 0.0139		103 4 14.87	91.40	3		+14.211	-0.345	
1908	7.0	T Trianguli Australis		14 59 29.87	93 . 57	1	+ 5.4424	+ 0.1426		158 17 44.44	93.57	1	1	+14.209	-0.566	
1909	7.3	Apodis L. 6189		14 59 37.68	93.48	3	+ 5.8511	+ 0.1822		161 14 22.60	93.48	3	-	+ 14 . 203	-0.608	
1910	<b>4</b> ·6	$\psi$ Bootis	•••	14 59 43.88	89 .08	76	+ 2.5835	+ 0.0011	-0.014	62 37 21.89	88.67	15	••	+14.196	-0.272	+ 0.01
1911	8.8			14 59 57.30	92.50	3	+ 6.1646	+ 0.2153		163 0 14.35	92.50	3		+14.182	-0.642	
1912		$D.M 10^{\circ} \cdot 4029$		15 0 7.26	91.45	4	+ 3.2524	+ 0.0128	••	$100 \ 46 \ 10 \ 34$	91.45	4		+14.132 +14.172	-0.342	
1013	8.4			15 0 15.86	92.44	3	+ 6.8318	+ 0.2957		165 52 6.74	92.44	3		+14.163		
1914	8.6			15 1 58.16	92.46	3	+ 8.9781	+ 0.6342		170 49 46.07	92.46	3		+ 14.057	-0.940	
1915		D.M 10° • 4040		15 2 20.44	91.51	4	+ 3.2460	+ 0.0126		100 17 43.14	91.51	4		+ 14 .034	-0.344	
1916	9.2	D.M 13° • 4087		15 3 32.93	91.47	3	+ 3.3070	+ 0.0141		103 43 34.26	91.47	3		+ 13 . 958	-0.352	1
1917	9.0	D.M 11° · 3892	•••	$15 \ 3 \ 52 \ 35$ $15 \ 4 \ 1.36$	91.44	3	+ 3 .2721	+ 0.0132	•••	$103 \ 43 \ 54 \ 20$ $101 \ 43 \ 15 \cdot 55$	91.44	3		+13.928	-0.349	
1918	7.2	Apodis L. 6194		15 4 11.91	93.48	3	+ 7.6243	+ 0.3920		168 3 38.72	93.48	3		+ 13 .917	-0.806	
1919	8.6	M.Z. 14811		15 5 32.88	85.50	3	+ 4.9202	+ 0.0942		152 21 5.87	85.20			+ 13 .832	-0.525	
1920	8.2	Octantis		15 6 11.21	85.59	6	+56.3618	+40.2518		178 57 23.59	85.59	2	2	+13.792	-5.974	
1920	0.2	Octanus	••	10 0 11 21	00.00	0	+ 90.9019	7 40 2018		112 01 20.00	99.98	2	2	+ 19. (92	-0.914	

No.	Mag.	Star's Name.		Mean R.A., 1890.0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890.0.	Mean Year of Observations.	1	erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Proper Motion
					Mea	Nun Obe					Met	-	S.P.			
				h. m. s.			R.	S.	s.	0 / #		1		"	11	
1921	9.1		••	15 6 23.40	92.42	3	+12.0138	+ 1.2932	••	173 48 1.43	92.42	2	••	+13.779	-1.279	
1922	8.6	D.M 13° · 4105	••	15 6 48.33	91.40	3	+ 3.3027	+ 0.0139	••	103 18 24.87	91.40	3		+13.752	-0.356	••
1923 1924	7.0	D.M 10° • 4055	••	15 7 16.32	91.38	3	+ 3.2548	+ 0.0126		100 35 31.41	91.38	3	•••	+13.723	-0.352	
1924	3.2	Apodis G. 20624 γ Trianguli Australis	•••	15 8 9·11 15 8 38·93	93·54 88·35	2 16	+ 8.6429 + 5.5324	+ 0.5422 + 0.1399	-0.014	170 2 18·58 158 16 19·55	93·54 88·35	2	6	+13.666 +13.634	-0.928 -0.597	+0.04
		/					1 0 0041	1 0 1000	0 011	100 10 10 00	00 00	10		1 10 001	0.001	100
926	9.0	M.Z. 41590		15 9 36.57	92.53	3	+ 5.6596	+ 0.1499		159 10 33.15	92.53	3		+13.573	-0.613	
927	8.6	D.M.'-14° • 4165	••	15 10 53.13	91 .45	4	+ 3.3227	+ 0.0142		104 11 29.35	91.45	4		+ 13 • 490	-0.364	
1928	3.3	δ Bootís	••	15 11 4.07	89.00	4	+ 2.4118	+ 0.0010	+0.002	56 16 26.78	88.91	5		+ 13 • 479	-0.266	+0.10
1929	2.8	$\beta$ Libræ	•••	15 11 5.23	89.27	80	+ 3.2289	+ 0.0118	-0.008	98 58 34.66	88.60	14		+13.477	-0.354	+0.05
1930	9.0	M.Z. 29872	••	15 11 21.64	92.50	3	+ 5.1871	+ 0.1001	••	154 53 27.78	92.50	4	•••	+ 13 • 460	-0.267	
931	7.0	D.M9°·4112		15 11 34.36	91.50	_3	+ 3.2491	+ 0.0123		100 5 42.01	91.50	3		+ 13 .446	-0.357	
932	9.8	D.M11°·3918		15 12 16.42	91.53	4	+ 3.2846	+ 0.0131		102 2 7.59	91.53	3		+ 13 . 400	-0.362	
933	8.7	M.Z. 14834		15 13 26.62	85.50	3	+ 4.9650	+ 0.0914		152 10 7.27	85.50	3		+13.324	-0.547	
934	7.3	Apodis L. 6281		15 13 36.55	93.48	3	+ 6.0867	+ 0.1842		161 39 2.42	93.48	3		+ 13 . 313	-0.670	
935	8.0	D.M 12° • 4238	••	15 14 5.70	91 • 40	4	+ 3.2998	+ 0.0134		102 47 29.23	91 • 41	3		+13.281	-0.366	
936	9.2			15 15 32.21	92.41	2	+ 7.4134	+ 0.3303		166 56 13.61	92.41	9		+ 13 . 187	0.000	
937	8.3	D.M 10° • 4087	•••	15 15 35.90	91.46		+ 3.2700	+ 0.303 + 0.0126	••	$100 \ 50 \ 13.01$ $101 \ 5 \ 27.60$	92.41	4	_	+13.187 +13.182	-0.820 -0.365	••
938	9.0			15 15 50 .11	92.48	3	+ 10.2204	+ 0.7913		171-58 13.66	92.48	*		+13.162	-1.130	••
939	6.1	Trianguli Australis		15 15 52.88	93.55	2	+ 5.5583	+ 0.1338		157 55 3.80	93.54	2		+ 13.164	-0.612	
		6308	uting	Distant.					2010	Land Mart						
940	5.5	ρ Octantis		15 18 1.22	87.67	71	+ 12 . 9036	+ 1.3923	+0.081	174 5 46.05	87.68	17	17	+13.022	-1.437	-0.08
941	5.0	η Coronæ Borealis		15 18 39.61	90.50		. 0.4450	. 0.0010		F0 10 F1-05	00.50		= 1	10.050	0.000	
942	8.7	1 COTORIZO DOLCARIS	••	15 19 7.24	92.53	4	+ 2.4678 + 8.7614	+ 0.0016 + 0.5115	••	59 18 51 95 169 49 38 03	90·50 92·53	4		+12.979 +12.949	-0.280 -0.981	••
943	8.6			15 19 16.31	92.50	3	+ 5.8802	+ 0.1269	••	160 0 35·79	92.50	3	••	+12.949 +12.938	-0.661	••
944	9.0	D.M 13° • 4159		15 19 32.29	91.43	3	+ 3.3218	+ 0.0136		103 42 1.06	91.43	3	•••	+12.938 +12.921	-0.376	**
945	5.8	κ <sup>1</sup> Apodis		15 19 32.39	93.54	3	+ 6.4180	+ 0.2070	-0.003	163 0 23.85	93.54	3		+ 12 .921	-0.721	+0.04
		- Falay														
946	3.8	$\mu$ Bootis		15 20 20.04	88.96	7	+ 2.2782	+ 0.0012	-0.014	52 14 10.29	89.03	6	•••	+12.867	-0.260	-0.08
947	9.0	D.M 11° · 3947	•••	15 20 42.73	91.50	3	+ 3.2897	+ 0.0128	••	101 56 35.83	91.50	3			-0.374	••
948 949	9.1	M.Z. 14864	••	15 21 7.42	85.56	3	+ 5.0713	+ 0.0928	••	152 46 30.92	85.56	3		+12.814		
950	8.7	D.M 13° • 4170	•••	15 21 37.03 15 22 1.03	87.52	3	+ 3.6006	+ 0.0212	••	117 8 31.87 103 8 2.46	87.52	3			-0.410	
000	00	D.M 10 4110	•••	10 44 1 00	91.46	3	+ 3.3132	+ 0.0133		103 8 2.40	91.46	3	••	+12.754	-0.318	••
951	6.0	ζ <sup>1</sup> Libræ		15 22 3.13	88.38	45	+ 3.3748	+ 0.0148	-0.001	106 19 55.92	87.98	12		+ 12.754	-0.385	+0.05
952	7.5	D.M10°·4108		15 22 12.60	91.42	_ 3	+ 3.2744	+ 0.0124		101 3 55.68	91.42	3		+12.741	-0.374	
953	9.2			15 23 9.89	92.44	3	+ 15 .0949	+ 1.9378	<b>.</b>	175 4 32.08	92.44	4		+12.676	-1.711	
954	4.1	$\beta$ Coronæ Borealis	••	15 23 17.56	88.96	7	+ 2.4865	+ 0.0018	-0.013	60 30 51 .62	88.96	7	• •	+12.668	-0.287	-0.02
955	7.2	Apodis L. 6339	••	15 24 10.40	93.52	3	+ 7.9070	+ 0.3684	••	167 51 50.58	93.52	3		+12.608	-0.902	
956	3.8	$\nu^1$ Bootis		15 26 58.69	90.22	7	+ 2.1532	+ 0.0021	0.000	48 47 27.39	89.01	6		+12.416	-0.252	+ 0.01
957	2.7	γ Lupi		15 27 48.71	88.16	.9	+ 3.9811	+ 0.0021 + 0.0331	-0.002	130 47 45.68	88.16	9		+12.359	-0.463	+0.01
958	7.3	D.M 13° • 4193		15 27 55.82	91.42	3	+ 3.3323	+ 0.0134		103 51 28.16	91.42	3		+12.351	-0.388	+• ••
959	9.5	D.M11°·3967		15 28 19.35	91.48	3	+ 3.2932	+ 0.0125		101 49 7.30	91.48	3		+12.324	-0.384	
960	9.5			15 28 23.96	92.55	3	+ 11.6747	+ 0.9920		173 0 30.64	92.54	3		+12.318	-1.349	

9589.

F

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession In R.A.	Secular Variation.	Annual Proper Motlon.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tio	rva-	Annual Precession in N.P.D.	Secular Variation.	Annuaj Proper Motion.
				-	Mea	Nur Obs					Mea	-	S.P.			
				h. m. s.			8.	s,	S.	0 1 11				v		
1961	6.4	Apodis L. 6381	••	15 28 24.59	93 • 56	3	+ 7.2168	+ 0.2729	0.000	165 43 7.21	93 • 56	3	••	+ 12.318	-0.836	+0.05
1962	9.3	M.Z. 41651	••	15 29 12.39	92.50	3	+ 5.7937	+ 0.1372		158 45 29.91	92.50	3	••	+ 12 . 262	-0.674	
1963	4.3	γ Libræ	• •	15 29 22.31	89.03	6	+ 3.3447	+ 0.0136	+0.004	104 25 18.69	88.96	7	••	+12.251	-0.391	-0.05
1964	9.2	M.Z. 14896 M.Z. 41051	••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	\$5.57 00.55	5	+ 5.1237	+ 0.0898	••	152 41 32.32	85.57	3		$+12 \cdot 239$ $+12 \cdot 212$	-0.597	
1965	9.8	M.Z. 41051	••	19 29 55-79	92.55	3	+ 5.5630	+ 0.1193	••	156 57 12.81	92.55	0	••	+12-212	-0.649	
1966	9.6			15 29 56.89	92.56	4	+ 22 • 4251	+ 4.5130		176 51 48.67	92.56	5		+ 12 . 211	-2.599	
1967	2.3	a Coronæ Borealis	•••	15 30 1.78	88.84	68	+ 2.5300	+ 0.0024	+0.008	62 54 51.68	87.99	12		+12•205	-0.298	+0.09
1968	8.6	M.Z. 14900	••	15 30 4.67	85.57	5	+ 5.1259	+ 0.0895	••	152 40 35.95	85.57	3	••	+12-202	-0.598	
1969	9.4	D.M 10° • 4130	••	15 31 2.01	91.51	3	+ 3.2735	+ 0.0113		100 41 32.97	91.51	3	••	+12.136	-0.382	••
1970	8.0	D.M 12° • 4295	••	15 31 10.64	91 • 43	3	+ 3.3185	+ 0.0129	••	103 0 33.65	91.43	3	••	+12•126	-0.391	••
1971	8.8	Yarnall 6447		15 33 16.34	87.54	3	+ 3.5173	+ 0.0175		112 31 57.61	87.54	3		+ 11 .979	-0.416	
1972	7.6	Apodis G. 21219	•••	15 33 51.06	93.52	3	+ 6.3693	+ 0.113	•••	161 57 12.78	93.52	3	••	+11.938	-0.751	•••
1973	8.0	Octantis	••	15 34 2.30	87.62	7	+27.2477	+ 6.6866		177 27 15.60	87.61	2	2	+11.925	-3.200	
1974	9.3	D.M 10° • 4141	••	15 34 8.32	91.47	3	+ 3.2651	+ 0.0116		100 9 15.26	91.47	3		+ 11 • 918	-0.388	
1975	9.2	D.M11°·3988	••	15 34 41.88	91.50	4	+ 3.2996	+ 0.0123		101 54 11.51	91 • 49	3	••	+11.879	-0.393	
	-	TO M. 100. (000			01.40				- 11	100 00 50.04	01.10				0.007	-
1976 1977	<b>7·2</b> 9·5	D.M 13° • 4226 M.Z. 31080	••	15 35 8·47 15 35 24·60	91·42 92·52	3	+ 3.3338 + 5.4932	+ 0.0130 + 0.1088	••	$\begin{array}{c} 103 \ 36 \ 52 \cdot 24 \\ 155 \ 57 \ 52 \cdot 96 \end{array}$	91·42 92·52	3		+11.847 +11.829	-0.397 -0.652	
1977	5.0	$\kappa$ Libræ	•••	$15 \ 35 \ 24 \ 00$ $15 \ 35 \ 36 \ 48$	90.49	3	+ 3.4932 + 3.4513	+ 0.0126	-0.002	109 19 16.54	90.49	3		+11.815	-0.412	+0.10
1979	8.1	Apodis L. 6411		15 36 20.58	93.55	3	+ 8.6748	+ 0.4270		169 3 42.37	93.55	3			-1.030	
1980	9.0	•• ••	••	15 36 36.13	92.45	3	+ 6.8323	+ 0.2157		163 55 20.12	92.45	3		+ 11 • 744	-0.813	
1001															0.010	
1981 1982	7·8 8·8	M.Z. 14927 D.M 10° • 4155	••	15 37 26·49 15 38 0·92	85·56 91·51	3	+ 5.1554 + 3.2819	+ 0.0858 + 0.0117	••	152 27 11·12 100 53 22·80	85·56 91·50	3		+11.684 +11.644	-0.616 -0.395	•••
1983	9.5	D.M 12° • 4326	•••	15 38 46.74	91.53	3	+ 3.3175	+ 0.0117 + 0.0124		102 39 18.28	91.53	3		+11.289	-0.393 -0.400	
1984	2.8	a Serpentis		15 38 50.94	89.16	98	+ 2.9429	+ 0.0062	+0.008	83 13 38.96	88.57	14		+11.584	-0.355	-0.06
1985	9.0	M.Z. 41935		15 38 59.40	92.53	3	+ 5.7690	+ 0.1242		157 57 31.09	92.53	3		+11.574	-0.695	
1986	6.3*	26 Serpentis	••	15 39 42.26	89.64	2	+ 2.7252	+ 0.0039		72 23 20.12	89.65	2	1	+11.523	-0.330	
1987	9.5	• • • •	••	15 40 0.25	92.55	3	+ 9.9423	+ 0.5933		170 56 33.29	92.55	3		+11.502	-1.193	
1988 1989	8·7 3·8	P. Samontia	••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92·49 89·02	3	+ 6.1109	+ 0.1470	+ 0.003	160 7 33.29	92.49	36		+11.433 +11.422	-0.737	
1989	9.0	$\beta$ Serpentis	•••	$15 \ 41 \ 6.62 \\ 15 \ 42 \ 4.47$	89·02 92·55	3	+ 2.7623 + 7.8052	+ 0.0043 + 0.3023	+ 0.003	74 13 59 • 04 166 53 32 • 49	89.01 92.55	3	•••	+11.422 +11.353	-0.336 -0.943	+0.03
1000				10 12 1 11	02 00		1. 1.0002	1. 0.0020		100 00 02 10	02 00			1 11 000	0 010	
1991	7.4	Trianguli Australis	L.	15 42 53.82	93.52	3	+ 5.4221	+ 0.0974		154 49 7.82	93.52	3		+11.293	-0.628	
1000		6507		15 10 0.50	01.40				1.4						0.000	-
1992 1993	8·8 4·1	D.M. $-9^{\circ} \cdot 4237$ $\kappa$ Serpentis	••	15 43 3·50 15 43 47·24	91·48 88·99	4	+ 3.2610	+ 0.0111	0.004	99 40 36 · 53	91·52 88·99	3		+11.282 +11.229	-0.398 -0.331	
1993	3.6	$\kappa$ Serpentis $\mu$ Serpentis	••	$15 \ 43 \ 47 \ 24$ $15 \ 43 \ 52 \ 75$	89.14	67	+ 2.7023 + 3.1324	+ 0.0038 + 0.0088	-0.004 -0.008	71 31 4·42 93 5 33·98	89.06	6	••	$+11^{-229}$ +11^{-222}	-0.331	+0.08
1995	8.3	D.M 13° 4260		15 43 53.18	91.45	3	+ 3.3429	+ 0.0126	-0 008	103 42 47.68	91.45	3	•••	+ 11 222	-0.409	
1996	9.0	D.M 12° • 4342	••	15 44 19.03	91.54	3	+ 3.3145	+ 0.0120	2	102 18 23.99	91.54	3		+11.190	-0.406	
1997	6.5	Apodis L. 6484	••	15 44 36.58	90.94	3	+ 8.1654	+ 0.3352		167 42 4.62	90.94	•••		+11.169	-0.994	
1998	8.0	Octantis L. 6404	••	15 44 40.95	93.59	3	+13.4964	+ 1.2188		173 55 7.53	93.59	3		+11.164	-1.640	
1999 2000	3·8 5·3	$\epsilon$ Serpentis $\lambda$ Libræ	••	15 45 19·92 15 46 56·86	89 · 29 90 · 49	98 3	+ 2.9789 + 3.4758	+ 0.0066 + 0.0151	+0.007	85 11 25 · 24 109 50 14 · 42	88.56	14	••	+11.117 +10.999	-0.366	-0.06
2000	00	$\lambda$ Libræ	••	10 10 00 00	00 40	0	T 0 4108	T 0 0151	-0.003	109 50 14-42	90.49	3	•••	1. 10:333	-0.429	+0.01

\* Boss 1900,

No.	Mag.	Star's Name,		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mcan N.P.D., 1890 ° 0.	Mean Year of Observations,	Obs	ber o erva- ons.	f Annual Precession in N.P.D.	Secular Variation	Annnal Proper Motion.
					Mei	Nu					Mea	-	S.P.			-
2				h. m. s.	-		S.	5.	s.	0 1 11						
2001	9.0	D.M13° •4277		15 47 12.78	91.50	. 3	+ 3.3350	+ 0.0122		103 12 12.85	91.50	3		+ 10.979	-0.412	
2002	8.0	M.Z. 14968		15 47 15.29	85.56	3	+ 5.2352	+ 0.0830		152 38 45.57	85.56	3		+ 10 .976	-0.644	
2003	7.8	Apodis L. 6513		15 47 29.59	93.52	. 3	+ 7.3400	+ 0.2411		165 17 59.10	93.52	3		+10.959	-0.901	
2004	8.2	Apodis L. 6534		15 47 51.92	93.55	. 3	+ 6.2891	+ 0.1210		160 47 25.38	93.55	3		+10.932	-0.774	
2005	6.8	D.M 10° • 4195		15 48 11.38	91 • 44	3	+ 3.2858	+ 0.0113		100 45 46.57	91.44	3		+10.908	-0.407	
	0.0															
2006	9.2	M.Z. 41103	••	15 49 15.53	92.52	3	+ 5.7293	+ 0.1106	••	157 2 49.14	92.52	3	•••	+10.829	-0.208	•• -
2007	6·8 9·0	Apodis L. 6542	••	15 49 36.81	93.60	2	+ 6.8024	+ 0.1889	••	163 11 51.08	93.60	2	••	+10.803	-0.840	•••
2008 2009	9.2	M.Z. 41712 D.M 9° • 4262	••	$\begin{array}{r} 15 50 \ 32 \cdot 22 \\ 15 50 \ 44 \cdot 67 \end{array}$	92·54 91·47	. 3	+ 6.0346 + 3.2665	+ 0.1293 + 0.0108		159 7 58 • 91 99 44 27 • 37	92.54	3	••	+10.735	-0.748	••
2003	9.4	$D.M 12^{\circ} \cdot 4380$	••	15 51 37.05	91.52	0 4	+ 3.2003 + 3.3161	+ 0.0108 + 0.0116		102 8 23.86	91 • 47 91 • 52	3 4	•••	+10.719 +10.655	-0.407	
2010		D.11 12 1000	••	10 01 07 00	51 02	T	+ 0 0101	7 0 0110	••	10- 0-20-00	31 02	Ŧ	••	T 10 0.55	-0.414	
2011	9.0	M.Z. 31127		15 52 10.75	92.54	3	+ 5.6279	+ 0.1012		156 3 51.77	92.53	4		+10.613	-0.701	
2012	7.7	Apodis L. 6554		15 52 59.84	93.55	. 3	+ 7.6149	+ 0.2543		165 56 58.40	93.55	3		+10.552	-0.949	
2013	3.6	€ Coronæ Borealis		15 53 1.97	88.98	6	+ 2.4883	+ 0.0030	-0.007	62 48 10.90	88.98	6		+ 10 . 550	-0.313	+0.00
2014	9.1	Apodis G. 21642	• •	15 53 35.14	93.59	3	+ 8.5645	+ 0.3208		168 17 13.80	93.59	3		+ 10.509	-1.068	
2015	6.0	Apodis L. 6573		15 53 40.92	93.21	. 3	+ 6.5978	+ 0.1656		162 5 46.08	93.51	3	••	+ 10.201	-0.825	
	0.5	0 0														
2016	2.5	δ Scorpii	••	15 53 49.72	89.20	.15	+ 3.2400	+ 0.0129	-0.005	112 18 27.80	88.54	9	••	+10.490	-0.444	+0.01
2017	5.6	49 Libræ	••	15 54 9.19	90.49	4	+ 3.4040	+ 0.0131	-0.042	106 12 30.41	90.20	3	••	+10.466	-0.428	+0.32
2018 2019	8·5 9·3	D.M 12° • 4391	••	15 54 13.73	91.46	4	+ 3.3317	+ 0.0117	••	102 48 11.95	91.46	4	••	+10.461	-0.419	••
2019	8.7		••	15 55 23·70 15 55 24·67	92·53 92·60	3	+ 9.4624 + 7.0285	+ 0.4502 + 0.1969	••	169 50 56 · 19 163 52 9 · 41	92.54 92.60	4	••	+10.373 +10.372	-1.185	••
2020	• •		••	10 00 24 01	34 00	J	T 1 0200	T 0 1909	••	105 52 5 41	92 00	0	••	+10.312	-0.882	
2021	8.5	D.M 10° • 4226		15 55 31.37	91.50	. 3	+ 3.2913	+ 0.0110		100 58 3.50	91.50	3		+10.364	-0.416	
2022	8.3	M.Z. 15001		15 55.51.65	85.56	3	+ 5.2640	+ 0.0782		152 24 15.12	.85.56	3		+ 10.338	-0.662	
2023	7.6	Octantis M. <sub>1</sub> . 792		15 56 36.45	88.33	.88	+ 69 • 5257	+ 39 . 2321		179 0 37.88	87.93	22	21	+10.282	-8.711	
2024	2.7	$\beta^1$ Scorpii		15 59 2.41	89.47	.92	+ 3.4816	+ 0.0141	-0.003	109 30 12.97	88.01	12		+10.099	-0.443	+0.03
2025	9.0			15 59 55.44	92.54	. 3	+ 6.2358	+ 0.1311		159 54 3.44	92.54	3		+10.032	-0.792	
				1			a starte and	1922	18.0	and the second second	Ser.			1.1		
2026	8.5	D.M11° •4064	••	16 0 0.80	91 • 46	3	+ 3.3187	+ 0.0111	••	102 0 14.54	91.46	3	••	+10.022	-0.423	
2027 2028	8·5 7·7	D.M9° •4298	••	16 0 10.67	91.57	3	+ 3.2727	+ 0.0103	••	99 48 16 96	91.57	3	••	+ 10.013	-0.418	••
2028	7.6	D.M 13° · 4337	••• D	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.53	4	+ 3.3616	+ 0.0118	••	104 0 35.75	91.53	4	••	+ 9.998	-0.429	••
2023		Trianguli Australis 5600	.D.	10 2 1.55	93.60	2	+ 5.5763	+ 0.0896		155 4 24.38	93.60	2	••	+ 9.873	-0.712	
2030	6.8	D.M12° •4437		16 3 15.46	91.57	3	+ 3.3367	+ 0.0112		102 45 37.67	91.57	3		+ 9.779	-0.429	
20				The second	2.		THE CO.	THE STATE	16.1	10 500 14	1. 14	6.7	-			
2031	9.2	M.Z. 15032	••	16 3 31 . 35	85.56	3	+ 5.3040	+ 0.0746	••	152 22 24.37	85.26	3	••	+ 9.758	-0.680	
2032	7.9	D.M 10° • 4258		16 3 47.74	91 • 49	3	+ 3.2963	+ 0.0102	••	100 50 26.91	91 • 49	3	••	+ 9.737	-0.424	
2033	5.4	δ <sup>1</sup> Apodis	••	16 3 55.85	88.51	.26	+ 8.7761	+ 0.3381	••	168 25 0.24	87.49	8	5	+ 9.727	-1.123	
2034		δ <sup>a</sup> Apodis	••	16 4 2.99	85.64	6	+ 8.7637	+ 0.3365	••	168 23 20·32	85.66	2		+ 9.718	-1.122	••
2035	7.0	Apodis L. 6575		16 4 49.53	93.55	. 3	+11.7270	+ 0.7086	••	172 17 25.44	93.22	4	••	+ 9.629	-1.503	••
2036	4.2	6 Herculis		16 5 18.30	86.57	3	+ 1.8904	+ 0.0045	-0.010	44 46 32.09	86.57	3		+ 9.622	-0.246	-0.04
2036	4.2	φ Herculis Apodis L. 6682	•••	16 5 18.30	93.51	3	+ 6.4240	+ 0.0043 + 0.1362	-0 010	160 42 40 98	93.51	3	••	+ 9.621	-0.826	-0.04
2037	4.2	$v^2$ Scorpii		16 5 36.08	90.56	3	+ 3.4807	+ 0.0135	-0.003	109 10 26.55	90.56	3		+ 9.599	-0.420	+0.01
2039	9.0	D.M 11° · 4092	••	16 6 46.07	91.54	3	+ 3.3242	+ 0.0108		102 4 6.41	91.54	3		+ 9.509	-0.431	
2040	8.5	D.M 13° • 4378		16 6 47.97	91.49	3	+ 3.3606	+ 0.0113		103 45 6.92	91.49	3		+ 9.507	-0.436	
																1

.

No.	Mag.	Star's Name.		Mean R.A., 1890'0.	Mcan Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890.0.	Mean Ycar of Observations.		ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
					Mca	Nur Obg					Mea	-	S.P.			
				h. m. s.			8.	8.	8.	0 / //				11		
2041	8.8	D.M 9° · 4326	•••	16 6 49 73	91.53	3	+ 3.2770	+ 0.0100	••	99 51 11.63	91.53	3		+ 9.505	-0.425	
2042 2043	7·1 7·6	Octantis L. 657 Octantis B. 558		16 7 31·37 16 7 53·18	85.64 85.65	10	+13.1581 +13.1331	+ 0.9141 + 0.9062	••	173 19 55.19	85.63 85.65	32	2	+ 9.451	-1.697	••
2045	9.3			16 7 53.18 16 7 59.13	92.54	* 3	+36.5799	+ 9.0747	••	173 18 36·11 177 58 57·01	92.54	3	3		-1.695 -4.714	••
2044	9.4	M.Z. 41747	••	16 8 2.85	<b>92.</b> 56	3	+ 6.1333	+ 0.1147	••	158 54 31.98	92.57	3		+ 9.411	-0.794	••
2046	3.0	δ Ophiuchi		16 8 34.82	89.71	110	+ 3.1429	+ 0.0081	-0.002	93 24 37.54	88.38	13		+ 9.369	-0.409	+0.14
2047	9.5	M.Z. 31487		16 9 27.17	92.52	4	+ 5.8756	+ 0.0987		157 5 42.98	92.53	3		+ 9.302	-0.763	
2048	8.8	Trianguli Austr 822		16 9 57.88	93.51	3	+ 6.2357	+ 0.1185		159 27 4.78	93.51	3		+ 9.262	-0.811	
2049		σ Coronæ	pre.	16 10 33.31	90.63	3	+ 2.2675	+ 0.0031		55 51 46.83	90.63	3		+ 9.216	-0.298	
2050	5.4	σ Coronæ	seq.	16 10 33.50	90.58	3	+ 2.2675	+ 0.0031	-0.026	55 51 42.35	90.58	3		+ 9.216	-0.298	+0.06
2051	8.9			16 11 7.09	92.58	3	+ 6.5407	+ 0.1355		161 4 46.75	92.58	3		+ 9.172	-0.852	
2052	9.0	M.Z. 15070		16 11 37.38	85.56	3	+ 5.3423	+ 0.0705		152 19 47.09	85.56	3		+ 9.133	-0.698	
20.53	7.0	D.M 13° · 4394		16 11 41.14	91.50	3	+ 3.3495	+ 0.0108	••	103 5 58.80	91.50	3	••	+ 9.128	-0.439	
2054	7.0	Trianguli Austr 6749	alis L.	16 12 8.23	93 · 55	3	+ 5.8299	+ 0.0934	••	156 37 19.18	93.55	3	••	+ 9.080	-0.762	
2055	9.0	M.Z. 31176	••	16 12 22.14	<b>92</b> ·52	3	+ 5.7157	+ 0.0876		155 43 26.54	92·52	3	•••	+ 9.075	-0.747	
2056	3.3	$\epsilon$ Ophiuchi	• •	16 12 30.00	89.02	6	+ 3.1648	+ 0.0082	+0.004	94 25 24.85	89.02	6	••	+ 9.065	-0.416	-0.03
2057	9.3	•• ••	• •	16 12 37.10	92.57	5	+ 8.2889	+ 0.2642		167 7 11.90	92 · 58.	3	•••	+ 9.056	-1.082	
2058	9.0	D.M 10° · 4291	••	16 12 39.42	91.45	4	+ 3.3048	+ 0.0100		101 1 12.17	91.45.	4	••	+ 9.053	-0.434	••
2059 2060	$\frac{3\cdot 4}{8\cdot 2}$	σ Scorpii	••	16 14 30.12	89·14 93·53	8	+ 3.6394 + 6.9522	+ 0.0154	-0.003	115 19 40.66	89.04	6	••	+ 8.908	-0.479	+0.05
2000	04	Apodis L. 6753	••	16 14 53.45	90 00	4	+ 0.9522.	+ 0.1564	••	162 49 50.40	93.54	3		+ 8.878	-0.913	••
2061	8.7	D.M 11° · 4487	••	16 15 19.99	91.54	3	+ 3.3298	+ 0.0102	••	102 6 11.73	<b>91</b> · 54.	3		+ 8.843	-0.440	•••
2062	9.2	D.M 13° · 4411	••	16 15 25.06	91.58	3	+ 3.3610	+ 0.0107		103 30 51.60	9 <b>1</b> • 58.	4	• •	+ 8.836	-0.444	
2063	8.9	D.M 13° · 4412	• •	16 15 42.61	91.60	3	+ 3.3678	+ 0.0107		103 48 54.58	91.60	2	•••	+ 8.813	-0.445	
2064	8·5 7·5	D.M 9° · 4364 Apodis L. 6750	••	$\begin{array}{r} 16 \ 15 \ 42 \cdot 89 \\ 16 \ 15 \ 54 \cdot 72 \end{array}$	91.61	3	+ 3.2826	+ 0.0095	••	99 55 26.10	91.61	3	••	+ 8.813	-0.434	••
2065	1.0	Apodis L. 0150	• •	10 15 04.72	93.57	3	+ 7.5413	+ 0.1957	••	164 57 11.73	93.57	3	•••	+ 8.798	-0.995	••
20.66	3.9	$\tau$ Herculis		16 16 25.99	88.78	12	+ 1.8018	+ 0.0052	-0.005	43 25 25.45	88.78	14	••	+ 8.757	-0.240	-0.04
2067	5.6	ζ Trianguli Austra	lis	16 16 38.60	93.61	3	+ 6.3489		+0.033	159 50 5.31	<b>93 · 62</b> :	3	••	+ 8.740	-0.837	-0.11
2068	3.8	$\gamma$ Herculis	••	16 17 3.99	89.10	64	+ 2.6481	+ 0.0039	-0.002	70 35 16.05	88.43	13	••	+ 8.707	-0.352	-0.02
2069 2070	7.1	Octantis L. 6441		16 17 59.54	90.51	8	+29.3300	+ 5.0596	••	177 22: 8:32	91.12.	5	1	+ 8.634	-3.864	••
2070	8.6	Weisse XVI. 30	(	16 18 21.75	87.56	3	+ 3.2029	+ 0.0084	••	96 9 39.54	87.56	3		+ 8.604	-0.426	••
2071	9.0	D.M 12° · 4501		16 19 9.94	91.48	3	+ 3.3501	+ 0.0102		102 55 31.84	91.48	3		+ 8.541	-0.446	
2072	9.0			16 19 18.44	92.55	3	+10.8870	+ 0.2030		171 11 55.82	92.55	3		+ 8.530	-I·441	
2073	9.1	M.Z. 42029		16 19 24.34	92.53	3	+ 6.0732	+ 0.0986	••	158 2 11.45	92.53	3	••	+ 8.522	-0.805	
20.7.4	8.2	M.Z. 15109	**	16 19 25·44	85.57	. 3	+ 5.4123	+ 0.0678		152 39 4.23	85.56	3	••	+ 8.520	-0.718	
2075	6.3	Octantis B.A.C.	9412	16 20 2·55	88.18	116	+21.1032	+ 2.3903	-0.004	176 9 19.24	88.27	18	21	+ 8.471	-2.793	-0.01
2076	8.0	D.M 11° · 4135		16 20 13.70	91.61	3	+ 3.3133	+ 0.0097		101 14 5.72	91.61	4		+ 8.457	-0.442	
2077	9.0	M.Z. 30045		16 20 56.06	92.58	4	+ 5.6727	+ 0.0779		154 58 26.70	92.58	3	••	+ 8.400	-0.755	
2078	1.3	a Scorpii	••	16 22 39.76	88.91	119	+ 3.6715	+ 0.0149	-0:002	116 11 12.47	88.04.	12		+ 8.263	-0.491	+0.03
20,79	8.5	D.M. $-10^{\circ} \cdot 4322$		16 22 50·61	91.53	. 3	+ 3.2893	+ 0.0092	••	100 5 17.00	91.53	3		+ 8.249	-0.441	••
2080	8.6	Apodis G. 22303		16 22 56.87	93.60	3	+ 6.8185	+ 0.1349	••	161 58 39.42	93.60	3		+ 8.240	-0.910	

No.	Mag.	Star's Name.		Mean R.A., 1890 ° 0.	Mean Ycar of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tic		Annual Precession In N.P.D.	Secular Variation.	Annua Proper Motion
					Mea	Nun Obs					Mea	-	S.P.			
				h. m. s.			в.	8.	8.	0 / //				"	11	11
2081	9.3		••	16 23 26.79	87.56	3	+ 3.1745	+ 0.0078	••	94 46 43.93	87.56	3	••	+ 8-200	-0.426	
2082	9.2			16 23 36.19	92.59	- 3	+ 8.8548	+ 0.2796	••	168 4 58.45	92.59	3	••	+ 8.188	-1.182	••
2083 2084	8·0 7·8	D.M. – 11° · 4154 Trianguli Australis	 G.	16 23 46·84 16 24 0·46	91·47 93·55	3	+ 3.3272 + 5.7871	+ 0.0096 + 0.0803	••	101 47 7.93 155 46 39.39	91·47 93·55	3	••	+ 8.174 + 8.156	-0.447 -0.775	••
2004	1.0	22329	G.	10 24 0 40	99 99	0	T 0 1011	+ 0 0000	••	100 40 39 39	30 00	0	••	+ 0.100	-0.119	••
2085	8.3	D.M 14° • 4434		16 24 19.27	91.57	3	+ 3.3841	+ 0.0103		104 18 8·94	91.56	4		+ 8.130	-0.455	••
2086	9.3			16 24 36·98	92.54	3	+ 7.2707	+ 0.1597		163 45 42.12	92.54	3		+ 8.107	-0.973	
2080	4.0	$\lambda$ Ophiuchi	••	$16\ 24\ 30\ 98$ $16\ 25\ 21\cdot 92$	90.54	3	+ 3.0249	+ 0.0062	-0.003	87 46 28.44	90.54	4	•••	+ 8.047	-0.408	+0.0
2088	2.8	$\beta$ Herculis		16 25 29.40	89.07	6	+ 2.5844	+ 0.0036	-0.009	68 16 1I·28	89.07	6		+ 8.037	-0.349	+0.02
2089	7.2	Apedis L. 6791		16 25 36.18	93.53	3	+ 9.2595	+ 0.3076		168 47 59.56	93.53	3		+ 8.028	-1.241	
2090	7.7	M.Z. 15135	••	16 26 3.90	85.60	3	+ 5.4088	+ 0.0628		152 18 29.90	85.60	3		+ 7.991	-0.727	••
2091	8.5	D.M11°.4161		16 26 20.86	91.51	3	+ 3.3139	+ 0.0092		101 7 43.40	91.51	3		+ 7.968	-0.447	
2092	7.5	D.M 12° · 4543		16 27 3.52	91.48	4	+ 3.3463	+ 0.0096		102 33 50.17	91.48	3		+ 7.911	-0.452	
2093	4.6	$\beta$ Apodis		16 27 23.11	86.44	11	+ 8.5201	+ 0.2409	- 0.10	167 17 6.71	86.28	3	3	+ 7.885	-1.146	+0.34
2094	9.7			16 27 55.44	92.57	3	+ 7.9919	+ 0.2007		165 57 26.57	92.57	3		+ 7.841	-1.076	••
2095	6.7	Scorpü L. 6884	••	16 27 58.25	87.53	4	+ 3.9500	+ 0.0193	••	125 29 35.38	87.56	3	••	+ 7.838	-0.534	••
2096	3.4	au Scorpli		16 29 2.04	89.80	9	+ 3.7277	+ 0.0150	-0.003	117 59 12.37	89.33	7		+ 7.752	-0.505	+0.03
2097	9.2	M.Z. 48527	••	16 29 13.85	92.51	3	+ 6.2605	+ 0.0967		158 50 58.12	92.51	3	••	+ 7.736	-0.846	
2098	8.5	M.Z. 31214		16 29 48.74	92.53	3	+ 5.8531	+ 0.0778		156 3 24.45	92.54	3		+ 7-689	-0.792	
2099	7.5	Octantis		16 30 23.36	87.64	4	+64.2920	+23.0191	••	178 50 37.14	87.64	2	2	+ 7.642	-8.672	••
2100	8.8	D.M 13° · 4458	**	16 30 26.51	91.57	3	+ 3.3809	+ 0.0098	••	104 0 30.76	91.57	3	••	+ 7.638	-0.459	••
2101	9.3			16 30 28.82	92.58	3	+17.4765	+ 1.3753		175 5 41.40	92.57	4		+ 7.635	-2.360	
2102	4.3	σ Herculis		16 30 33.33	89.58	9	+ 1.9331	+ 0.0042	-0.002	47 20 7.21	89.59	9		+ 7.629	-0.264	-0.03
2103	11.0	Scorpii	••	16 30 35.40	85.65	2	+ 3.6472	+ 0.0135		114 55 47.80	85-65	2		+ 7.626	-0.495	
2104	2.7	ζ Ophiuchi	• •	16 31 6.06	90.20	72	+ 3.2984	+ 0.0087	-0.001	100 20 36.25	88.60	15	•••	+ 7.585	-0.449	-0.03
2105	7.7	D.M 11° · 4177	••	16 31 23.53	91.51	3	+ 3.3277	+ 0.0090	••	101 38 43.38	91.51	3	•••	+ 7.561	-0.423	
2106	9.3	D.M9°·4424		16 32 14.02	91.55	3	+ 3.2905	+ 0.0086	••	99 58 9.17	91.55	3		+ 7.493	-0-448	
2107	6.8	Trianguli Australis 6881	L.	16 32 14·19	93.53	3	+ 6.0248	+ 0.0828		157 12 58.68	93.53	3	••	+ 7.493	-0.818	••
2108	7.3	M.Z. 16683	••	16 32 46.52	85.60	3	+ 5.4222	+ 0.0585		152 9 17.57	85.60	3		+ 7.449	-0.737	••
2109		D.M13°·4476	••	16 35 11.34	$91 \cdot 52$	3	+ 3.3644	+ 0.0092	••	103 10 45.26	91.53	3		+ 7.252	-0.461	
2110	9.2		••	16 35 33.14	92.55	3	+ 6.6471	+ 0.1073	••	160 46 0.57	92.54	3		+ 7.223	-0.907	••
2111	7.0	$\eta^{2}$ Trianguli Australis		16 35 34.69	93·56	3	+ 6.1434	+ 0.0844	••	157 53 47.06	93.56	3		+ 7.221	-0.839	
2112	7.1	D.M 10° • 4373		16 36 30.47	91.58	3	+ 3.3145	+ 0.0085	••	100 57 46.18	91.58	3			-0.455	
2113	9.1		**	16 36 40.13	92.53	3	+ 7.1360	+ 0.1304	••	162 54 29.86	92.53	5		+ 7.132	-0.976	••
2114		a Trianguli Australis		16 37 1.35	88.15	47	+ 6-2998	+ 0.0895		158 49 27.10	87.71	14		+ 7.103	-0.862	+0.05
2115	3.0	ζ Herculis	**	16 37 8.27	89.83	37	+ 2.2971	+ 0.0033	-0.036	58 11 50.77	88.07	12	••	+ 7.093	-0.316	-0.41
2116	9.0	D.M 11° · 4204		16 38 24.04	91.56	3	+ 3.3394	+ 0.0086	••	102 1 19.07	91.56	3		+ 6.990	-0.459	
2117	9.1	M.Z. 16700		16 38 26.52	85.61	3	+ 5.4710	+ 0.0561	••	152 24 55.10	85.61	3		+ 6.986	-0.751	
2118		D.M 13° · 4495		16 38 29.70	91.47	3	+ 3.3821	+ 0.0091		103 52 27.89	91.47	3		+ 6.982	-0.465	
2119	3.2	$\eta$ Herculis		16 39 7.47	89.08	6	+ 2.0519	+ 0.0037		50 52 2.98	89.08	6		+ 6.930		+0.08
2120	9.5	D.M9°·4445		16 39 11.63	91.62	3	+ 3.2899	+ 0.0080		99 49 44.82	91.62	3	••	+ 6.925	-0.423	

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

X0.	Mag.	Star's Name,	Mean R.A.,	r of ons.	f Dns.	Annual Precession	Secular	Annnal Proper	Mean N.P.D.,	n of D3.	Numl		Annual Precession	Secular	Annual
.10,	Mag.	oval 3 Manto.	1890'0.	rvatio	ber o	in R.A.	Variation.	Motion.	1890.0,	Year	tio	ms.	In N.P.D.	Variation.	Proper Motion.
				Mean Year of Observations,	Number of Observations.		-		1.1.1	Mcan Year of Observations.	-	S.P.			
			h. m. s.			g.	S.	s.	0 1 11				N	IT	
2121	7.8	D.M 10° • 4383	16 39 17.51	91.58	3	+ 3.3042	+ 0.0083		100 27 34.17	91.57	4		+ 6.917	-0.455	
2122	8.1	Apodis L. 6869	16 39 21.17	93.55	3	+10.1067	+ 0.3250		169 53 3.95	93.55	3		+ 6.912	-1.386	••
2123	6.6	Trianguli Australis L. 6954	16 41 12.83	93.29	3	+ 5.7942	+ 0.062		155 10 54.96	93.59	3	••	+ 6.759	-0.798	••
2124	9.1		16 41 43.81	92.58	3	+ 7.7282	+ 0.1530		164 51 37.28	92.58	3		+ 6.716	-1.065	
2125	7.4	Trianguli Australis L.	16 41 46.10	93.62	3	+ 6.5299	+ 0.0937		159 58 50.53	93.62	3	••	+ 6.713	-0.900	
		6945							1.1.1.10						
2126	10.8	Ophiuchi	16 42 33.76	85.65	2	+ 3.5169	+ 0.0105		109 24 33.71	85.65	1	•••	+ 6.647	-0.487	
2127	8.2	Ophiuchi D.M.	16 42 34·31	85.65	2	+ 3.5169	+ 0.0102		109 24 38	••	••		+ 6.647	-0.487	
2128	3.3	- 19° •4434 ε Scorpii	16 43 2.29	89.69	8	+ 3.9269	+ 0.0160	-0.021	124 5 32.84	89.07	6		+ 6.608	-0.544	+0.26
2129	8.2	Weisse XVI. 799	16 43 30.43	87.61	3	+ 3.0683	+ 0.0029		89 48 21.85	87.61	3	••	+ 6.269	-0.426	10 20
2130	9.9		16 43 44.32	92.55	3	+ 8.5304	+ 0.1954		166 57 54.71	92.55	3	••	+ 6.550	-1.179	••
2131	8.6	Ophiuchi	16 43 45.07	85.64	2	+ 3.4815	+ 0.0097		107 56 5.88	85.64	2		+ 6.549	-0.483	
2132	8.5	D.M 12° • 4597	16 43 48.94	91.57	3	+ 3.3616	+ 0.0084		102 53 6.35	91.57	3		+ 6.544	-0.466	
2133	8.7	D.M 11° • 4218	16 44 22.68	91.54	3	+ 3.3212	+ 0.0080		101 7 25.67	91.54	3	•••	+ 6.497	-0.461	
2134	7.9	Trianguli Australis G. 22783	16 45 35.80	93.54	3	+ 6.0220	+ 0.0702		156 58 56.46	93 • 55	3	•••	+ 6.396	-0.840	••
2135	9.4	•• •• ••	16 46 5.40	92•54	3	+ 7.5179	+ 0.1331		164 4 50.22	92.54	4		+ 6.355	-1.043	
2136	4.3	ζ <sup>1</sup> Scorpii	16 46 14.13	90.62	5	+ 4.2216	+ 0.0203		132 10 40.42	90.63	3		+ 6.343	-0.587	
2137	9.0	M.Z. 16723	16 46 16.85	85.61	3	+ 5.4948	+ 0.0512	0.00	152 21 48.92	85.61	3		+ 6.339	-0.763	
2138	3.0	ζ <sup>2</sup> Scorpii	16 46 50.57	90.62	6	+ • 42223	+ 0.0201	-0.012	132 10 18·35	90.61	3		+ 6.293	-0.587	+0.24
2139 2140	6·9 6·3	Apodis L. 6828 49 Herculis	16 46 53.62	87.90	36 6	+ 12.2861	+ 0.4776		172 9 19.15	88.40	12 6	8	+ 6.289	-1.704	
2140	03	49 Herculis	16 47 4.33	89.03	0	+ 2.7285	+ 0.0039	0.000	74 50 24.62	89.04	0		+ 6.274	-0.381	0.00
2141	8.3	D.M10° • 4403	16 47 29.11	91.54	3	+ 3.3096	+ 0.0076		100 34 16.47	91.54	3		+ 6.239	-0.461	
2142 2143	8·3	D.M 14° • 4498 D.M 9° • 4466	16 48 4·35 16 48 13·50	91.60 91.62	3	+ 3·3936 + 3·2926	+ 0.0084 + 0.0074		104 10 8·10 99 48 55·50	91.60 91.62	3	••	+ 6.191 + 6.178	-0.473	••
2140	6.5	$D.M 9^{\circ} \cdot 4406$ $D.M 11^{\circ} \cdot 4231$	16 48 32.93	91.55	3	$+ 3 \cdot 3340$	+ 0.0074	••	101 36 41.47	91.55	3	•••	+ 6.121	-0.465	•••
2145	9.0	M.Z. 31249	16 48 55.81	92.54	3	+ 5.9161	+ 0.0625		155 52 54.11	92.54	3		+ 6.119	-0.824	••
2146	8.9		16 49 10.41	92.58	3	+ 6.9711	+ 0.1024	1	161 54 35.12	92.58	3		+ 6.099	-0.971	- A the
2147	7.1	Apodis L. 6988	16 49 20.35	93.56	3	+ 7.0977	+ 0.1021	••	162 26 20.68	93.56	3	•••	+ 6.085	-0.989	••
2148	3.1	ζ Aræ	16 49 31.10	87.68	13	+ 4.9484	+ 0.0344	-0.002	145 48 53.56	87.61	10	3	+ 6.070	-0.690	+0.04
2149	9.0	D.M 12° • 4622	16 50 46.77	91.59	3	+ 3.3677	+ 0.0079		103 1 19.02	91.60	3		+ 5.965	-0.472	••
2150	6.0	D.M 10° •4417	16 51 20.79	91.53	3	+ 3.3159	+ 0.0074		100 47 14.88	91.53	3	••	+ 5.918	-0.465	••
2151	6.7	Apodis L. 6992	16 52 5.52	93.60	•4	+ 8.2247	+ 0.1263		166 3 43.96	93.60	4		+ 5.855	-1.120	
2152	3.4	K Ophiuchi	16 52 27.64	89.31	.71	+ 2.8573	+ 0.0043	-0.051	80 27 11.56	88.71	15		+ 5.824	-0.401	-0.05
2153 2154	9·1 9·7	M.Z. 16742	16 54 9.05 16 54 39.24	85.61 92.56	••3	+ 5.5241 + 15.0182	+ 0.0464 + 0.6869		152 23 33 ·81 173 52 12 ·26	85·61 92·56	3		+ 5.683 + 5.641	-0.775 -2.104	••
2155	7.0	D.M 13° • 4528	16 54 58 83	91.51	3	+ 3.3781	+ 0.0017		103 23 37.18	91.21	3		+ 5.613	-0.412	••
2156	8.7	D.M12° ·4641	16 55 5.11	91.64	3	+ 3.3466	+ 0.0074	1.12	102 3 11.86	91.64	3		+ 5.604	-0.471	
2150	8.8	$D.M 12^{\circ} \cdot 4641$ $D.M 9^{\circ} \cdot 4479$	16 55 42.68	91.59	3	+ 3.2900	+ 0.0069		99 36 30.89	91.29	3		+ 5.552	-0.464	
2158	3.9	€ Herculis	16 56 4.85	89.09	6	+ 2.2975	+ 0.0032	-0.002	58 54 38.73	89.10	6		+ 5.520	-0.325	-0.03
2159	9.3	D.M 13° • 4533	16 56 41.60	91.54	3	+ 3.3889	+ 0.0076		103 49 12.22	91.54	3		+ 5.469	-0.478	
2160	9.0	•• •• ••	16 56 43.84	92.56	3	+11.2269	+ 0.3274		171 2 10.22	92.55		••	+ 5.466	-1.578	••
1															

54

216 216 216 216 216	_				Mean R.A., 1890°0.	in Year of ervations.	Number of Observations.	Anoual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D 1890'0.	Mean Year of Observations.	Obse tio	rva-	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
216 216 216 216						Mean	Nur			11211		Mea	-	S.P.			
216 216 216 216																	
216 216 216 216					h. m. s.			8.	S.	85	0 / //				11		
216 216 216	61 9	9.0			16 57 7.89	92.59	. 3	+ 8.2173	+ 0.1438	•••	165 57 24.26	92.59	3		+ 5.432	-1.156	
216 216	62 8	8.3	Apodis G. 23082		16 57 32.82	93.55	3	+ 6.6486	+ 0.0280		160 11 55.13	93.55	3		+ 5.397	-0.936	••
216		8.0	Apodis L. 7061		16 57 43.45	93.59	3	+ 7.2082	+ 0.0985		162 42 14.70	93.59	3	••	+ 5.382	-1.012	* *
		7.8	Apodis L. 7018		16 58 6.78	93.64	. 3	+ 9.2709	+ 0.1926	••	168 15 27 25	93.64	13	••	+ 5.349	-1.305	•••
	65 7	7.0	D.M10° • 4436		16 58 27.71	91.51	3	+ 3.3215	+ 0.0069		100 55 58.44	91.51	3		+ 5.320	-0.469	••
010	00 0	8.3	M 7 90191	-	10 50 90.04	09.50			0.0500		155 10 10.99	00.70			5.910	0.000	
210		9.4	M.Z. 30131 M.Z. 16764		16 58 30.64 16 59 4.79	92·52 85·61	3	+ 5.8585 + 5.5445	+ 0.0522 + 0.0434	••	155 10 12·32 152 26 39·05	92·52 85·61	4	•••	+ 5.316 + 5.268	-0.826 -0.782	••
216	1	9.0	D.M 12° • 4664		$10 \ 35 \ 4 \ 75$ $17 \ 0 \ 54 \cdot 81$	91.61	3	+ 3.3683	+ 0.0021		$102 \ 53 \ 21 \cdot 33$	91.61	3	•••	+ 5.113	-0.477	
216		7.0	Octantis S. 9273	•••	17 0 59.01	87.90	59	+30.3096	+ 2.9920		177 16 57.32	88.07	21	19	+ 5.107	-4.277	
217		7.1	D.M 11° • 4304		17 2 17.19	91.52	3	+ 3.3451	+ 0.0068		101 53 17.26	91.52	3		+ 4.997	-0.475	
21	71 8	8.2*			17 2 51.84	93.53	1	+ 9.1339	+ 0.1731		167 56 7.38	93.53	1		+ 4.948	-1.293	
217	72 8	8.8			17 2 53.56	92.57	3	+ 6.8618	+ 0.0782		161 7 25.10	92.57	3		+ 4.945	-0.972	
217	73 9	9.0	M.Z. 42122		17 2 59.56	92.52	3	+ 6.2586	+ 0.0592		157 52 9.39	92.53	3		+ 4.937	-0.881	•••
217	74 7	7.9	Apodis L. 7062		17 3 36.20	93.64	- 3	+ 9.7055	+ 0.2005		168 56 21.57	93.64	3	••	+ 4.885	-1.375	••
217	75 5	5.9	D.M 10° • 4445	••	17 3 43.00	91.54	3	+ 3.3100	+ 0.0064		100 22 43.22	91.54	3		+ 4.875	-0.420	
217		8.4	D.M 13° • 4553		17 4 0.02	91.62	3	+ 3.3892	+ 0.0069	••	103 43 8.01	91.62	3		+ 4.851	-0.482	
217		2.6	$\eta$ Ophiuchi	•••	17 4 4.14	89.78	68	+ 3.4344	+ 0.0076	0.000	105 35 16.18	89.15	16	•••	+ 4.845	-0.488	-0.10
217		6.5	Octantis L. 7002	••	17 4 15.19	87.19	42	+ 13.1507	+ 0.4220	••	172 39 50.17	87.08	11	7	+ 4.830	-1.864	
217		9·2 8·0	M.Z. 31285	••	17 4 25.65	92.58	3	+ 5.9977	+ 0.0506	••	156 4 31.58	92.58 93.57	3		+ 4.815 + 4.691	-0.851 -1.089	
210	50 C	00	Apodis G. 23265	••	17 5 53.30	93.57	3	+ 7.6685	+ 0.1012	••	164 12 29.59	93.97	3	••	+ 4 091	-1 085	•••
218	81 9	9.0	M.Z. 16790		17 5 55.71	85+61	3	+ 5.5691	+ 0.0390		152 29 45.62	85.61	3		+ 4.687	-0.792	
218		7.0	Aræ L. 7142		17 6 11.02	93.63	3	+ 6.1089	+ 0.0219	-0.010	156 49 7.80	93.63	3		+ 4.666	-0.869	+0.16
218		8.7	D.M 12° • 4685		17 - 6 44 .97	91.57	4	+ 3.3613	+ 0.0065		102 38 20.60	91.58	3		+ 4.617	-0.479	
218		8.7	D.M 11° • 4321		17 7 26.03	91.53	3	+ 3.3289	+ 0.0062		101 8 20.76	91.53	3		+ 4.559	-0.475	
218	85 7	7.2	Apodis L. 7127		17 7 52.28	93.54	3	+ 8.0095	+ 0.1102		165 13 18.19	93.54	3		+ 4.522	-1.140	
218	86 4	4.7	A <sup>1</sup> Ophiuchi		17 8 34.93	90.60	3	+ 3.7207	+ 0.0091	-0.036	116 26 24.96	90.60	3		+ 4.461	-0.231	+1.12
218		8.7	M.Z. 48610	••	17 8 49.20	92.52	4	+ 6.4642	+ 0.0584		158 58 26.81	92.52	4	•••	+ 4.441	-0.921	••
218		3.3	a <sup>1</sup> Herculis		17 9 37.85	88.98	84	+ 2.7347	+ 0.0032	-0.005	75 29 0.38	88.92	15	••	+ 4.372	-0.391	-0.03
218		9.1	Ophiuchi		17 9 49.76	85.56	3	+ 3.2685	+ 0.0022	••	98 32 30.20	85.56	3	•••	+ 4.355	-0.462	••
219	90 3	3.4	δ Herculis	••	17 10 30.80	89.14	6	+ 2.4645	+ 0.0031	-0.003	65 1 48·55	89.15	6	•••	+ 4.296	-0.323	+0.16
219		6.0	Annalis D. A. C. FEO.		17 10 54.00	00.50	10	11.0051		0.000	150 45 10 01	00.10		0	1 4.000	1.500	+0.06
			Apodis B.A.C. 5794 D.M 11° • 4332	••	17 10 54.00	88.76	10	+11.0971	+ 0.2443	-0.008	170 45 16.31	89.16	4	2	+ 4.263	-1.583	
219		8·8 3·5	$\pi$ Hereulis	••	17 10 54·24 17 11 12·92	91·59 89·14	3	+ 3.3508 + 2.0902	+ 0.0061 + 0.0033		102 1 35·27 53 3 58·40	91·59 89·13	36	••	+ 4.263 + 4.236	-0.479 -0.300	0.00
219		8.5	л негеция D.M. – 13° • 4580		17 11 12.92	89·14 91·62	6 3	+ 2.0902 + 3.3929	+ 0.0033 + 0.0063	-0.001	53 3 58.40 103 46 22.91	89·13 91·62	3	••	+ 4.230 + 4.222	-0.486	
219		8.2	Lamont 2353	**	17 11 22.04	91·02 85·56	3	+ 3.3929 + 3.2503	+ 0.0054		97 44 52·92	85.56	3	•••	+ + 222	-0.465	
			2000			00 00		0 0000	1 0 0001	•••	0. 11 02 04	00 00			1 1 210		
219	06 9	9.1	M.Z. 16810		17 12 32.51	85.61	3	+ 5.5708	+ 0.0343	E	152 21 32.89	85.61	3		+ 4.123	-0.797	
219		7.3	D.M 10° • 4470		17 12 36.51	91.52	4	+ 3.3056	+ 0.0057		100 6 2.56	91.51	3		+ 4.117	-0.474	
219	08 9	9.1			17 13 22.05	92.59	. 3	+ 8.7262	+ 0.1240		166 57 41.26	92.59	3		+ 4.052	-1.248	
219	9 9	9.3			17 13 23.03	92.57	5	+ 7.0936	+ 0.0698		161 57 52.23	92.57	4	• •	+ 4.051	-1.015	
220	00 9	9.0	M.Z. 30167		17 13 56.39	92.55	. 3	+ 5.8929	+ 0.0397	· · · · ·	155 5 12.50	92.55	3		+ 4.003	-0.844	
												-					

56

۰.

THIRD MELBOURNE GENERAL CATALOGUE OF STARS, 1890.

No.	Mag.	Star's Name.	Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annuai Precession in R.A.	Secular Variation	Annual Proper Motion.	Mean N.P.D., 1890 ° 0.	Mean Year of Observations.		ber of erva- ons.	Annuai Precession in N.P.D.	Secular Variation.	Annuai Proper Motion.
				Mear	Num Obse					Mear	-	S.P.			
			h. m. s.			8.	8.	S.	0 / #				"	"	
2201	7.8	D.M 12° • 4726	17 14 48.74	91.61	3	+ 3.3745	+ 0.00		102 58 18.77	91.62	3		+ 3.928	-0.484	
2202	6.5	Ophiuchi B.A.C. 5846	17 14 56.72	85.65	5	+ 3.6782	+ 0.00	9 -0.007	114 47 38.25	85.64	3		+ 3.917	-0.528	+0.04
2203	3.4	$\theta$ Ophiuchi	17 15 15.21	89.27	94	+ 3.6809	+ 0.00	9 -0.002	114 53 18.97	88.59	14	••	+ 3.890	-0.528	+0.03
2204	8.3	D.M 10° • 4479	17 15 35.87	91.58	3	+ 3.3263	+ 0.00	5	100 56 53.75	91.58	4	••	+ 3.861	-0.478	
2205	5.2	$\omega$ Herculis	17 16 32.61	90.62	3	+ 2.2326	+ 0.00	0	57 23 24.33	90.62	3	••	+ 3.780	-0.351	••
2206	9.0	D.M 11° • 4369	17 18 37.10	91.52	3	+ 3.3469	+ 0.00	4	101 47 4.00	91.53	3		+ 3.601	-0.482	
2207	10.1		17 18 56.87	92.58	3	+12.3004	+ 0.26	5	171 53 12.79	92.58	3	••	+ 3.573	-1.767	
2208	9.1		17 19 25.12	92.59	4	+ 6.6822	+ 0.05		159 58 11.61	92.59	4	•••	+ 3.532	-0.961	
2209	9.5	D.M 10° • 4490	17 19 27.55	91.61	3	+ 3.3113	+ 0.00		100 16 58.57	91.61	3	•••	+ 3.529	-0.477	
2210	9.0	M.Z. 16835	17 19 36.39	85.61	3	+ 5.6178	+ 0.03		152 39 22.64	85.61	3	•••	+ 3.216	-0.808	
2211	9.0	D.M13°·4612	17 20 5.63	91.56	3	+ 3.3953	+ 0.00	5	103 46 28.40	91.56	3		+ 3.474	-0.489	
2212	4.2	d Ophiuchi	17 20 19.80	90.59	3	+ 3.8257	+ 0.00	2 0.000	119 45 58.60	90.59	3		+ 3.454	-0.551	+0.15
2213	7.5	Aræ B. 6076	17 20 47.46	93.54	3	+ 6.0075	+ 0.03	8	155 49 36.95	93.54	3		+ 3.414	-0.865	
2214	8.7	M.Z. 42159	17 20 57.62	92.55	3	+ 6.3300	+ 0.04		157 58 44.00	92.56	3		+ 3.399	-0.911	• •
2215	4.4	$\sigma$ Ophiuchi	17 21 3.36	88 • 83	46	+ 2.9749	+ 0.00	8 -0.002	85 45 47 34	88.25	12	•••	+ 3.391	-0.429	-0.05
2216	9.2	•• •• ••	17 21 50.06	92.54	3	+10.5621	+ 0.16	3	170 1 0.33	92.54	3		+ 3.324	-1.521	
2217	9.0	$D.M 10^{\circ} \cdot 4501$	17 23 5.20	91.51	3	+ 3.3216	+ 0.00		100 41 13.54	91.51	3	•••	+ 3.216	-0.479	
2218	10.0	$D.M 12^{\circ} \cdot 4762$	17 23 44.73	91.61	4	+ 3.3710	+ 0.00		102 44 17.03	91.62	3	•••	+ 3.159	-0.487	
2219	8.9	·· ·· ··	17 24 47.78	92.59	3	+ 7.3874	+ 0.05		162 58 35.55	92.59	3	••	+ 3.068	-1.066	
2220	7.4	Aræ B. 6093	17 24 47.93	93.60	3	+ 6.1527	+ 0.03	. G	156 47 6.07	93.60	3	••	+ 3.068	-0.888	
2221	7.6	Aræ L. 7290	17 25 12.23	93.54	3	+ 6.0293	+ 0.03	2	155 55 7.17	93.54	3		+ 3.033	-0.871	
2222	8.9	D.M12° •4765	17 25 16.82	91.62	3	+ 3.3758	+ 0.00	0	102 55 25.00	91.62	3		+ 3.026	-0.488	
2223	8.2	D.M9° •4564	17 25 41.35	<b>91</b> .58	3	+ 3.3032	+ 0.00	6	99 53 49.30	91.58	3	•••	+ 2.991	-0.478	
2224	9.2		17 25 52.25	92.61	3	+ 6.8867	+ 0.04		160 52 57.89	92.61	3	•••	+ 2.975	-0.994	
2225	9.2	M.Z. 16855	17 25 55.82	85.61	3	+ 5.5706	+ 0.02	7	152 6 35.02	85.61	3	•••	+ 2.970	-0.802	
2226	8.0	D.M 11° • 4401	17 26 3.77	91.54	3	+ 3.3503	+ 0.00	8	101 51 57.56	91.54	3		+ 2.959	-0.484	
2227	7.5	Apodis L. 7285	17 26 30.92	93 .65	2	+ 6.8329	+ 0.04		160 37 18.04	93.65	2		+ 2.919	-0.987	
2228	9.3	D.M 10° • 4517	17 26 43.95	91.65	4	+ 3.3100	+ 0.00		100 10 29.72	91.65	5		+ 2.901	-0.479	
2229	6.6	Octantis L. 7078	17 26 52.64	87.54	52	+18.7220	+ 0.20		175 10 4.80	88.29	16			-2.703	
2230	8.8	D.M 13° • 4651	17 27 30.66	91.61	3	+ 3.4002	+ 0.00	8	103 54 28.37	91.61	3	•••	+ 2.833	-0.492	••
2231	9.6		17 27 44.03	92.55	4	+ 9.3307	+ 0.10	4	168 3 29.84	92.55	4		+ -2.814	-1.348	
2232	7.7	Apodis L. 7292	17 28 39.81	93 .61	3	+ 7.4944	+ 0.05		163 19 36.10	93.61	3		+ 2.733	-1.084	
2233		$\theta$ Scorpii	17 29 24.86	92.59	2	+ 4.3049	+ 0.00		132 55 35				+ 2.668	-0.623	+0.01
2234		a Ophiuchi	17 29 49.64	88 • 90	66	+ 2.7753	+ 0.00		77 21 32.86	88.73	15		+ 2.632	-0.405	+0.22
2235	8.2	M.Z. 48636	17 30 14.03	92.53	3	+ 6.5178	+ 0.03	7	158 57 19.03	92.53	3		+ 2.597	-0.944	••
2236	6.9	Apodis L. 7317	17 31 6.01	93.55	3	+ 7.1946	+ 0.04	7	162 9 52.88	93.55	3		+ 2.522	-1.042	
2237	3.3	ξ Serpentis	17 31 17.25	89.11	6	+ 3.4361	+ 0.00		105 19 42.20	89.12	6		+ 2.506	-0.498	+0.05
2238	8.1	Octantis L. 7184	17 31 33.86	89.43	8	+14.1839	+ 0.25		173 11 29.93	90.86	4	. 1		-2.054	
2239	9.0	D.M 12° · 4788	17 31 33.96	91.54	3	+ 3.3785	+ 0.00		102 59 18.42	91.54	3		+ 2.481	-0.490	
2240	7.7	Telescopii	17 31 35.14	84.69	3	+ 4.0337	+ 0.00	4	125 55 31.24	84.69	3		+ 2.480	-0.585	

1.5

57

No.	Mag.	Star's Name.		[Mean R. A. 1890•0.	un Year of servations.	Number of Observations.	° Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D. 1890 ° 0.	n Year of ervations.	Obse	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion
_					Mean Obser	Nur Obs					Mean	-	S.P.			
				h. m. s.						0 1 11					"	
2241	6.2	D.M 10° • 4528		17 32 3.37	91.50	3	s. + 3•3271	s. + 0.0042	9.	100 51 33.10	91.50	3		+ 2.439	-0.483	
2242	9.0			17 33 34.62	92.55	3	+ 7.6792	+ 0.0490		163 55 8.90	92.55	3	•••	$+ 2 \cdot 307$	-1.114	••
2243	8.5	Apodis L. 7319		17 34 13.23	93.62	1	+ 8.4616	+ 0.0623		166 9 8.80	93.62	2		+ 2.251	-1.227	
2244	9.6	M.Z. 16877		17 34 38.25	85.61	3	+ 5.6007	+ 0.0188		152 16 33.48	85.61	3		+ 2.215	-0.813	
2245	2.4	κ Scorpii		17 34 52.70	88.85	11	+ 4.1475	+ 0.0073	-0.003	128 58 19.62	88.24	9		+ 2.194	-0.605	+0.01
2246	3.7	$\eta$ Pavonis		17 34 56.23	93.60	3	+ 5.8798	+ 0.0216	-0.006	154 40 10.11	93.60	3		+ 2·189	-0.853	+0.04
2247	9.0	D.M 12° • 4809		17 35 28.74	91.51	3	+ 3.3624	+ 0.0040		102 18 4.80	91.51	3		+ 2.141	-0.489	
2248	8.8	D.M 9° • 4591		17 35 48.69	91.58	3	+ 3.2992	+ 0.0038		99 40 36 . 25	91.58	3		+ 2.112	-0.479	
2249	7.7	D.M 13° • 4715		17 35 50.79	91.53	3	+ 3.4011	+ 0.0040		103 53 1.04	91.53	3		+ 2.109	-0.494	
2250	9.8			17 36 13.31	92.58	3	+11.4490	+ 0.1255	••	170 58 49.32	92.58	3	•••	+ 2.077	-1.662	
2251	8.2	Apodis L. 7359		17 36 19.55	93.65	3	+ 6.7031	+ 0.0299		159 53 1.35	93.65	3		+ 2.068	-0.973	
2252	3.2	ι Herculis		17 36 21.53	89 • 50,	- 8	+ 1.6924	+ 0.0035	0.000	43 56 3.60	89.50	8		+ 2.065	-0.246	0.00
2253	2.9	$\beta$ Ophiuchi		17 38 2.25	88.76	63	+ 2.9651	+ 0.0030	0.000	85 23 9.22	88.50	17		+ 1.919	-0.431	-0.12
2254	8.2	D.M 12° • 4822	••	17 38 16.76	91.63	3	+ 3.3797	+ 0.0038		102 59 43.96	91.63	3	•••	+ 1.898	-0.492	
2255	9.1	D.M 11° • 4453	•••	17 38 41.15	91.56	3	+ 3.3375	+ 0.0036		101 15 29.83	91.56	3	••	+ 1.862	-0*485	
2256	9.1	M.Z. 42209		17 38 44.67	92.53	3	+ 6.3762	+ 0.0233		158 3 16.84	92.53	3		+ 1.857	-0.927	
2257	8.3	Apodis B. 6170		17 39 12.73	93.60	3	+ 8.1106	+ 0.0448		165 11 48.72	93.60	3		+ 1.816	-1.179	
2258	9.3		***	17 39 38.09	92.57	3	+ 9.9718	+ 0.0756		169 4 33.21	92.57	3	1	+ 1.779	-1.449	
2259	2.7	ι <sup>1</sup> Scorpii		17 39 53.47	88.49	10	+ 4.1933	+ 0.0064	-0.001	130 4 59.47	88.49	10		+ 1.757	-0.610	0.00
<b>22</b> 60	8.3	M.Z. 16903	•••	17 41 2.64	85.61	3	+ 5.6195	+ 0.0144	• •	152 23 12.97	85.61	3		+ 1.657	-0.818	
2261	3.5	μ Herculis		17 42 9.12	89.06	53	+ 2.3702	+ 0.0025	-0.024	62 12 51.45	87.85	13		+ 1.560	-0.345	+0.74
2262	7.8	D.M 10° • 4553		17 42 34.04	91.58	3	+ 3.3132	+ 0.0032		100 13 58.48	91.58	3		+ 1.524	-0.483	
2263	9.0			17 42 53.06	92.56	3	+ 8.8264	+ 0.0461		166 57 19.06	92.57	3	••	+ 1.496	-0.285	
2264	8.9	M.Z. 31387	• •	17 43 17.24	92.53	3	+ 6.0771	+ 0.0100		156 4 11.56	92.53	3		+ 1.461	-0.885	
2265	7.9	D.M 12° • 4851	•••	17 44 13.85	91.54	3	+ 3.3291	+ 0.0032		102 7 35.57	91.54	3		+ 1.379	-0.489	
2266	7.9	Apodis L. 7415		17 44 31.41	93.61	3	+ 6.9608	+ 0.0218		161 3 59.56	93.61	3		+ 1.353	-1.014	
2267	8.2	Pavonis M. <sub>1</sub> . 899		17 44 38.36	93.57	3	+ 6.2493	+ 0.0160		157 13 25.08	93.57	3		+ 1.343	-0.910	
2268	8.3	D.M 13° • 4765		17 44 56.84	91.62	3	+ 3.4034	+ 0.0032		103 55 43.68	91.62	3		+ 1.316	-0.496	
2269	6.9	Pavonis L. 7432		17 45 19.27	93.63	3	+ 6.0256	+ 0.0138		155 41 16.35	93.63	3		+ 1.283	-0.878	
2270	7.7	Octantis		17 46 47.58	85.68	4	+26.1578	+ 0.4692		176 41 28.37	85.68	3		+ 1.155	-3.809	
2271	6.5	D.M 10° • 4560		17 46 56.83	91.58	3	+ 3.3289	+ 0.0029		100 52 17.14	<b>91 ·</b> 58	3		+ 1.141	-0.485	
2272	8.5	M.Z. 16925		17 47 54.04	85.61	3	+ 5.5980	+ 0.0094		152 8 19.52	85.61	3		+ 1.058	-0.816	
2273	9.2	D.M 12° • 4865		17 47 59.81	91.62	3	+ 3.3802	+ 0.0029		102 58 36.45	91.62	3		+ 1.050	-0.493	
2274	8.9	M.Z. 48659	••	17 49 1.26	92.53	3	+ 6.5915	+ 0.0134		159 13 11·21	92.53	3		+ 0.960	-0.961	
2275	5.2*	f Herculis		17 49 43.14	86.65	3	+ 1.9507	+ 0.0027		49 58 <b>13</b> .58	86.65	3	• •*	+ 0.899	-0.282	•••
2276	9.7	M.Ž. 31725		17 49 46 . 19	92.56	4	+ 6.2168	+ 0.0107		156 59 11.46	92.56	3		+ 0.895	-0.906	
2277	6.0	Octantis B.A.O. 59		17 50 7.57	87.41	47	+35.7885	+ 0.6898	-0.118	177 39 43.98	88.31	20	23	+ 0.864	-5.215	+0.12
2278	8.3	D.M 10° • 4565		17 50 22.51	<b>91</b> .55	3	+ 3.3121	+ 0.0026		100 10 12.99	91 . 55	3		+ 0.842	-0.483	
2279	8.8	D.M11° •4486		17 50 30.67	91.60	3	+ 3.3541	+ 0.0026		101 54 17.51	91.60	3		+ 0.830	-0.489	
2280	7.9	D.M13°·4798		17 50 53.34	91.65	3	+ 3.3966	+ 0.0026		103 38 12.10	91.65	3		+ 0.797	-0.492	

\* Boss 1900.

G

9589.

No.	Mag.	Star's Name.		Mean R.A., 1890°0.	n Year of srvations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tio	rva-	Annual Precession in N.P.D.	Secular Variation.	Annual Proper Motion.
					Mean Obser	Nun Obs(				kult a t	Meal	-	S.P.		1 = 1	
				h. m. s.			S.	S.	8.	0 1 11				"	"	
2281	7.2	Apodis L. 7457	• •	17 51 11.94	93.28	3	+ 7.4271	+ 0.0149		162 56 43.02	93.57	3	••	+ 0.770	-1.083	
2282	9.2			17 51 27.76	92.62	3	+16.0655	+ 0.0000		174 7 45.51	92.61	3		+ 0.747	-2.341	••
2283	8.8		••	17 52 26.39	92.59	3	+12.4036	+ 0.0468		171 51 4.45	92.59	3		+ 0.661	-1.808	
2284	4.6	heta Herculis	••	17 52 28.74	89.06	7	+ 2.0359	+ 0.0025	-0.005	52 44 2.85	89.13	6	1	+ 0.628	-0.300	-0.05
2285	8.5	Pavonis M. <sub>1</sub> , 906	••	17 52 28.88	93.63	3	+ 5.9495	+ 0.0021	••	155 5 19.27	93.63	3	•••	+ 0.628	-0.868	••
2286	3.4	$\nu$ Ophiuchi		17 52 58.23	89.16	6	+ 3.3024	+ 0.0024	-0.002	99 45 32.90	89.17	6		+ 0.612	-0.482	+0.10
2287	8.4	D.M 11° • 4510		17 54 12.55	91.54	3	+ 3.3384	+ 0.0023		101 15 6.52	91.54	3		+ 0.207	-0.487	
2288	7.0	D.M 12° • 4890		17 54 14.85	91.59	3	+ 3.3806	+ 0.0023		102 58 49.34	91.59	3		+ 0.503	-0.493	
2289	3.8	67 Ophiuchi		17 55 8.12	89.11	6	+ 3.0039	+ 0.0022	0.000	87 3 43.52	89.10	6		+ 0.426	-0.438	+0.01
2290	9.3	M.Z. 16951		17 55 38.06	85.62	3	+ 5.6262	+ 0.0039		152 22 18.26	85.63	4		+ 0.382	-0.820	
2291	6.2	Apodis L. 7473	•••	17 55 52.41	93.57	3	+ 8.3908	+ 0.0092	-0.01	165 53 30.47	93.57	3		+ 0.361	-1.224	+0.3
2292	7.0	Apodis L. 7500	• •	17 56 53.47	93.61	3	+ 7.1034	+ 0.0021	•••	161 39 11.67	93.61	3		+ 0.272	-1.036	
2293	6.7	Octantis L. 7348	••	17 57 28.40	89.13	8	+16.7580	+ 0.0291	••	174 25 15.69	89.55	6			-2.444	•••
2294	9.1	M.Z. 42245	•••	17 57 43.70	92.53	3	+ 6.3864	+ 0.0029		158 1 49.88	92.53	3	•••	+ 0.199	-0.931	•••
2295	9.2	•• ••	•••	17 58 3.73	92.58	0	+ 9.4166	+ 0.0024		168 6 3.18	92.58	3		+ 0.120	-1.373	•••
2296	9.0	D.M. $-9^{\circ} \cdot 4644$		17 58 23.19	91.54	3	+ 3.3076	+ 0.0019		99 58 23.51	91.54	3		+ 0.141	-0.482	
2297	6.0	Apodis L. 7507		17 58 35.90	93.60	3	+ 7.6381	+ 0.0024		163 40 47.09	93.60	3		+ 0.123	-1.114	
2298	3.3	γ <sup>2</sup> Sagittarii		17 58 44.46	89.06	17	+ 3.8576	+ 0.0018	-0.006	120 25 26.82	88.77	16		+ 0.110	-0.563	+0.19
2299	8.0	$D.M 14^{\circ} \cdot 4880$	•••	17 59 43.54	91.58	3	+ 3.4109	+ 0.0018		104 12 18.02	91.58	3		+ 0.024	-0.497	
2300	4.0	$p^{1}$ Ophiuchi $\ldots$	•••	17 59 53.75	90.59	3	+ 3.0136	+ 0.0019	•••	87 28 27.14	90.58	4		+ 0.009	-0.439	••
0201	0.0	NT 17 01 500		10 0 0.00	00.01	0	1 6.1079	1 0.0007		150 15 04.54	00.01	0		0.010	0.000	
2301 2302	8.8	M.Z. 31739	••	18 0 6.83	92.61	3	+ 6.1852	+ 0.0005 + 0.0017	•••	$\begin{array}{c} 156 \ 45 \ 24 \cdot 54 \\ 101 \ 56 \ 15 \cdot 09 \end{array}$	92·61 91·61	3	•••	- 0.010	-0.902	
2302	8.9	D.M 11° • 4534	••	18 0 24.60 18 0 32.70	91.61 92.58	3	+ 3.3552 + 6.7336	0.0000		101 50 15 09 $159 56 24 \cdot 21$	92.58	3	•••	-0.036 - 0.048	-0.489 -0.982	•••
2304	3.7	72 Ophiuchi	•••	18 2 8.03	89.58	98	+ 2.8476	+ 0.0019	-0.006	80 27 3.49	88.30	17		- 0.187	-0.412	-0.09
2305	9.4	M.Z. 17940	•••	18 2 49.05	85.67	3	+ 5.6179	- 0.0012		152 17 33.59	85.67	3		- 0.246	-0.819	
2306	4.0	o Herculis		18 3 15.02	89.13	6	+ 2.3392	+ 0.0022	-0.001	61 15 6.36	89.13	6		- 0.284	-0.341	0.00
2307	7.3	D.M11°•4548	•••	18 4 38.43	91.60	3	+ 3.3334	+ 0.0014		101 2 30.88	91.60	3		- 0.406	-0.486	
2308	9.0	D.M. $-12^{\circ} \cdot 4939$	••	18 4 39.65	91.56	3	+ 3.3803	+ 0.0013		102 58 0.36	91.56	3		- 0.408	-0.493	
2309	5.0	Pavonis B.A.C. 614	8	18 5 13.99	86.35	6	+ 5.7049	- 0.0032		153 4 56.78	86.32	3	3	- 0.458	-0.832	••
2310	8.1	Octantis B. 6229	••	18 6 24.63	93.65	3	+23.5586	- 0.1906		176 16 4.21	93.65	3	•••	- 0.260	-3.434	
2311	4.0	μ Sagittarii		18 7 11.07	88.60	80	+ 3.5878	+ 0.0008	-0.001	111 5 11.82	87.69	16		- 0.629	-0.523	0.00
2312	9.0	D.M 11° • 4562		18 7 11 07 18 7 23.13	91.65	3	+ 3.3545	+ 0.0011	-0 001	101 54 58.56	91.65	4		- 0.646	-0.489	
2313	9.2	D.M 14° • 4940	•••	$18 7 27 \cdot 36$	91.67	3	+ 3.4107	+ 0.0010		104 12 8.47	91.67	3		0 0 00	-0.497	
2314		14 Sagittarii		18 7 39.34	90.67	4	+ 3.6053	+ 0.0007		111 44 29.66	90.69	3		- 0.670	-0.525	
2315	9.5	D.M 9° • 4671		18 8 3.07	91.62	3	+ 3.3057	+ 0.0011		99 54 1.28	91.62	4		- 0.704		
										A CONTRACTOR				-		
2316	7.6	Pavonis G. 24828	• •	18 8 29.06	93.58	3	+ 6.1734	- 0.0077		156 41 30.64	93.58	3		- 0.742	-0.899	
2317	9.0	Pavonis	••	18 9 15.36	93.62	3	+ 7.7612	- 0.0128		164 5 54.44	93.62	3		- 0.810	-1.130	
2318	9.0		••	18 9 28.64	92.54	3	+ 7.4580	- 0.0162	••	163 3 38.56	92.54	3	•••	- 0.829	-1.086	
2319	9.3	M.Z. 42417	••	18 10 19.11	92.59	4	+ 5.9352	- 0.0082		154 59 24.22	92.60	2	•••	- 0.902	-0.864	
2320	7.7	M.Z. 17966		18 10 54.97	85.66	3	+ 5.6085	- 0.0010		152 13 53.10	85.66	3		- 0.955	-0.817	

\* Boss 1900.

.

No.	Mag.	Star's Name.		Mean R.A., 1890 ° 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 ° 0.	Mean Year of Observations.	Obse	ber of erva- ons.	Annual Precession In N.P.D.	Secular Variation.	Annual Proper Motion.
					Mean	Num Obse					Mean		S.P.		•	
				h. m. s.			s.	8.	8.	0 / #						
2321	9.2		••	18 10 57.73	92.57	3	+ 6.9719	- 0.0121	••	161 5 45.57	92.57	3	•••	- 0.959	-1.012	
2322	7.9	Octantis B. 6338	•••	18 11 15.36	93.65	3	+ 9.7311	- 0.0406	••	168 39 39.32	93.65	3	•••	- 0.985	-1.417	
2323 2324	7·5 7·4	D.M 12° • 4974 Octantis L. 7569	•••	18 11 46 • 59 18 12 1 • 52	91·55 93·60	3	+ 3.3785 + 9.0540	+ 0.0007 - 0.0357		102 54 33 88 167 25 6 42	91·55 93·60	34	••	-1.030 -1.052	-0.492	
2325	8.6	D.M 10° • 4646	••	18 12 25.07	91.61	3	+ 3.3296	+ 0.0007	••	100 53 57.28	91.61	3	•••	- 1.032	-1.318 -0.484	••
2020	0.7	9		10.10.55.00	00.40			0.0000		110 50 04 00	00.10				0 770	
2326	3.7	8 Sagittarii		18 13 57.09	89.49	. 7	+ 3.8390		+0.001	119 52 24.93	89.16	6	••	- 1.220		+0.03
2327 2328	9·5 8·7	D.M. – 13° • 4947	•••	18 14 49 · 10 18 15 4 · 54	92·56 91·60	3	+ 8.8527 + 3.4010	-0.0414 + 0.0003		167         0         13.05           103         50         4.40	92·56 91·60	3	••	-1.296 -1.318	-1.288 -0.494	••
2329	3.4	$\eta$ Serpentis	•••	13 15 4 54 18 15 37.04	89.16	83	+ 3.1406	+ 0.0003	-0.040	$92 55 35 \cdot 48$	87.96	17	•••	- 1.365	-0.434 -0.426	+0.68
2330	7.8	D.M 11° • 4606	••	18 15 40.82	91.65	3	+ 3.3553	+ 0.0001		101 58 12.96	91.65	3		- 1.371	-0.482	
0001	0.5	D M 100-1070		10.10.00.10	01.00		0.0107	1 0.0004		100 00 00.50	01.00			1.407	0.400	
2331 2332	8·5 9·0	D.M 10° • 4670 M.Z. 31879	••	18 16 26 · 18 18 16 27 · 94	91.62 92.59	3	+ 3.3167	+ 0.0004 - 0.0144		100 22 38·56 155 57 15·50	91·62 92·59	3	•••	-1.437 -1.439	-0.482 -0.881	••
2333	2.9	ε Sagitarii	••	$18 \ 16 \ 21^{-94}$ $18 \ 16 \ 52^{\circ}23$	92.39	21	+ 6.0610 + 3.9866	-0.0144 - 0.0019	-0.005	135 37 13 30 124 26 7 36	92·09 89·17	6	••	- 1.439	-0.331 -0.329	+0.14
2334	9.3	M.Z. 17990	•••	18 17 59.03	85.66	3	+ 5.5856	-0.0118	-0 000	152 3 38.61	85.66	3	•••	- 1.572	-0.811	
2335	9.0	D.M 10° • 4682		18 18 14.50	91.64	3	+ 3.3283	+ 0.0002		100 51 57.33	91.64	3		- 1.594	-0.483	
2336	6.5	Pavonis L. 7642		18 18 47.67	93.58	3	1 7.5005	- 0.0356	-0.002	164 1 54.04	93.58	3		- 1.643	-1.123	+0.12
2337	3.6	109 Herculis		18 19 0.56	89.00	5	+ 7.7287 + 2.5418		+0.013	68 16 45.80	88.99	5		- 1.661	-0.369	+0.26
2338	8.3	Pavonis B. 6394		18 19 52.99	93.61	3	+ 6.3727	- 0.0208	10 010	·158 1 23·33	93.61	3		- 1.738	-0.925	
2339	8.3	D.M 13° · 4977		18 20 9.78	91.57	3	+ 3.3813	- 0.0001		103 3 9.11	91.57	3		- 1.762	-0.490	
2340	7.2	Pavonis L. 7666		18 20 45.21	93.64	3	+ 7.1318	- 0.0310		161 50 29.49	93.64	3		- 1.813	-1.035	
0241	0.0	$\lambda$ Sagittarii		10 91 10.00	00.70	00	1 9.5050	0.0014	0.007	115 00 50.00	97.05	1.		1.071	0.527	1.0.00
2341 2342	2·9 9·3		••	18 21 10·89 18 22 0·49	88·79 92·54	69 3	+ 3.7070 + 6.7242	-0.0014 - 0.0274	-0.002	115 28 53 06 159 58 40 31	87·95 92·55	15	•••	-1.851 -1.923	-0.537 -0.975	1
2343	9.9			18 22 21.70	92.59	3	+ 11.3525	- 0.1185	••	139 58 40 51 170 52 17.05	92.60	3		- 1.954	-1.647	
2344	8.0	D.M 10° • 4705		18 22 42.68	91.60	3	+ 3.3141	- 0.0001		100 17 35.89	91.60	3		- 1.984	-0.480	
2345	8.0	D.M 13° • 4997		18 23 10.44	91.63	3	+ 3.3960	- 0.0004		103 40 4.86	91.63	3		- 2.024	-0.495	
2346	9.0	D.M 12° • 5070		18 23 40·54	91.65	3	+ 3.3569	- 0.0003		102 4 8.45	91.65	3		- 2.068	-0.486	1.2.1
2347	8.7	Pavonis G. 25245		18 24 13.52	93.66	3	+ 6.7182	-0.0302		159 57 55.35	93.66	3		- 2.116	-0.973	•••
2348	8.3	Pavonis B. 6415		18 24 29.40	93.59	3	+ 6.5647	- 0.0284		159 9 41.35	93.59	3		- 2.139	-0.951	
2349	8.7	Pavonis B. 6412		18 24 45.89	93.63	3	+ 7.1772	- 0.0378		162 3 28.87	93.63	3		- 2.163	-1.040	
2350	8.8	M.Z. 18006		18 24 52.42	85.66	3	+ 5.5999	- 0.0169	••	152 15 46.00	85.66	3		- 2.172	-0.811	
2351	7.0*	Octantis L. 7573		18 25 32.89	93.72	1	+14.5882	- 0.2495		173 25 8.37	93.72	1	-	- 2.231	-2.113	
2352	8.8	Octantis L. 1313		18 25 57·93	92.59	3	+13.6388	-0.2450 -0.2159	••	172 50 6.32	92.59	4		-2.201 -2.267	-1.975	••
2353	9.1			18 26 52.00	92.59	3	+ 8.4726	- 0.0661		166 11 12.63	92.58	4		- 2.345	-1.226	
2354	8.5	D.M 10° • 4717		18 26 57.80	91.57	3	+ 3.3254	- 0.0005		100 47 0.50	91.57	3		- 2.354	-0.481	
2355	8.0	D.M 13° • 5031		18 27 59 . 20	91.61	3	+ 3.3831	- 0.0008		103 10 32.16	91.61	3		- 2.443	-0.489	
2356	7.7	Pavonis L. 7744		18 28 22.61	93.60	3	+ 5.9114	- 0.0234		154 57 8.35	93.60	3		- 2.477	-0.854	
2357	4.0	ζ Pavonis		18 30 10.93	87.74	22	+ 7.0381	- 0.0435	-0.008	161 31 14.34	88.33	9	9	- 2.633	-1.016	
2358	8.2	D.M12°.5115		18 30 21.31	91.59	3	+ 3.3559	- 0.0009		102 4 15.25	91.59	3		- 2.648	-0.484	
2359	7.9	Pavonis G. 25387		18 30 22.81	93.66	3	+ 7.0069	- 0.0432		161 23 8.79	93.66	3		- 2.650	-1.012	
2360	6.4	Octantis L. 7700		18 30 54.73	93.63	3	+ 9.2925	- 0.0978		167 58 38.09	93.64	4		- 2.697	-1.342	

\* Cape 1880.

59

60

No.	Mag.	Star's Name.		Mean R.A., 1890'0.	Mean Ycar of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Numb Obse tio		Annuai Precession in N.P.D.	Secular Variation.	Aunua Proper Motion
			-		Mee	Nul					Mee	-	S.P.			
-											_					
				h. m. s.		-	8.	8.	8.	0 / //					11	"
2361	7.0	D.M 14° • 5139		18 31 49.99	91.64	3	+ 3.4050	- 0.0013		104 5 50.31	91.64	3		- 2.776	-0.490	
2362	8.9	M.Z. 18023		18 32 13.46	85.66	3	+ 5.6071	- 0.0222	••	152 25 28.66	85.66	3	•••	- 2.810	-0.808	
2363	9.0	D.M10° •4738		18 32 26.52	91.62	3	+ 3.3082	- 0.0009		100 5 54.78	91.62	3	•••	- 2.829	-0.476	
2364	0.1	a Lyræ ••		18 33 12.77	89.43	29	+ 2.0135		+0.012	51 19 5.44	88.00	14	••	- 2.896	-0.289	-0.30
2365	9.4	••	••	18 33 13.30	92.63	- 3	+18.1670	- 0.5397	••	174 59 28.59	92.63	3	•••	- 2.897	-2.620	
2366	7.5	Octantis L. 7612		18 33 47.37	87.62	10	+15.7970	- 0.3977		174 4 0.80	87.16	10	6	- 2.946	-2.277	
2367	8.8	Pavonis G. 25487		18 34 13.21	93.59	3	+ 6.3374	- 0.0357		157 57 24.06	93.59	3		- 2.983	-0.913	
2368	9.0	D.M 12° • 5137		18 34 25.84	91.59	3	+ 3.3729	- 0.0014		102 48 10.66	91.59	3		- 3.001	-0.485	
2369	9.7	M.Z. 31918		18 34 51.08	92.59	3	+ 6.0355	- 0.0310		155 57 49.09	92.59	3		- 3.038	-0.869	
2370	6.8	Pavonis L. 7771		18 36 11.41	93.63	3	+ 7.4205	- 0.0612	-0.005	163 6 34.54	93.63	3	••	- 3.153	-1.067	-0.01
2371	8.7	805 71 a		18 36 15.46	92.67	3	+ 10.5355	- 0.1593		169 58 5.99	92.67	3		- 3.159	-1.516	1
2372	8.5	D.M11° •4717		18 36 21.95	91.61	3	+ 3.3343	- 0.0013		101 12 55.22	91.61	3		- 3.169	-0.479	
	10.0			18 36 37.08	92.57	4	+ 6.9303	- 0.0206		161 6 47.39	92.57	4		- 3.190	-0.996	
2374	8.5	Octantis B. 6453		18 36 56.92	93.59	. 3	+ 8.8690	- 0.1030		167 10 31.48	93.59	3		- 3.219	-1.275	
2375	5.1	$\theta$ Pavonis		18 37 48.87	86.38	6	+ 5.9252	- 0.0318	0.000	155 11 24.56	86.38	3	3	- 3.294	-0.821	+0.05
2376	9.3	M.Z. 43029		18 38 12.59	92.62	3	+ 6.3343	- 0.0399		157 59 33.74	92.62	3		- 3.328	-0.910	
2377	3.3	$\phi$ Sagittarii		18 38 47.00	88.30	19	+ 3.7470	- 0.0042	+0.001	117 6 9.66	88.14	15		- 3.377	-0.537	+0.02
2378	8.7	M.Z. 18044		18 38 57.69	85.66	. 3	+ 5.6023	- 0.0271		152 29 17.69	85.66	3		- 3.393	-0.804	
2379	8.7			18 39 6.13	92.70	3	+ 8.0171	- 0.0827		165 4 50.43	92.70	3		- 3.405	-1.151	
2380	7.8	D.M13° • 5093		18 39 26.45	91.58	. 3	+ 3.3956	- 0.0020		103 46 57.38	91.58	3	••	- 3.434	-0.486	
2381	9.0	D.M 12° • 5160		18 39 43.30	91.60	3	+ 3.3573	- 0.0018		102 12 14.45	91.60	3		- 3.458	-0.481	
2382	8.0	D.M 10° • 4788		18 39 50.93	91.63	. 3	+ 3.3074	- 0.0015		100 6 44.70	91.63	3		- 3.469	-0.474	
2383	3.8	110 Herculis		18 40 55.59	89.16	6	+ 2.5821	+ 0.0012	-0.003	69 33 29.31	89.16	6		- 3.562	-0.369	+0.3
2384	8.0	Pavonis G. 25673		18 41 34.28	93.59	3	+ 6.6767	- 0.0514		159 57 22.99	93.59	3		- 3.617	-0.956	
2385	5.6	$\sigma$ Octantis		18 42 22.47	87.54	55	+ 105 . 7770	-29.1445	+0.084	179 16 0.83	88.67	40	46	- 3.686	-15.164	4+0.01
2386	8.8	M.Z. 42501		18 42 40.23	92.71	3	+ 5.8930	- 0.0354		155 1 25.04	92.71	3		- 3.712	-0.843	
2387	8.0	D.M 11° • 4758	•••	18 43 8.91	91.61	3	+ 3.3301	- 0.0019		101 5 46.52	91.61	3	•••	- 3.753	-0.475	
2388	8.7	D.M 12° • 5182		18 43 18.30	91.63	3	+ 3.3744	- 0.0022		102 56 49.77	91.63	3		- 3.767	-0.482	
2389		M.Z. 42502		18 44 0.56	92.69	3	+ 5.8813	- 0.0363		154 58 50.87	92.69	3		- 3.827	-0.841	
2390		M.Z. 22917		18 44 29.07	92.66	1	+ 5.8172	- 0.0323		154 27 20.26	92.66	1		- 3.868	-0.831	
2391	9.0	a have by		10 44 54.09	00.00	0	1 10.0000	0.9047		171 57 50.42	92.62	9		2.005	1.786	
2391	1		•••	18 44 54 · 93 18 45 41 · 20	92.63 85.66	3	+12.3603 + 5.5894	- 0.2947		171 57 50·43 152 29 48·81	85.66	3		- 3.905 - 3.971	-1.766 -0.797	, .
2393	1	M.Z. 18063 β <sup>1</sup> Lyrm	**	18 46 1.05	87.54	23	+ 2.2142	-0.0317 + 0.0015	-0.001	56 45 52.05	87.66	1.00	••	- 3.999	-0.315	-0.0
2394		D.M9°·4876	••	18 46 59.12	91.59	3	+ 3.2964	- 0.0020		99 42 29.32	91.59	3		- 4.082	-0.469	
2395		Pavonis L. 7848		18 46 59 64	93.64	. 3	+ 7.1185	- 0.020	••	162 4 24·61	93.64	3	••	- 4.083	-1.012	
0200	7.0	Dat 100 Files		10 /	03.00		1.0.0000	0.0005		100 15 00 00	01.00				0.100	
2396 2397		D.M 13° • 5140 D.M 11° • 4804	••	18 47 57.82	91.62	3	+ 3.3928	- 0.0027	••	103 45 39.08	91.62	3	•••	- 4.166	-0.482	
2397 2398		σ Sagittarii	••	18 48 18·54 18 48 26·66	91.66	3	+ 3.3441 + 3.7223	- 0.0024		101 44 3.93	91.66	3	•••	- 4.196	-0.475	
2399		Octantis G. 25868	•••	18 48 20.00	91·02 93·65	29	+ 3.7223 +11.8824	- 0.0055	-0.005	116 25 55.87 171 34 29.61	89.14		••	- 4.207	-0.529 -1.680	+0.0,
2399	1	$\theta$ Serpentis	nre	18 50 14.14	93·05 89·10	2	+11.8824 + 2.9799	-0.3003 - 0.0004	+ 0.001	85 56 19.31	93.65 89.10	26		-4.360 - 4.404	-1.689 -0.422	-0.04
		o worponois	pre.	10 00 10 00	00 10	0	T # 0100	- 0 0001	10001	00 00 19 31	00 10	0		T TUS	-0 422	-00

No.	Mag.	Star's Name.		Mean R.A., 1890°O.	n Ycar of ervations,	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890°0,	Mean Year of Observations.	Obse	er of rva- ns.	Annual Precession in N.P.D.	Secular Variation.	Angua Prope Motion
			_		Mean Observ	Nunr Obse					Mcar	-	S.P.			
				h. m. s.						0 / //				17		
2401	7.8	D.M13°·5162		18 51 13.99	91.59	3	s. + 3·3793	s. - 0.0029	s.	103 14 41.17	91.59	3		- 4.445	-0.479	
2402	8.4			18 51 22.76	92.65	3	+ 7.5980	- 0.0939		163 55 58.01	92.65	3		- 4.458	-1.078	
2403	6.1	Pavonis L. 7897		18 51 44.04	93.59	3	+ 6.4506	- 0.0579		158 54 27.12	93.59	3		- 4.488	-0.915	
2404	4.3	13 Lyræ	R.	18 51 59.26	88.90	12	+ 1.8233	+ 0.0008		46 11 52.72	88.90	12		- 4.510	-0.257	
2405	8.8	D.M 11° • 4826		18 52 6.09	91.62	3	+ 3.3247	- 0.0026		100 57 28.42	91.62	3	••	- 4.519	-0.420	
2406	8.9	M.Z. 31947		18 52 51.34	92.61	3	+ 6.0013	- 0.0469		156 2 27.68	92.61	3		- 4.584	-0.850	
2407	9.1	M.Z. 18073		18 53 21.67	85.66	3	+ 5.5690	- 0.0368		152 28 41.54	85.66	3		- 4.627	-0.788	
2408	8.3	Pavonis G. 25977		18 54 12.11	93.65	3	+ 6.6411	- 0.0664		159 59 19.33	93.65	3	••	- 4.698	-0.939	
2409	4.2	$\epsilon$ Aquilæ		18 54 37.76	90.16	51	+ 2.7264	+ 0.0002	-0.002	75 4 48.86	88.52	15	•••	- 4.735	-0.384	+0.0
2410	3.2	у Lyræ	••	18 54 49.66	89.15	6	+ 2.2439	+ 0.0013	-0.005	57 27 38.82	89.15	6		- 4.752	-0.316	-0.0
2411	8.9	D.M 10° • 4915		18 55 23.86	91.59	3	+ 3.3057	- 0.0027		100 11 2.73	91.59	3		- 4.800	-0.466	
2412	3.2	ζ Sagittarii		18 55 36.75	89.13	9	+ 3.8228	- 0.0076	-0.004	120 2 10.48	88.80	8		- 4.818	-0.539	-0.0
2413	8.8	D.M 11° • 4842		18 55 45.20	91.61	3	+ 3.3403	- 0.0030		101 39 35.72	91.61	3		- 4.830	-0.471	
2414	9.2			18 56 9.49	92.59	3	+15.2962	- 0.6179		173 56 37.46	92.59	3		- 4.865	-2.162	
2415	9.1		•••	18 56 16.14	92.70	3	+ 6.6299	- 0.0687		159 58 19.09	92.70	3	•••	- 4.874	-0.936	
2416	9.0	D.M 14°5265		18 56 21.47	91.63	3	+ 3.3960	- 0.0035		104 0 30.95	91.63	3		- 4.882	-0.478	
2417	7.4	Octantis L. 7884		18 56 29.43	93.59	3	+ 9.1904	- 0.1752		168 2 7.41	93.59	3		- 4.893	-1.298	
2418	7.1	Octantis L. 7751		18 57 31.95	87.03	26	+17.6117	- 0.8796		174 54 37.06	87.75	14	12	- 4.981	-2.486	
2419	8.6	Octantis G 26051	••	18 57 34.99	93.65	3	+ 9.8618	- 0.2149	••	169 12 7.09	93.65	3	••	- 4.986	-1.391	
2420	8.9	D.M 12° • 5265	••	18 58 10.07	91.62	3	+ 3.3647	- 0.0034		102 43 23.16	91.62	3	••	- 5.032	-0.423	
2421	9.4			18 58 17.34	92.64	3	+ 26 . 5440	- 2.2275		176 50 40.85	92.64	3		- 5.045	-3.744	
2422	9.5			18 59 19 21	92.58	3	+11.2427	- 0.3101		171 0 42.28	92.58	3		- 5.132	-1.583	
2423	9.1			18 59 24.71	92.67	3	+ 6.8210	- 0.0793		160 58 47.44	92.67	3		- 5.140	-0.959	
2424	8.8	D.M 11° • 4869	••	18 59 45.76	91 • 59	3	+ 3.3225	- 0.0032		100 57 6.01	91.59	3		- 5.170	-0.466	•
2425	8.3*	Pavonis G. 26139	••	19 0 7.41	93.72	1	+ 5.8619	- 0.0492	•••	155 9 42 • 49	93.72	1	•••	- 5.201	-0.853	•
2426	3.0	ζ Aqnilæ		19 0 21.21	89.20	52	+ 2.7578	+ 0.0003	-0.003	76 17 57.10	88.48	18		- 5.220	-0.386	+0.
2427	3.7	λ Aquilæ		19 0 24.69	89.16	6	+ 3.1865	- 0.0022	-0.004	95 2 48.74	89.23	7		- 5.225	-0.446	+0.
2428	9.0	M.Z. 18092		19 0 37.25	85.67	4	+ 5.5174	- 0.0408		152 10 31.62	85.67	3		- 5.242	-0.774	
2429	9.0			19 1 6.24	92.61	3	+ 7.2940	- 0.0998		163 0 44 • 41	92.61	3		- 5.283	-1.024	
2430	6.8	Octantis L. 7935	••	19 1 25.29	93.66	3	+ 8.2356	- 0.1418	••	165 58 50.82	93.66	3	•••	- 5.310	-1.126	
2431	8.9	D.M 14° • 5296		19 2 7.77	91.61	3	+ 3.3926	- 0.0040		103 57 23.41	91.61	3		- 5.370	-0.474	
2432	8.0	D.M 10° • 4971		19 3 2.92	91.59	3	+ 3.2999	- 0.0032		100 1 16.66	91 • 59	3	•••	- 5.447	-0.461	
2433	3.6	$\pi$ Sagittarii	••	19 3 13 • 29	89.00	11	+ 3.5714	- 0.0029	-0.005	111 11 51.71	88.55	10		- 5.462	-0.499	+0.
2434	8.8	D.M 12° • 5295	••	19 3 31.22	91.62	3	+ 3.3450	- 0.0037	••	101 57 42.93	91.62	3		- 5.487	-0.467	
2435	5.8	Pavonis L. 7997		19 6 8.24	93.60	3	+ 6.0698	- 0.0616	-0.004	156 50 57.64	93.60	3		- 5.707	-0.846	-0.
2436	5.9	D.M 8° • 4887		19 6 42.67	89.58	25	+ 3.2553	- 0.0031		98 7 20.70	89.58	27		- 5.755	-0.452	
2437	8.8	D.M11° • 4909		19 7 19.88	91.60	3	+ 3.3255	- 0.0038		101 11 0.27	91.60	3		- 5.807	-0.462	
2438	8.2	D.M 13° • 5281		19 8 29.81	91.61	3	+ 3.3672	- 0.0043		102 59 15.86	91.61	3		- 5.904	-0.467	
2439	8.9			19 8 55.44	92.60	3	+ 7.4643	- 0.1211		163 47 20.71	92.60	3		- 5.940	-1.037	
2440	7.1	Octantis		19 9 42.94	86.41	7	+17.3888	- 1.0442		174 54 32.21	86.26	2	2	- 6.006	-2.417	

\* Gou 1875.

N0.	Mag.	Star's Name.		Mean R.A., 1890 °O.	n Year of rvations.	Number of Observations.	Anunal Precession In R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>+</sup> 0,	Mean Year of Observations.	Obse	ber of erva- ens.	Annuai Precession in N.P.D.	Secular Variation.	Annu Prop Motic
					Mean Observ	Nun Obs(IO					Mean	-	S.P.	_		
											•					
				h. m. s.			s.	s,	8.	0 1 11				"	11	
2441	9.1	M.Z. 18116		19 10 40.69	85.67	3	+ 5.4846	- 0.0470		152 9 44.51	85.67	3		- 6.087	-0.760	
2442	9.4	• • • • •		19 11 19.82	92.58	3	+ 8.5542.	-0.1842		166 55 46.59	92.58	3		- 6.141.	-1.185	
2443	8.8	D M 12° · 5335		19 11 25.93	$91 \cdot 59$	3	+ 3.3515	- 0.0044		102 21 51.32	91.59	3		- 6.149	-0.463	
444	7.7	$D.M 9^{\circ} \cdot 5079$		19 11 58.41	91.62	3	+ 3.2940	- 0.0039		99 52 58·81	91.62	3		- 6.194	-0.454	
445	8.8	$\mathrm{D.M.}-14^\circ\cdot 5377$		19 12 10.58	91.64	3	+ 3.3899	- 0.0049		104 1 6.14	91.64	3		- 6.211	-0.467	
446	4.0	$\theta$ Lyræ		19 12 32·93	89.16	6	+ 2.0821	+ 0.0010	-0.004	$52 \ 3 \ 41.99$	89.16	6		- 6.242	-0.286	0.
447	7.5	Pavonis L. 8042	•••	$19 12 32 30$ $19 12 38 \cdot 19$	93.69	2	+ 5.8968	-0.0619		$155 \ 46 \ 57 \cdot 57$	93.69	2		- 6.250	-0.814	
448	5.7	ω Aquilæ		19 12 39 15	89.64	63	+ 2.8164	- 0.0003	-0.001	78 36 7.89	88.09	17		- 6.251	-0.388	-0.
2449	6.6	Octantis B. 6598		19 13 21.63	88-45	25	+12.0712	- 0.4630		171 58 23.63	87.75	11	9	- 6.310	-1.668	
2450	8.4	Pavonis B. 6620		19 13 47.04	93.60	3	+ 6.9016	- 0.1033		161 40 29.65	93.60	3		- 6.345	-0.952	
				10.14.4.07				0.0480							1 0 00	
451	9.3		•••	19 14 4.85	92.60	3	+ 7.7751	- 0.1470		164 54 49.55	92.60	3	••	- 6.370	-1.073	•
452	7.3	D.M. $-16^{\circ} \cdot 5035$	••	19 14 20.36	91.59	3	+ 3.3134	- 0.0042	••	100 45 46.57	91.59	3	••	- 6.391	-0.455	
453	$\frac{5\cdot 2}{8\cdot 3}$	D.M 5° · 4936 D.M 13° · 5328	••	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$89.58 \\ 91.61$	24 3	+ 3.1972 + 3.3640	-0.0031 -0.0049		95 37 13·28 102 58 29·78	89.58 91.61	25	••	- 6.419 - 6.483	-0.439 -0.461	•
454 455	8.3 4.0		••	$19 \ 15 \ 26 \ 75$ $19 \ 16 \ 15 \ 90$	91·01 89·36	17	+ 3.3040 + 4.1640	-0.0049 -0.0170	+0.002	$102 \ 58 \ 29^{\circ} 78$ $130 \ 49 \ 18^{\circ} 00$	88·32	9	•••	- 6.483 - 6.551		+0.
400	+ 0	α Sagittarii		18 10 15 50	09.90	11	4 4.1040	- 0 0170	+0 002	130 49 18 00	00.94	5	••	- 0 551	-0 571	TU
456	7.5	Pavonis B. 6633		19 17 21.04	93.72	2	+ 7.5318	- 0.1406		164 12 16.26	93.72	2		- 6.640	-1.034	
457	9.0			19 18 7.40	92.59	3	+10.2984	- 0.3320		170 6 31.76	92.60	3		- 6.704	-1.413	
458	9.0	M.Z. 18134		19 18 29.24	85.66	3	+ 5.4995	- 0.0531		$152 \ 34 \ 35 \cdot 70$	85.66	3		- 6.734	-0.753	
459	8.2	Pavonis G. 26576		19 18 44.24	93.66	3	+ 6.5819	- 0.0959		160 16 3.72	93.66	3		- 6.755	-0.901	
2460	8.0	$\mathrm{D.M.}-12^{\circ}\cdot5390$	•••	19 18 44.80	91.61	3	+ 3.3413	- 0.0049	••	<b>102 3 16</b> .16	91.61	3		- 6.755	-0.456	•
2461	8.7	$D.M 9^{\circ} \cdot 5125$		19 18 54.52	91.64	3	+ 3.2868	- 0.0043		99 39 52.96	91.64	3		- 6.769	-0.448	
2462	6.0	D.M 14° · 5428		19 19 8.66	91.65	3	+ 3.3888	- 0.0054		104 6 49.48	91.64	4		- 6.788	-0.462	
2463	5.0	b Aquilæ		19 19 43.41	90.65	3	+ 2.8120	- 0.0004	+0.049	78 17 24.22	90.65	3		- 6.836	-0.383	-0.
464	3.4	δ Aquilæ		19 19 57.09	89.63	75	+ 3.0089	- 0.0018	+0.015	87 6 13.27	87.72	16		- 6.854	-0.409	-0.
465	10.0	M.Z. 42583		$19 \ 20 \ 55 \cdot 56$	92.64	3	+ 5.7539	- 0.0640		154 55 42.71	92·6 <b>4</b>	3		- 6.935	-0.784	
100	0.0	D.31 (0.515)		10.01.00.10	90.51		1 9 9099	0.0000		95 57 12.75	90.51			- 6.980	-0.435	
2466	8.0	$D.M 6^{\circ} \cdot 5151$	••	19 21 28.46	89.51	3	+ 3.2032	-0.0036 -0.1294	1.0		89.51	3			-0.433 -0.978	•
2467 2468	$\frac{9 \cdot 0}{8 \cdot 1}$	Pavonis G. 26663	••	19 21 40·21 19 22 46·98	$\begin{array}{c} 92 \cdot 69 \\ 93 \cdot 65 \end{array}$	3	+ 7.1769 + 6.1949	-0.1294 -0.0837		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92.69 93.65	3	•••	-7.087	-0.842	
469	9·2		•••	19 22 40 93 19 23 5.33	92.64	3	+ 6.7506	-0.1098		161 13 47.74	92.64	3		- 7.112	-0.917	
470		$D.M 6^{\circ} \cdot 5158$	•••	19 23 5·71	89.54	3	+ 3.2127	-0.0038		96 23 51.80	89.53	4		- 7.112	-0.435	
471	8.3	D.M 13° · 5375	••	19 23 51.10	91.61	3	+ 3.3631	- 0.0055		103 6 8.85	91.62	4	•••	- 7.174	-0.455	
472	8.5	D.M 11° · 5018		19 23 58.07	91.65	3	+ 3.3191	-0.0050		101 10 26.08	91.65	3		- 7.184	-0.449	•
473	9.0	D.M. $-5^{\circ} \cdot 4985$		19 24 9.46	89.58	3	+ 3.1850	- 0.0035		95 8 57.75	89.58	3	••	-7.199 -7.297	-0.430 -0.432	
474	8.4	$D.M = 5^{\circ} \cdot 4989$	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89.53	5	+ 3.2012	-0.0038		95 54 3.82	89.53	6	•••	- 7.327	-0.432 -0.430	•
475	8.5	$D.M 5^{\circ} \cdot 4992$	•••	10 20 40.40	89.60	6	+ 3.1890	- 0.0037		95 20 54.06	89.60	6	••	- 1 041	-0 +00	
476	80	Octantis L. 8076		19 25 47.87	93.65	3	+ 8.8366	- 0.2455		167 49 6.56	<b>93</b> .65	3		- 7.333	-1.196	
2477	3.3	β Cygni		19 26 17.00	89.16	6	+ 2.4190	+ 0.0010	-0.002	62 16 14.47	89.16	6		- 7.373	-0.325	+0.
2478	8.2	D.M 12° · 5443		$19 \ 26 \ 51 \cdot 20$	91.65	3	+ 3.3372	- 0.0054		$102 \ 2 \ 4.63$	91.65	3		- 7.419	-0.449	
2479	8.7	D.M 14° · 5461		19 27 5.77	91.63	3	+ 3.3826	- 0.0060		104 1 25.87	91.63	3	•••	- 7.439	-0.455	
2480	9.0	$D.M 10^{\circ} \cdot 5111$		19 27 27.06	91.61	3	+ 3.2975	- 0.0050		100 16 32.25	91.61	3		- 7.467	-0.443	

No.	Mag.	Star's Name.		Mean R.A., 1890'0.	n Year of crvations.	Number of Observations.	Annual Precession in R.A.	Sceular Variatioa.	Annual Proper Motioa	Mean N.P.D., 1890°0.	Mean Year of Obsurvations.	Obse	ber of erva- ons.	Anoual Precession in N.P.D.	Secular Variation.	Annua Prope Motion
					Mean	Num Obse					Meal	-	S.P.			
				34						G / //					"	
0101	H.H	TO 14 59. 5009	1.0	h. m. s.	90.60	2	S.	S.	S.		00.00	2		- 7.477		1000
2481 2482	$\frac{7\cdot7}{7\cdot3}$	D.M. $-5^{\circ} \cdot 5003$ D.M. $-5^{\circ} \cdot 5006$	•••	$ \begin{array}{r} 19 \ 27 \ 33 \cdot 79 \\ 19 \ 27 \ 53 \cdot 70 \end{array} $	$89.62 \\ 89.59$	3	+ 3.1802	-0.0037 -0.0037		94 57 42·27 94 58 40·72	89.63 89.59	37	•••	- 7.503	-0.427 -0.427	
2483 -	9.0	M.Z. 18146	••	19 28 17.70	85.66	3	+ 3.1805 + 5.4053	-0.0569		$152 \ 1 \ 42.66$	85.66	3	•••	- 7.536	-0.427 -0.727	
2484	8.4	D.M 4° · 4843	••	19 28 40.81	89.51	3	+ 3.1740	-0.0037		94 41 14.66	89.51	3		- 7.567	-0.422	•••
2485	7.0	Pavonis L 8127		19 28 59.01	93.70	3	+ 5.9776	- 0.0807		156 55 46.45	93.70	3		- 7.592	-0.804	
100				10 10 00 01		Ū	1 0 0000	0 000.		100 00 10 10	00.0	Ű			0.001	
2486	8.0	$D.M 4^{\circ} \cdot 4846$		19 29 23.90	89.56	4	+ 3.1709	- 0.0037	S 8	94 32 57.06	89.56	3		- 7.625	-0.424	
2487	4.6	h² Sagittarii		19 30 0.77	89.21	90	+ 3.6518		+0.002	115 7 31.39	87.53	15		- 7.675	-0.489	+0.0
2488	8.7			19 30 5.91	92.60	3	+12.9781	- 0.6907		172 53 38.29	92.60	3		- 7.682	-1.745	· · ·
2489	8.4	$D.M 5^{\circ} \cdot 5021$		19 30 44.28	89.65	3	+ 3.1808	- 0.0039		95 0 54.20	89.65	3		- 7.734	-0.425	
2490	8.8	$D.M 10^{\circ} \cdot 5130$		19 30 44.46	91.65	3	+ 3.3051	- 0.0053		100 40 42.80	91.65	3		- 7:734	-0.441	
									•							
2491	7.6	$D.M 4^{\circ} \cdot 4855$		19 30 56.61	89·5 <b>2</b>	3	+ 3.1705	- 0.0038		94 32 34.23	89.52	4		-7.750	-0.423	
2492	6.4	Pavonis L. 8141		19 30 57.63	93.65	1	+ 5.8551	-0.0772		156 6 7.15	93.65	1		- 7.752	-0.784	
2493	5.0	к Aquilæ		19 30 58.38	90.67	3	+ 3.2298	- 0.0044	-0.001	97 16 16 29	90.67	3	••	- 7.752	-0.431	-0.0
2494	9.1		••	19 31 15.05	92.71	4	+ 9.4031	- 0.3101		168 59 5·12	92.71	4	••	- 7.775	-1.261	
2495	9.0	D.M. $-3^{\circ} \cdot 4649$	••	19 31 25.25	89.62	3	+ 3.1526	- 0.0036		93 43 11.24	89.63	4	••	- 7.789	-0.420	
2496	5.3	D.M4°·4861		19 31 57.17	89.57	4	+ 3.1779	- 0.0039		94 53 31.33	89.57	4		- 7.831	-0.423	
2497	9.4			19 31 59.10	92.63	3	+17.7162	- 1.4716		175 11 46.77	92.63	3		- 7.834	-2.375	
2498	8.0	D.M·-13°·5423		19 31 59.84	91.59	3	+ 3.3568	- 0.0061		103 0 18.30	91.59	3		- 7.835	-0.447	
2499	8.8			19 33 5.55	92.69	3	+10.8011	- 0.4540		170 58 15.59	92.69	3		- 7.923	-1.444	
2500	8.2	Pavonis L. 8148		19 33 23.79	93.71	3	+ 6.4952	- 0.1103		160 16 18.71	93.71	3		-7.948	-0.866	
2501	6.2	D.M 5° • 5036	••	19 <b>34 30·13</b>	89.59	3	+ 3.1948	- 0.0042		95 41 58.44	89 . 59	3		- 8.036	-0.423	
2502	7.8	D.M4°·4877		19 34 57.09	89.54	3	+ 3.1642	- 0.0039		94 17 11·18	89.54	3		- 8.072	-0.419	
2503	9.1	M.Z. 18154		19 34 59.55	85.66	3	+ 5.3795	- 0.0606		152 3 30.17	85.66	3		- 8.076	-0.715	
2504	7.7	D.M 9° · 5204		19 35 6.14	91.62	3	+ 3.2811	-0.0053		99 40 30·63	91.62	3		- 8.084	-0.434	
2505	8.3	D.M12°·5497	••	19 35 19·24	91.65	3	+ 3.3365	- 0.0061		$102 \ 10 \ 53.35$	91.65	3		- 8.102	-0.442	
2506	6.3	Octantis B.A.C. 6708	8	19 35 43.37	88.06	44	+11.3705	- 0.5332	-0.008	171 37 22.48	86.92	10	10	- 8.134	-1.512	-0.0
2507	9.2	D.M14°.5511		19 35 48.88	91.59	3	+ 3.3854	- 0.0068		104 21 58.65	91.59	3			-0.448	
2508	9.4			19 35 57.87	92.59	3	+20.6360	- 2.1818		176 1 18.72	92.59	3		- 8·153	-2.746	
2509	7.9	D.M 4° · 4483		19 35 59.19	89.54	8	+ 3.1696	- 0.0040		94 32 40.16	89.54	8		- 8.155	-0.419	
2510	7.6	Pavonis L. 8151	••	19 36 13.07	93.69	4	+ 7.2712	- 0.1611		163 47 18.43	93.68	3	••	- 8.174	-0.962	
2511	7.2	D.M13°·5462		19 39 1.26	91 · 62	3	+ 3.3526	- 0.0066		102 59 24.07	91 · 62	3		- 8.397	-0.440	
2512	8.3	D.M4°·4903		19 39 26.87	89.52	4	+ 3.1741	- 0.0042		94 47 13.15	89.52	4	• •	- 8.431	-0.416	
2513	8.4	Pavonis L. 8190		19 39 27 • 02	93.72	3	+ 5.6952	- 0.0777		155 10 46.02	93.72	3		- 8.431	-0.750	
2514	8.3	Pavonis G. 27052		19 39 27.31	93.73	4	+ 5.6952	- 0.0777		155 10 46.02	93.72	3		- 8.431	-0.750	
2515	8.7	D.M11°.5113	••	19 39 46.02	91.60	3	+ 3.3116	- 0.0060		101 9 19.02	91.60	3		- 8.456	-0.434	
2516	9.6	M.Z. 43193		19 40 3.64	92.70	3	+ 6.0658	- 0.0964		157 57 57.11	92.70	3		- 8.479	-0.798	-
2517	8.5	M.Z. 18167		19 40 26.69	85.75	3	+ 5.4115	-0.0659		152 38 12.80	85.75	4		- 8.510	-0.711	• •
2518	8.5	D.M4°.4915		19 40 55.69	89.59	3	+ 3.1719	- 0.0043		$94 \ 41 \ 51 \cdot 28$	89.59	3		- 8.548	-0.415	
2519	2.8	γ Aquilæ		19 41 1.77	89.17	58	+ 2.8517	- 0.0010	0.000	79 39 14·09	87.89	13	••	- 8.556	-0.372	-0'0
2520	7.7	D.M 4° • 4916		19 41 2.66	89.54	3	+ 3.1556	- 0.0041		93 55 48.94	89.55	3		- 8.557	-0.413	
-												-				

No.	Mag.	Star's Name.		Mean R.A., 1890 ° 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 ° 0.	Mean Year of Observations.	Obse	erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annua Proper Motion
					Mea	Nun Obse					Meal	-	S.P.			
																110.00
			-	h. m. s.			8	s.	9.	• •				"	"	"
2521	3.3	δ Cygni	••	19 41 32.19	88.93	12	+ 1.8705	+ 0.0001	+0.002	45 8 12.97	88.93	12	••	- 8.596	-0.543	-0.04
2522	8.2	$D.M 5^{\circ} \cdot 5060$	••	19 41 56.50	89.59	3	+ 3.1888	- 0.0045	•••	95 30 13.44	89.59	3	••	- 8.628	-0.416	••
2523	9.5		•••	19 42 23.56	92.66	3	+ 8.3290	- 0.2542		167 4 53.73	92.66	3	••	- 8.664	-1.092	
2524 2525	4·0 9·1	δ Sagittæ		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	89·16 92·71	6	+ 2.6747 + 6.3520	+ 0.0002 - 0.1147	-0.001	71 44 11 · 28 159 49 11 · 28	89·16 92·71	63	••	- 8.671 - 8.675	-0.348 -0.831	-0.03
49 <b>2</b> 0	9.1	** **	•••	10 44 04 04	52 11	J	T 0 3020		••	109 49 11.20	54 11	0	••	- 0.015	-0.931	••
2526	8.0	$D.M 4^{\circ} \cdot 4926$		19 43 7.68	89.54	7	+ 3.1730	- 0.0044		94 46 8.46	89.53	9		- 8.722	-0.413	
2527	6.7	D.M11°.5143		19 43 41.52	91.59	3	+ 3.3211	- 0.0065		101 40 54.44	91.59	3		- 8.766	-0.432	
2528	8.1	D.M 4° · 4936		19 43 47.01	89.60	5.	+ 3.1736	- 0.0044		94 48.15.80	89.61	4		- 8.774	-0.412	
2529	7.0	D.M 10° · 5195		19 44 7.98	91.64	3	+ 3.2905	- 0.0060		100 16 59.10	91.64	3		- 8.801	-0.427	
2530	7.0	D.M14°.5565		19 44 15.60	91.65	3	+ 3.3764	- 0.0073		104 11 58.55	91.65	3		- 8.811	-0.439	
						•										
2531	8·5	$D.M 5^{\circ} \cdot 5075$		19 44 59.37	89.61	3	+ 3.1768	- 0.0045		94 58 16.95	89.61	4		- 8.868	-0.412	
2532	0.9	a Aquilæ		$19 \ 45 \ 24 \cdot 92$	88.89	53	+ 2.8919	- 0.0014	+0.032	81 25 16.57	87.66	14	••	- 8.902	-0.374	-0.38
2533	8.8	M.Z. 32693	••	19 46 16.06	92.66	3	+ 5.7355	- 0.0858		155 49 8.06	92.66	3	••	- 8.969	-0.744	
2534	7.5	D.M 11° · 5162	• •	19 46 22.12	91.67	3	+ 3.3100	- 0.0065		101 14 14.23	91.67	3	••	- 8.976	-0.428	
2535	7.8	Octantis L. 8179	••	19 46 51.87	93.69	4	+ 9.2887	- 0.3587		169 7 32·51	93.69	4	••	- 9.015	-1.206	
536	8.0	Octantis L. 8181		19 47 24.91	93.75	3	+ 9.2516	- 0.3571		169 4 30.37	93.75	3		- 9.058	-1.200	
2537	8.0	$D.M 4^{\circ} \cdot 4960$		19 47 30.37	89.52	4	+ 3.1738	- 0.0046		94 51 22.15	89.52	4		- 9.065	-0.409	
2538	4.1	ι Sagittarii		19 47 40.32	88.37	9	+ 4.1517	- 0.0246	-0.003	132 9 22.49	88.36	9		- 9.078	-0.536	-0.07
2539	8.5	$D.M 13^{\circ} \cdot 5505$		19 47 43.89	91.65	3	+ 3.3495	- 0.0072		103 4 57.33	91.65	3		- 9.083	-0.432	
2540	4.0	$\epsilon$ Pavonis	•••	19 47 51.67	86 · 57	14	+ 7.0188	- 0.1651	+0.013	163 11 57.27	86.68	7	3	- 9.093	-0.908	+0.13
2541	8.5			19 47 54.56	92.61	3	+ 6.4980	- 0.1307		160 49 20.34	92.61	3		- 9.097	-0.841	
2542	8.0	$D.M 5^{\circ} \cdot 5099$		19 48 25.61	89.56	4	+ 3.1836	- 0.0048		95 19 49.54	89.56	4		- 9.137	-0.409	
2543	9.6	M.Z. 18179		19 48 48.84	85.76	3	+ 5.3519	- 0.0694		152 27 5.29	85.76	3		- 9.167	-0.690	
2544	8.9	$\beta$ Aquilæ		19 49 54.55	88.98	67	+ 2.9450	- 0.0020	+0.001	83 52 1.61	88.22	16		- 9.252	-0.377	+0.47
2545	7.0	Pavonis L. 8254	••	19 50 44.90	93.67	3	+ 5.6226	- 0.0840		155 5 50·27	93.66	3		- 9.317	-0.722	
2546	9.1	D.M 12° · 5591		19-51 2.10	91.64	3	+ 3.3245	- 0.0070		102 1 30.76	91.64	3		- 9.340	-0.425	
2547	8.2	$D.M 5^{\circ} \cdot 5120$	••	19 51 29.08	89.54	4	+ 3.1755	- 0.0048		94 58 42.63	89.54	4		- 9.374	-0.405	
2548	7.5	$D.M 10^{\circ} \cdot 5230$	••	19 51 32.61	91.65	3	+ 3.2879	- 0.0065		100 19 51.87	91.65	3		- 9.379	-0.420	
2549	8.6	$D.M 5^{\circ} \cdot 5124$		19 52 6.71	89.56	4	+ 3.1857	- 0.0050		95 28 48.45	89.56	4		- 9.423	-0.406	
2550	9.3	D.M14°.5603	••	19 52 14.94	91.68	3	+ 3.3733	- 0.0079		104 18 18.70	91.68	3	••	- 9.433	-0.430	••
2551	8.0	$D.M 6^{\circ} \cdot 5320$		19 52 21.34	89.59	3	+ 3.2100	- 0.0053		96 38 45.94	89.59	3		- 9.442	-0.409	
552	8.3	$D.M 4^{\circ} \cdot 4982$		19 52 22.54	89.63	4	+ 3.1685	- 0.0048		94 39 1.72	89.63	4		- 9.443	-0.404	
2553	8.0	D.M 4° 4984	• • •	19 52 41-21	89.63	••4	+*3.1685		" " come from a	294 39 6·01	89.63	4		- 9.467	-0:403	1
2554	3.7	γ Sagittæ		19 53 51.83	89.15	6	+ 2.6634	+ 0.0003	+0.003	70 48 21.14	89.15	6		- 9.558	-0.337	-0.04
555	8.7	M.Z. 18595	••	19 54 36.62	85.75	3	+ 5.3387	- 0.0730		152 37 40.56	85.75	4	••	- 9.615	-0.679	•••
2556	7.6	D.M 4° · 4992		19 55 0.49	89.53	3	+ 3.1671	- 0.0049		94 36 41.46	89.53	4		- 9.646	-0.401	
2557	9.5		••	19 55 7.23	92.71	3	+ 7.1920	- 0.1915		164 7 19.38	92.71	3		- 9.654-		
2558	7.5	D.M11°.5199		19 55 12.51	91.65	3	+ 3.3020	- 0.0069		101 4 57.39	91.65	4		- 9.661	-0.418	
2559	8.3	$D.M 6^{\circ} \cdot 5339$		19 55 42.94	89.54	3	+ 3.2095	- 0.0055		96 40 37.50	89.55	3	•••	- 9.700	-0.406	
2560	7.5	Pavonis L. 8273		19 55 52.46	93.75	3	+ 6.2625	- 0.1264		159 51 52.01	93.75	3		- 9.712	-0.795	

No.	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations,	Anuusi Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890°0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annuai Precession in N.P.D.	Secular Variation	Annua Proper Motion
					Mear Obse	Nam Obse					Mean Obse	-	8.P.			
										0 / 19						
2561	4.6	c Sagittarii		h. m. s. 19 55 53.64	89.23		8.	8.	8.		00.00			0.734		
2562	5.7	c Sagittarii D.M 5° · 5138	••	19 56 20.87	89.57	4	+ 3.6947 + 3.1808	- 0.0147 - 0.0051	0.000	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89·23 89·57	4		- 9.714	-0.467	-0.05
2563	9.0	M.Z. 42658	••	19 56 26.98	92.67	3	+ 5.5541	-0.0854		154 47 45.45	92.67	3		-9.748 -9.756	-0.401 -0.703	
2564	8.0	D.M 13° · 5557	••	19 56 27.67	91.63	3	+ 3.3424	- 0.0077		103 0 43.92	91.64	3	•••	- 9.757	-0.422	
2565	8.5	$D.M 8^{\circ} \cdot 5205$		19 57 8.03	89.59	3	+ 3.2364	- 0.0060		98 0 3·61	89.59	3		- 9.808	-0.407	
0100	0.0	D. M		10 57 04.00	00 71											
2566	8.2	D.M 5° · 5144	••	19 57 24.96	89.51	3	+ 3.1732	- 0.0050	••	94 56 17.90	89.51	3		- 9.830	-0.399	
2567 2568	8·2 3·6	Octantis L. 8240 S Pavonis		19 57 54·37 19 57 55·88	93·70 88·64	3	+ 9.6074	- 0.4401		169 54 6·30	93.71	3		- 9.867	-1.216	
2569	9.0		•••	19 57 56·46	92.62	18 3	+ 5.7440 + 8.6335	-0.0972 -0.3306	+0.192	$\begin{array}{r} 156 \ 27 \ 39 \cdot 69 \\ 168 \ 10 \ 49 \cdot 78 \end{array}$	88·13 92·62	10	7	- 9.869	-0.725	+1.12
2570	8.2	D.M. – 9° · 5347	••	19 58 28.65	91.67	3	+ 3.0333 + 3.2722	-0.3300 - 0.0066		99 44 56.98	92.62	3	••	-9.870 -9.911	-1.092 -0.411	•••
				10 00 10 00	01 01		1 0 2142	- 0 0000		00 11 00 00	01 07			- 5 511	-0 411	•••
2571	6.6	$D.M 12^{\circ} \cdot 5641$		19 59 0.90	91.71	3	+ 3.3173	- 0.0074		101 54 35.09	91 · 71	3		- 9.952	-0.416	
2572	8.4	$D.M 6^{\circ} \cdot 5360$		19 59 27.04	89.54	3	+ 3.2128	-0.0057		96 53 45.57	89.54	3		- 9.985	-0.402	
2573	8.8	D.M 13° · 5570		$19 59 35 \cdot 29$	91.64	3	+ 3.3584	-0.0082		103 51 14.78	91.64	4		- 9.995	-0.420	
2574	8.9	M.Z. 43627		19 59 58.17	92.72	3	+ 5.9479	- 0.1114		158 3 59.23	92.72	3	•••	-10.024	-0.747	
2575	8.8		••	20 0 1.81	92.69	3	+ 7.7822	- 0.2529	••	166 11 25·08	92·69	3		-10.029	-0.979	
2576	7.2	D.M 4° · 5016		20 0 48.01	89.51	3	+ 3.1682	- 0·0051		94 43 54.82	89.51	3		-10.087	-0.395	
2577	- 8.1	D.M 7° · 5169		20 0 49.94	89.57	5	+ 3.2211	- 0.0060		97 19 44.60	89.57	5		-10.089	-0.402	
2578	7.2	D.M 8° · 5237		20 1 6.92	89.54	3	+ 3.2450	- 0.0063		98 29 46.97	89.54	3		-10.111	-0.404	
2579	8.7			20 1 14.56	92.67	3	+11.2258	- 0.6791		171 56 34.64	92.67	3		-10.120	-1.409	
2580	6.5	Octantis B.A.C. 685	9	20 1 19.92	87.14	28	+13.4366	- 1.0580	••	173 38 50.20	87 · 86	11	11	-10.127	-1.687	•••
2581	9.3	··· ··		20 1 29.96	92.69	4	+14.2496	- 1.2201		174 6 30.59	92.69	4		-10.140	-1.789	
2582	8.8	M.Z. 18611		20 2 4.70	85.75	3	+ 5.2832	- 0.0758		152 28 57.83	85.75	3		-10.183	-0.659	
2583	8.0	D.M 11° · 5288		20 3 8.16	91.70	3	+ 3.2922	- 0.0072		100 49 37.48	91.70	3		-10.263	-0.408	
2584	8.4	D.M 13° 5594		20 3 58.36	91.67	3	+ 3.3403	- 0.0082		103 9 15.34	91 · 67	3		-10.326	-0.413	
2585	6.2	D.M 9° · 5382		20 5 12.22	89.52	5	+ 3.2569	- 0.0068		99 10 0·61	89.52	5		-10.418	-0.401	
2586	3.4	θ Aquilæ		20 5 37.71	89.68	86	+ 3.0952	- 0.0042	0.000	91 8 49·45	88.55	18		-10.450	-0.381	-0.01
2587	7.2	Pavonis L. 8335		20 6 10.20	93.75	3	+ 6.8327	- 0.1833		163 8 33.77	93.75	3		-10.490	-0.845	
2588	8.2	D.M 14° · 5669		20 6 38.56	91.64	3	+ 3.3588	- 0.0087		104 7 9.41	91.64	3		-10.526	-0.412	
2589	9.1	Pavonis G. 27667		20 6 58.47	93.70	3	+ 6.3495	- 0.1473		160 52 1.37	93.70	3		-10.550	-0.783	
2590	9.4	M.Z. 32429		20 7 18.77	92.65	4	+ 5.6424	- 0.1003		156 9 18.50	92.66	3		-10.575	-0.694	
2591	7.8	D.M 10° · 5322		20 8 0.86	91.67	3	+ 3.2714	- 0.0072		99 56 55.28	91.67	9		-10.627	0.400	
2592	7.8	D.M 12° · 5675	•••	20 8 47.56	91.70	3	$+ 3 \cdot 2714$ + 3 \cdot 3123	-0.0012 -0.0080		$\begin{array}{c} 99 \ 50 \ 55 \ 28 \\ 101 \ 58 \ 9 \ 03 \end{array}$	91.07	3		-10.627 -10.685	-0.400 -0.404	••
2593	7.2	Pavonis L. 8370		20 9 14.01	85.76	3	+ 5.2195	-0.0000		152 14 35.34	85.75	4	••	-10.033 -10.718	-0.639	
2594	4.9*	o <sup>1</sup> Cygni		20 9 50.55	86.68	3	+ 1.8845	+ 0.0003	+0.002	43 30 57.49	86.68	3		-10.763	-0.222	+0.02
2595	3.9*	o <sup>2</sup> Cygni	seq.	20 10 10.00	89.68	8	+ 1.8888	+ 0.0004	0.000	43 35 31.04	89.54	7	•••	-10.787	-0.228	0.00
2596	6.7	Devenia T 9974		20 11 6.91	02.07	0	L E. 7905	0,1005		157 5 94 99	09.07			10.050	0.000	
2590 2597	7.9	Pavonis L. 8374 D.M. – 13° · 5630		20 11 6·81 20 11 28·16	93.67 91.64	3	+ 5.7325	- 0.1097		157 5 34.20	93.67	3	••	-10.856	-0.698	
2598	4.6	$a^1$ Capricorni		20 11 28 16	91.04	3 19	$+ 3 \cdot 3353 + 3 \cdot 3286$	-0.0086 -0.0085	-0.001	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91·64 89·00	3	••	-10.883 -10.889	-0.404 -0.403	-0.03
2599	3.8	a <sup>2</sup> Capricorni		20 11 53.04	88.77	73	+ 3.3280 + 3.3289		+0.001 +0.002	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89.00	7 13	••	-10.889 -10.918	-0.403 -0.403	-0.03 -0.02
2600	7.7	D.M 11° • 5290		20 11 37 00	91.67	3	+ 3.3289 + 3.2892	-0.0085 -0.0077		102 53 5.88 100 56 13.30	91.67	13	••	-10.918 -10.924	-0.398	
		A CAN				0	0 4004	0 0011		100 00 10 00	01 01	0	•••	10 344	0 000	••

\* Boss 1900.

9589.

65

н

No.	Mag.	Star's Name.	Mean R.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Varlation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Proper Motion
				Mear Obse	Num Obse					Mean Obse	-	S.P.			
			h. m. s.			s.	8.	s.	0 / //				"	11	"
2601	5.5	24 Vulpeculæ	. 20 12 4.63	89.70	7	+ 2.5656	+ 0.0011	0.000	65 40 1.62	89.70	7		-10.927	-0.309	+0.03
2602	9.2		. 20 12 48.67	92.70	3	+ 8.0260	- 0.3121		167 16 30.49	92.70	3		-10.981	-0.975	
2603	8.5	Octantis L. 8350	00 14 0 01	93.75	3	+ 8.9503	- 0.4264		169 15 44.08	93.75	3		-11.072	-1.084	
2604	8.7	M.Z. 42696	. 20 14 12.41	92.68	3	+ 5.4552	- 0.0952		154 56 20.65	92.69	3		-11.083	-0.658	
2605	$9 \cdot 3$		. 20 14 25·17	92.72	3	$+ 7 \cdot 2187$	-0.2336		·164 58 3·60	92.72	3		-11.099	-0.872	
2606	6.6	D.M 6° · 5451 .	. 20 14 34·72	89.58	20	+ 3.2034	- 0.0063		96 42 16·45	89.58	22		-11.110	-0.384	
2607	3.7	$\beta^2$ Capricorni	. 20 14 49.86	89.20	6	+ 3.3731	- 0.0096	+0.001	105 7 40.92	89 · 20	6		-11.128	-0.405	-0.05
2608	8.3	D.M 14° · 5719 .	. 20 14 54.82	91.71	3	+ 3.3547	- 0.0092		104 14 21.03	91.71	3		-11.134	-0.402	
2609	6.2*	Octantis B.A.C. 6955	20 14 55.54	92.35	4	+10.3590	- 0.6316		171 19 28.81	93.70	3		-11.135	-1.252	
2610	8.5	$D.M 10^{\circ} \cdot 5356$ .	. 20 14 56.14	91 · 69	3	+ 3.2692	- 0.0075	••	100 1 47.40	91.68	3		- 11 · 136	-0.392	
2611	8.8	D.M 12° · 5701 .	. 20 15 7.09	91 · 64	3	+ 3.3110	- 0.0083		102 6 41.68	91.64	3		-11.149	-0.397	
2612	7.6	Octantis	. 20 15 34.35	90.15	19	+25.5056	- 5.2675		177 10 4.72	90.18	6	4	-11.182	-3.083	
2613	8.9	M.Z. 18640	20 15 52.89	85.76	3	+ 5.1734	- 0.0799		152 10 40.11	85.75	4		$-11 \cdot 205$	-0.621	
614	6.5	Octantis L. 8257 .	. 20 16 15.88	90.84	4	+15.1899	- 1.6365	+0.03	174 46 40.77	90.84	3	1	-11.233	-1.831	-0.03
2615	<b>2</b> ·0	a Pavonis	. 20 16 56·59	87.91	32	+ 4.7801	- 0.0597	- 0.001	147 5 11.00	87.87	17	17	-11.282	-0.571	+0.0
2616	7.8	Pavonis B. 6847 .	. 20 18 8·13	93.69	3	+ 5.8144	- 0.1229		158 7 0.87	93.69	3		-11.368	-0.694	
617	2.3	γ Cygni	20 18 16.79	88.95	4	+ 2.1519	+ 0.0019	0.000	50 5 41.33	88.95	4		-11.378	-0.254	-0.0
618	9.4	· · · · ·	. 20 19 23.83	92.69	3	+ 6.0835	- 0.1442		159 58 47.34	92.69	3		-11.459	-0.723	
619	8.5	D.M 10° · 5386 .	20 19 26.63	91.64	3	+ 3.2815	- 0.0080		100 47 1.26	91-64	3		$-11 \cdot 462$	-0.388	
629	8.8	D.M 13° · 5668 .	. 20 19 38.02	91.67	3	+ 3.3255	- 0.0089		102 59 37.46	91 · 67	3		-11.476	-0.393	
621	6.1	Octantis B.A.C. 6993	20 19 39.84	87.91	30	+10.5489	- 0.6915		171 39 31.74	87.16	11	12	-11.478	-1.257	
2622	5.8	$D.M 3^{\circ} \cdot 4888$ .	. 20 19 58.21	89.58	21	+ 3.1329	-0.0052		93 9 23.04	89 · 59	22		-11.500	-0.369	
2623	8.9	Microscopii	. 20 21 2.49	89.67	3	+ 3.9365	-0.0259		$128 \ 21 \ 39.79$	89.67	4		-11.576	-0.464	
2624	7.5	Pavonis B. 6853 .	20 21 32.23	93.76	3	+ 6.3659	- 0.1700		161 41 16.97	93.76	3		-11.612	-0.752	
2625	8.4	M.Z. 32463	. 20 <b>2</b> 1 59·46	92.68	3	+ 5.5380	- 0.1077		156 10 49·20	92.68	3	•••	-11.644	-0.652	
2626	9.8		20 22 26.77	92.72	3	+ 6.8940	- 0.2192		$164 \ 7 \ 25.99$	92.72	3	1	-11.677		
2627	6.0	D.M -9°·5473 .	20 22 28.44	91.65	3	+ 3.2589	- 0.0077		99 <b>43</b> 59·38	91.65	3		-11.679	-0.381	
2628	4.9	$\rho^1$ Capricorni	20 22 35.14	88.89	76	+ 3.4293	- 0.0115	-0.003	108 10 35.61	87.90	16		-11.686		+0.0
2629	7.5	D.M12° · 5739 .	20 22 45.17	91 · 67	3	+ 3.3051	- 0.0087		102 5 19.84	91.67	3		-11.698	-0.386	
2630	8.9	D.M -14°.5765 .	20 24 53.48	91.70	3	+ 3.3404	- 0.0096		103 57 6.10	91.70	3		-11.850	-0.388	
2631	6.7	Pavonis L 8437 .	20 24 56.26	93.74	3	+ 6.0324	- 0.1474	Ξ.	$159 58 58 \cdot 28$	93.74	3		- 11 · 853	-0.705	
2632	9.9		<b>∠0 25 41 · 74</b>	92.70	3	+11.7551	- 0.9603		172 56 14.74	92.70	3			-1:375	
2633	9.0	M.Z. 18656	20 25 58.23	85.75	3	+ 5.1043	- 0.0832		$152 \ 7 \ 21.88$	85.75	3			-0.593	
2634	9.5	D.M 11° · 5359 .	20 27 9.76	91.67	3	+ 3.2822	- 0.0084		101 5 1.80	91.67	3		-12.010		
2635	8.2	D.M 10° · 5431 .	20 27 55.68	91.68	3	+ 3.2704	- 0.0082		100 29 48.77	91.68	3		-12.063	-0.376	
2636	4.0	$\epsilon$ Delphini	20 27 57.42	89.04	72	+ 2.8663	- 0.0013	-0.001	79 4 11.42	87.95	17		-12.065	-0.329	+ 0.02
2637	8.9	-	00 00 11.00	92.71	3	+ 8.1698	-0.3778	-0 001	168 10 39.39	92.71	3			-0.946	
2638		D.M 13° · 5703	00 00 19.00	91.71	3	+ 3.3192	- 0.0093		$103 \ 1 \ 15 \cdot 50$	91.71	4			-0.381	
2639		Q.4	00 00 07 10	93.75	3	+ 7.2616	- 0.2705		165 43 46.33	93.75	3			-0.839	
2640		Octantis L. 8443 . Octantis G. 28172 .	20 20 20 10	93.75	3	+ 7.2599	-0.2703		165 43 29.86	93.75	3			-0.839	
			AU AU UU 10	00 10	0	1 2000	0 2100								

• Wa. Z. 1850.

-

No	Mag.	Star'a Name.		Mean R.A., 1890•0	Mean Year of Observations.	Number of Observations	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession In N P.D.	Secular Variation	Annual Proper Motion.
					Mea	Nun Obse					Mea	-	8.P.			
										}		<u> </u>				
										0 / //						
2641	9.6	M.Z. 44148		h. m. s. 20 29 53.50	00 00		S.	S.	8.		00.00			10 000	0 0 = =	-
2641	8.5	D.M 10° · 5448		20 29 53.50 20 30 27.37	92.66 91.66	4	+ 5.8813	- 0.1417		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	92.66	4	•••	-12.200	-0.675	•••
2642	7.0*	Octantis L. 8425		$20 \ 30 \ 27 \ 37$ $20 \ 31 \ 15 \ 09$	91.00	3	+ 3.2637 + 9.2168	-0.0082 -0.5397		170 14 47.95	91.66 93.72	3		-12.239 -12.294	-0.372	• • •
2644	8.6	D.M 12° · 5787	•••	20 31 13 05	91.69	3	+ 3.3017	-0.0091		102 14 46.42	93.12	4	•••	$-12 \cdot 294$ $-12 \cdot 304$		•••
2645	8.5	D.M14°.5802		20 31 42.54	91.72	3	+ 3.3390	-0.0100		104 10 51.35	91.08	3	•••	-12.304 -12.326		• •
					01 .2	Ű	1 0 0000	0 0100		101 10 01 00	01 12	U	•••	12 020	0 010	••
2646	2.9	$\beta$ Delphini		20 32 23.41	89.20	6	+ 2.8061	- 0.0004	+0.006	75 47 13.05	89.20	6		-12.373	-0.317	+0.03
2647	5.1	v Capricorni		20 33 47.26	89.09	5	+ 3.4233	- 0.0122	-0.003	108 31 31.21	89.09	5		-12.469		-0.01
2648	3.9	a Delphini		20 34 31.70	91.91	21	+ 2.7824		+0.003	74 28 31.22	89.11	5		-12.519		0.00
2649	8.9	M.Z. 18669		20 34 39.70	85.75	3	+ 5.0685	- 0.0873		152 23 28.80	85.75	3		-12.528		
2650	3.4	β Pavonis		20 35 2 40	88.42	16	+ 5.4812	- 0.1164	-0.010	156 35 50.14	88.50	9		-12.554		+0.01
2651	8.2	D.M 12° · 5808		20 35 40 30	91.68	3	+ 3.3075	- 0.0094	S	102 43 42.96	91.68	3		-12.597	-0.370	
2652	7.8	D.M11°·5394		20 35 45.07	91.65	3	+ 3.2810	- 0.0088		101 20 8.98	91.65	3		-12.603	-0.367	
2653	7.4	Pavonis L. 8508		20 35 55.41	93.75	3	+ 5.2832	- 0.1029		154 49 18.60	93.75	3		-12.614	-0.593	
2654	8.0	Pavonis L. 8501		20 37 24.33	93.72	3	+ 6.4397	- 0.2028		162 55 56.68	<b>93</b> ·72	3		-12.715	-0.721	
2655	1.3	a Cygni		20 37 40.88	87.60	20	+ 2.0437	+ 0.0022	0.000	45 6 43.51	87.38	19		-12.734	-0.225	0.00
	1															
2656	8.8	D.M14 ·5837		20 38 7.44	91.74	3	+ 3.3315	- 0.0102		104 5 54.41	91.74	3		-12.764	-0.369	
2657	8.3	$D.M 12^{\circ} \cdot 5821$		20 38 7.59	91.70	3	+ 3.2917	- 0.0092		101 59 55.40	91.70	3		-12.764		
2658	9.0	D.M 10° · 5487		20 38 23.94	<b>91 · 7</b> 0	, 3	+ 3.2543	- 0.0083		100 0 21.66	91.70	3		-12.782	-0.360	
2659	9.3			20 39 12.46	92.67	3	+ 5.9086	← 0·1560	· · · · ·	160 5 32.38	92.67	3	•••	-12.837	-0.656	
2660	4.4	$\psi$ Capricorni		20 39 35.00	90.71	3	+ 3.5654	- 0.0169	-0.006	115 39 55.88	90.71	3		-12.862	-0.393	+0.16
		1														
2661	9.0	Pavonis G. 28447		20 39 44.46	93.75	3	+ 5.6224	- 0.1325		158 5 58.58	93.75	3			-0.623	
2662	3.9	ε Aquarii	••	20 41 43.25	89.79	44	+ 3.2501	- 0.0084	0.000	99 53 51·52	87.71	14		-13.002		+0.03
2663	2.6	€ Cygni	•••	20 41 45.58	89.10	5	+ 2.3976	+ 0.0030	+0.028	56 26 28.30	89.20	6		-13.007		-0.33
2664	4.8	3 Aquarii	•••	20 41 56.02	90.77	3	+ 3.1692	- 0.0065	-0.005	95 25 47.36	90.77	3	2	-13.019		+0.03
2665	9.6		•••	20 43 0.48	92.70	3	+ 7.4925	- 0.3364	••	167 5 41 20	92.70	3	••	-13.090	-0.822	
0000	4.7	) and '		00 40 7.07		_	0.0045		0.001			_			0.000	
2666 2667	4.7	$\lambda$ Cygni	•••	20 43 7.35	89.72	7 3	+ 2.3347	+ 0.0032	-0.001	53 54 47.70	89.72	7		-13.098		-0.02
2668	8.7	D.M. $-10^{\circ} \cdot 5515$		20 43 12.80	91.65		+ 3.2649	- 0.0088	••	100 45 46·21	91.65	3		-13.104		••
2669	8·7 6·3	Pavon's G. 28552 D.M. – 13° · 5773	•••	20 43 38·25	93.72	3	+ 5.3214 + 3.3040	-0.1128		155 48 28·00	93.72	3		-13.132		**
2670		M.Z. 18683		20 44 37·92 20 44 55·18	91.68 85.75	3	+ 3.3040 + 4.9939	-0.0099 -0.0900		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91 · 68 85 · 75	3		-13.198 -13.917		•••
2010			••	-0 11 00 10	00 10	3	- 1 9900	- 0 0000		101 11 90.90	00 10	3		-13.217	-0 042	••
2671	9.0			20 45 32.22	92.75	3	+ 6.1500	- 0.1878		161 56 49.84	92.75	3		-13.257	-0.867	
2672	8.8	D.M 14° · 5871		20 46 28.32	91.66	3	+ 3.3250	-0.0105		101 30 49 84	91.66	3		$-13 \cdot 257$ $-13 \cdot 318$		••
2673	4.5	$\mu$ Aquarii		20 46 43.26	90.72	4	+ 3.2377		+0.001	99 23 43·53	90.71	3		-13.334		 +0.03
2674	6.5	D.M 12°.5854		20 47 4.55	91.72	3	+ 3.2843	- 0.0094		101 59 18.93	91.72	. 3	1	-13.358		
2675		D.M 10° · 5539		20 47 25.81	91.69	3	+ 3.2462	- 0.0085		99 53 34·56	91.69	3		-13.381		
2676	9.0	Pavonis		20 47 26.41	93.75	2	+ 5.1842	- 0.1059		154 45 19.98	93.75	2		-13.382	-0.557	
2677	7.2	Pavonis L. 8578		20 47 32.98	93.76	3	+ 5.6442	- 0.1435		158 50 35.21	93.76	3		-13.389	-0.607	
2678	7.8			20 47 34.16	92.71	3	+ 6.7516	- 0.2565		164 51 51.19	92.71	3	-	-13.390	-0.727	
2679	8.4	M.Z. 33149		20 48 14.22	92.69	3	+ 5.4303	- 0.1261		157 10 15.24	92.69	3		-13.433	-0.582	
2680	9.4			20 48 50.30	92.75	3	+ 6.5394	- 0.2349		164 3 35.94	92.76	4			-0.701	
	-					-						-				

\* Cape, 1880.

No.	Mag.	Star's Name.		Mean R.A., 1890·0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Meao N.P.D., 1890·0.	Mean Year of Observations.		erva- ons.	Annual Precession in N.P.D.	Secular Varlation.	A onual Proper Motion
					Mea	Nur Obs					Mea	-	S.P.			
				h. m. s.			8.	8.	s.	0 / //				17	M	"
2681	9.0*	Pavonis G. 28678		20 49 8.07	93.74	1	+ 5.1695	- 0.1063		154 44 57.30	93.74	1		-13.492	-0.552	
2682	5.2	32 Vulpecnlæ		20 49 52.24	88.62	63	+ 2.5560	+ 0.0027	-0.002	62 21 36·51	87.93	16		-13.539	-0.269	0.00
2683	8.3	Octantis L. 8563		20 50 40.43	93.78	2	+ 7.6867	-0.3870		167 58 26.00	93.78	2		-13.591	-0.819	
2684	8.5	$D.M 10^{\circ} \cdot 5550$		20 50 55.90	91.67	3	+ 3.2588	- 0.0090		100 44 33.42	91.66	3		-13.608	-0.343	
2685	4.8	a Octantis		20 51 22.08	87.53	17	+ 7.4726	-0.3588	-0.008	167 26 31.22	87.93	7	7	-13.636	-0.793	+0.37
2686	8.5	$D.M 13^{\circ} \cdot 5803$		20 52 2.26	91.70	3	+ 3.2989	- 0.0101		103 2 22.14	91.70	3		-13.678	-0.346	
2687	4.0	$\nu$ Cygni		$20 53 4 \cdot 31$	88.48	8	$+ 2 \cdot 2339$	+ 0.0038	0.000	49 15 21.41	88.61	9	•••	-13.744	-0.231	0.00
2688	$7 \cdot 0$	Octantis S. 11139		20 54 27.62	87.53	36	+17.2301	- 3.0898		176 5 20.21	88.32	16	20	-13.833	-1.813	
2689	8.9	M.Z. 18705		20 54 55.27	85.75	3	+ 4.9368	- 0.0936		152 36 28.77	85.75	3		-13.862	-0.514	
2690	$7 \cdot 0$	D.M 14° · 5908		20 55 4.54	91.74	3	+ 3.3125	- 0.0106		103 57 33.52	91.74	3		-13.872	-0.343	
2691	5.8	Microscopii L. 8644		$20 55 23 \cdot 80$	87 . 77	3	+ 3.8520	- 0.0301		128 57 24.42	87.76	3		-13.892	-0.399	
2692	$7 \cdot 5$	Octantis L. 8614	pre.	20 55 44.15	93.76	3	+ 7.0565	- 0.3144		166 24.54.14	93.76	3		-13.913	-0.735	
2693	7.3	Octantis L. 8614	seq.	$20 55 44 \cdot 35$	93.78	2	+ 7.0565	- 0.3144		166 24 54.11	93.78	2		-13.913	-0.735	
2694	$5 \cdot 4$	ζ Microscopii	•••	20 55 56.17	88.41	9	+ 3.8531	- 0.0303	-0.003	129 3 36.99	88.10	11	•••	-13.926	-0.398	+0.14
2695	6.8	$D, M 12^{\circ} \cdot 5890$		20 55 59.83	91.72	3	+ 3.2792	- 0.0098	••	102 7 34.71	91.72	3	•••	-13.930	-0.338	
						1.0	- ander					1			1.00	
2696	8.0	$D.M 10^{\circ} \cdot 5577$	•••	20 56 32.82	91.66	3	+ 3.2396	- 0.0087		99 52 45.13	91.66	3	•••	-13.964	-0.333	
2697	$9 \cdot 3$	•• ••	•••	20 58 0.84	92.79	3	+ 8.0234	-0.4659		169 5 56.52	92.79	3	•••	-14.056	-0.829	
2698	$9 \cdot 3$	•• ••		20 58 41.94	92.71	3	+ 5.6853	- 0.1616	••	160 0 21.94	92.74	3	•••	-14.099	-0.584	
2699	9.2		••	20 58 51.40	92.71	3	+ 7.6218	-0.4052		168 12 16.06	92.71	3	••	-14.109	-0.784	•••
2700	8.8	$D.M 13^{\circ} \cdot 5844$	••	20 59 20.10	91.70	3	+ 3.2947	- 0.0103	••	$103 \ 11 \ 28.51$	91.70	3	•••	-14.139	-0.332	
	_							0.100-		1 = 2 14 00 05					0 -00	
2701	7.7	Pavonis G. 28905	•••	20 59 37.79	93.75	3	+ 5.2232	- 0.1205		156 14 20.35	93.75	3	•••	-14.157	-0.533	
2702	4.2	$\theta$ Capricorni	•••	20 59 45.79	88.83	70	+ 3.3739	-0.0128	+0.004	107 40 9.52	87.86	18	••	-14.165	-0.342	+0.05
2703	8.7	D.M 11° · 5524		20 59 53·71	91·73	3	+ 3.2572	- 0.0093		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91.71	4	•••	-14.173	-0.330	
2704	9.2	M Z. 43755	•••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92.73	2	+ 5.4429 + 2.1794	- 0.1403		46 30 34.68	92·75 86·70	3	••	-14.177 -14.237	-0.555 -0.218	+0.01
2705	3.9	ξ Cygni	•••	21 0 55.73	86.70	3	+ 2.1/94	+ 0.0042	+0.001	40 30 34.08	80.10	0	•••	- 14-237	-0.218	+0.01
2706	7.0+	Geiantis L. 8618		21 1 29.30	93.72	3	+ 8.8679	- 0.6333		170 47 42.78	93.72	3		-14.271	-0.902	-
2707	4.8		••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	87.55		+ 2.3348	+ 0.0044	 ±0.344	51 47 27.93	87.58	13		-14.301	-0.233	-3.23
2707		A14 CL 1	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	90.78	15 3	+ 2.3350 + 2.3350	+ 0.0044		51 47 39.36	90.78	3		-14.301 -14.302	-0.233	-3.03
2709	9.8	M.Z. 18720	•••	21 $1$ $35$ $4221 2 45 \cdot 20$	85.75	3	+ 4.8375	-0.0922	-0.000	152 6 56.48	85.75	3		-14.349	-0.487	-0 00
2710	9.0		•••	21 2 49.38	92.79	3	+ 6.8214	- 0.3016		166 0 57.29	92.79	3		-14.353	-0.689	
2711	8.6	D.M 14° · 5945		21 3 20.57	91.67	3	+ 3.3086	- 0.0110		104 13 23.32	91.67	3		-14.385	-0.330	
2712	4.6	v Aquarii		21 3 36.12	90.07	9	+ 3.2672	- 0.0097	+0.004	101 48 59.16	90.07	9		-14.401		+0.01
2713	8.8	D.M 10° · 5614		21 3 41.28	91.71	3	+ 8.2385	- 0.0089		100 7 8.25	91.71	3		-14.406	-0.322	
2714	7.7	Pavonis L. 8673		21 3 46.79	93.76	4	+ 5.8199	- 0.1827		161 18 21.07	93.76	3		-14.411	-0.584	
2715	6.5	Octantis L. 8671	0.0	21 6 15.57	93.72	3	+ 6.7045	- 0.2946	0.000	165 48 4.97	93.72	3		-14.565	-0.666	+0.05
									110							
2716	7.5	D.M 13° · 5881		21 8 6.95	91.71	8	+ 3.2816	- 0.0104		102 55 10.31	91.71	3		-14.673	-0.320	•••
2717	3.5	ζ Cygni		21 8 15.19	88.53	60	+ 2.5515	+ 0.0039	-0.001	60 13 25.47	88.05	15		-14.681	-0.247	+0.07
2718	6.2	D.M 11° · 5553	••	21 8 19.59	91 · 69	3	$+ 3 \cdot 2505$	- 0.0094		101 3 32.37	91.69	3		-14.685	-0.316	
2719	8.8	Pavonis G. 29126	•••	21 8 41.73	93·79	3	+ 5.4472	- 0.1513		159 3 31.32	93.79	3	•••	-14.707	-0.534	••
2720	3.8	a Equulei		21 10 19.45	89.15	5	+ 2.9969	- 0.0028	+0.005	85 12 22.80	89 · 26	6		-14.804	-0.588	+0.08

$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	No.	Mag.	Star's Name.	Mean R.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annuai Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Numl Obse tio	erva-	Annual Precession in N.P.D.	Secular Variation.	Annua Prope Motion
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$					Mean Obse	Num Obse					Mean Obse	-	8.P.			
2721       3.9       7       Cygni       1       10       3.9       9       7.5       3       -       1.0       3.9       9       7.5       3       -       1.0       3.9       9       7.5       3       -       1.0       3.0       -       1.4       4.80       -0.100       1.0       1.0       0.6       3       .       -       1.4       4.80       -0.42       1.0       1.0       0.6       3       .       -       1.4       4.80       -0.43       1.0       1.0       1.4       1.0       1.0       1.4       1.0       1.0       1.1       1.0       1.0       1.1       1.0       1.0       1.1       1.0       1.0       1.1       1.0       1.0       1.1       1.0 </th <th></th>																
1721       3.9       - Cygai        1.1       0.2       3.2       9.0       1.0       3.2       1.0       3.2       1.0				h. m. s.			8.	8.	8.	0 / 11				"		"
T22       S4       Favonis 6. 20178        21       10       30       3         10       0.0       6.27       0.37       3         1.4        0.1       0.0	721	3.9	$\tau$ Cygni	21 10 23.92	90.75	3	+ 2.3789	+ 0.0050		52 25 26.99	90·75	3		-14.808	-0.228	-0.4
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	722		D 1 0 00170	21 10 34.08	93.75	3	+ 5.4192			159 0 6.27	93.75	3		-14.818	-0.526	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	723	8.6	M.Z. 18734	21 10 41.96	85.75	3	+ 4.8101	- 0.0962		152 36 47.40	85.75	3		-14.826	-0.466	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2724	9.0	D M9°·5702	21 10 51.42	91.71	3	+ 3.2278	- 0.0088		99 47 39·95	91.69	3		-14.835	-0.310	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2725	6.5	D.M13°·5897	21 11 12.07	91.72	3	+ 3.2921	- 0.0107	·	103 44 15.13	91.72	3		-14.855	-0.316	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$																
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2726	5.7	4 Piscis Australis	21 11 16.02	88.41	9	+ 3.6473	- 0.0243	+0.003	122 37 53.05	88.42	9		-14.859	-0.351	+0.0
1729       8.3       Octantia L. \$713       .       21       24       92       9.3       4       6.922       -       0.3447        166       50       33       4       -       -       166       50       33       4       - <t< td=""><td>2727</td><td>7.1</td><td>Pavonis L. 8729</td><td>21 11 46.27</td><td>93.75</td><td>3</td><td>-</td><td>- 0.1971</td><td></td><td>162 2 6.20</td><td><b>93</b>·78</td><td>3</td><td></td><td>-14.889</td><td>-0.564</td><td></td></t<>	2727	7.1	Pavonis L. 8729	21 11 46.27	93.75	3	-	- 0.1971		162 2 6.20	<b>93</b> ·78	3		-14.889	-0.564	
4 *3 $\sigma$ Cygni        21 13 5 6 1       90 75       3 $+ 2.3537$ $+ 0.0033$ $-0.01$ 51       3 5 6 4 3       90 75       3 $-14 \cdot 966$ $-0.22$ 2731       9.1         21 13 4 5 7 1 $92 \cdot 70$ 3 $+ 6 \cdot 4370$ $-0.2766$ 165       14 10 84 $92 \cdot 70$ 3 $-15 \cdot 088$ $-0.373$ 2732       8.3       D.M. $-13^{*} \cdot 6372$ 21 14 4 6 44 $10 - 67$ 3 $-3217$ $-0.007$ 103 0 2 76 $91 - 67$ 3 $-15 \cdot 088$ $-0.37$ 2733       4.3 $C$ Capricorri        21 16 5.9 4 8.949       7 $+10 \cdot 3891$ $-10 \cdot 005$ $-0 \cdot 025$ $107 \cdot 18$ $8.83$ $87 \cdot 85$ $6$ $-15 \cdot 11 - 0.47$ 2737       4.2       Payonis        21 16 5.9 4 8.944 $0.77$ $3 + 5 \cdot 4443$ $-0 \cdot 012$ $105 5 6 1 4 6 49$ $83 \cdot 87$ $87 \cdot 88$ $6 \cdot 5 - 15 \cdot 11 - 0.43$ $10 \cdot 27 \cdot 25 \cdot 25$ $10 \cdot 27 \cdot 25 \cdot 25 \cdot 25$ $10 \cdot 27 \cdot 25 \cdot 25 \cdot$	728	9.5	$D.M 12^{\circ} \cdot 5954$	21 11 53.17	91.76	3	+ 3.2650	- 0.0100		102 8 3.12	91.75	3		-14.896	-0.312	
$ \begin{array}{c} 1273 & 9 \cdot 1 & \dots & 2 \\ 1273 & 9 \cdot 1 & \dots & 2 \\ 1273 & 10 \cdot 1 & 0 \cdot 572 & \dots & 21 \\ 14 & 9 \cdot 4 & 0 \cdot 160 & 3 \\ 1273 & 8 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 572 & \dots & 21 \\ 14 & 9 \cdot 4 & 0 \cdot 160 & 3 \\ 1273 & 8 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 572 & \dots & 21 \\ 14 & 40 \cdot 4 & 0 \cdot 167 & 3 \\ 1273 & 8 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 0 \cdot 11 & 10 \cdot 10 \\ 1273 & 4 \cdot 3 \\ 1274 & 10 & 11 \\ 1273 & 10 & 1 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1274 & 10 & 11 \\ 1$			Octantis L. 8713		93.79	3	+ 6.9322	- 0.3447			93.78	3	••		-0.668	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	730	4.3	σ Cygni	21 13 5.61	90.75	3	+ 2.3537	+ 0.0053	-0.001	51 3 56.43	90.75	3	• •	-14.966	-0.222	+0.0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				R. Contract												
1733       8·3       D.M 13° 5912       21 14 46 41 91 67       3       + 3 - 2817       - 0 0107        103 20 2°.76       91 e7       3        - 15 064       - 0.33         1735       6·3       Octantis B.A.C. 7384       21 15 53.68       80 49       7       + 10 3891       - 10005       107 18 8*3       87 95       14        - 15 141       -0.33         1736       4·2       1       Pegasi        21 16 59 92       89 24       6       + 2 7663       + 0.0020       +0.006       107 18 8*3       87 95       14        -15 141       -0.33         1736       4·2       1       Pegasi         21 16 50 92       89 24       6       + 2 7663       + 0.0020       +0.006       105 16 64 64 93 15       3       2 - 15 211       -0.43         1739       8.7       D.M 14° 6019        21 18 11.76       91 67       3       + 4 7341       0 -0481        103 57 5090       91 67       3       - 15 337       -0.57         1741       8.8       Pavonis G. 29346        21 10 2109       89 10       3       + 5 5203       -0.0100        101 54 37 19						3							• •		-0.616	••
1734       6·3       Octantis B.A.C. 7384       21 15 53·58       89·49       7       +10·3891       -1·0905       -0·035       173       9.38·84       87·38       6       5       -15·181       -0·037         1736       4·3       i       Capricorni        21 16       7·27       88·35       27       +3·3455       -0·0129       0·000       107 18       8·83       87·38       6       5       -15·141       -0·33         1736       4·2       P Paronis        21 17 20·50       93·15       5       +5·4443       -0·1029       +0·001       155 58 4*38       93·77       3       -15·306       -0·137        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        155 58 4*38       93·77        157 53       0·3        -15·3358       0·0111        155 551510       0						3						-			-0.307	
2735 4.3 $\iota$ Capricorni 21 16 7.27 88.35 27 + 3.3455 - 0.0129 0.000 107 18 8.83 87.95 1415.141 -0.33 2736 4.2 1 Pegasi 21 16 59.92 89.24 6 + 2.7663 + 0.0020 +0.006 70 39 56.04 89.24 6 +15.161 -0.23 2737 4.2 $\gamma$ Pavonis 21 17 20.56 93.15 5 + 5.0166 - 0.1199 +0.011 155 51 46.54 93.15 3 2 -15.211 -0.43 2738 8.7 D.M14°.6019 21 19 51.6 91.67 3 + 5.5443 - 0.1647 159 58.77.38 93.77 315.306 -0.57 D.M14°.6019 21 19 21.90 85.75 3 + 4.7341 - 0.9088 152 54 32.10 85.76 315.316 -0.30 2740 9.2 M.Z. 18756 21 19 3.98 93.80 3 + 5.827 - 0.2166 162 57 39.52 93.80 315.337 -0.54 2743 8.8 Pavonis G. 29346 21 19 3.98 93.80 3 + 5.827 - 0.0106 101 64 37.19 91.70 315.337 -0.54 2743 4.0 $\zeta$ Capricorni 21 20 23.21 89.26 11 + 3.4346 - 0.0166 -0.002 112 53 14.33 88.72 915.338 -0.33 21 21 2.10 82.72 3 + 5.5290 -0.1171 160 48 55.78 92.72 315.48 -0.44 2745 9.1 M.Z. 13800 21 21 21.210 92.70 3 + 5.5293 -0.1422 168 948.48 92.70 315.48 -0.44 2746 8.7 D.M13°.599 21 22 43.77 91.70 3 + 3.2691 -0.0106 103 4 3.33 91.70 315.48 -0.44 2747 9.2 D.M13°.5991 21 22 23.21 89.26 11 + 3.42641 -0.0164 103 4 3.33 91.70 315.48 -0.44 2747 9.2 D.M13°.599 21 24 24.97 92.70 3 + 5.5293 -0.1422 168 948.48 92.70 315.48 -0.44 2749 9.1 M.Z. 13767 21 23 2.24 91.67 3 + 3.22611 -0.0106 103 4 3.33 91.70 315.640 -0.44 2749 9.0 M.Z. 13767 21 24 24.97 92.70 3 + 4.5.9905 -0.1422 168 948.48 92.70 315.640 -0.44 2749 9.0 M.Z. 13767 21 25 5.15 85.76 3 + 4.6006 -0.00951 152 13 0.50 85.76 315.640 -0.44 2749 9.0 M.Z. 13767 21 25 4.15 85.76 3 + 4.6006 -0.0164 100 48 5.75 99.72 315.640 -0.44 2750 8.2 M.M.Z. 13767 21 25 6.78 93.75 3 + 5.2005 -0.1664 159 20.22.81 93.75 315.640 -0.44 2750 8.2 M.M.Z. 12767 21 25 6.78 93.75 3 + 5.2005 -0.1644 159 10.510.392.70 315.640 -0.44 275		1				3			1 m m			1			-0.309	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$						7						1.11	5		-0.988	+0.1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	735	4.3	ι Capricorni	21 16 7.27	88.35	27	+ 3.3455	-0.0129	0.000	107 18 8.83	87.95	14		-15.141	-0.313	-0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	4.0													0.00	
7386.0Pavonis L. 8782211854.1693.773+5.4443-0.1647*1505847.3893.77315.306-0.537409.2M.Z. 18756211911.7691.673+4.7341-0.09681523432.1085.76315.316-0.337315.316-0.3315.316-0.3315.316-0.3315.316-0.3315.316-0.3315.316-0.3315.337-0.530.3315.3310.3315.337-0.5330.3315.3310.3315.3370.0530.3315.3370.0530.3315.3310.330.3315.3370.0530.3315.3310.330.3315.3370.0530.3315.3370.0530.3315.3310.330.3315.3370.0230.3315.3330.330.15330.330.15330.330.15330.330.15330.331			e.										•••			-0.0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			/										2		-0.470	-0.7
r740       9·2       M.Z. 18756        21       19       21       9       85·76       3       + 4·7341       - 0·0968        152       34       21       0       53.76       3        -15·326       -0·43         r741       8·8       Pavonis G. 29346        21       19       30.80       3       + 5·827       -0·2166        162       57       3        -15·337       -0·537         r743       9·0         21       20       9·28       11       + 3·4346       -0·0106        162       57       92       2        -15·371       -0·57         r744       9·1       M.Z. 43800        21       21       21       92.72       3       + 5·5208       -0·1771        160       48       57.8       92.72       3        -15·418       -0·07         r744       9·1       M.Z. 43800        21       22       3       + 5·2038       -0·0106        103       4 3·33       91·70       3        -15·514       -0·22         r744       9·1       M.Z		1							•••							··
27418.8 2742Pavonis G. 29346211933.98 33.9893.803+ 5.8827 4.2724- 0.21661625739.5293.803 15.337 - 0.54227429.1D.M 12° 5992212099.8991.703+ 3.2536 + 3.4246- 0.0106 - 0.0021015437.1991.703 15.337 - 0.52427449.0 $\zeta$ Capricorni212223.2189.2611+ 3.4246 + 5.5290- 0.0106 - 0.0021125314.3388.729 15.337 - 0.543- 0.5327449.0212111.0392.703+ 5.5293 + 5.5293- 0.11221604855.7892.723 15.614-0.2227479.1M.Z.43800212243.7791.703+ 3.2691 + 3.2227- 0.0094 1004438.9891.673 15.614-0.2227479.2D.M 10°.5681212244.97992.703+ 4.8366 + 4.6606- 0.09511521061.0392.703 15.640-0.4427499.0M.Z.1876721255.7893.753+ 5.2905- 0.1564152130.5085.76<			N. R. 10750									Ĩ				···
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	140	9.2	M.Z. 18756	21 19 21.90	85.75	3	+ 4.7341	- 0.0868	••	152 34 32.10	85.76	3	••	-15.326	-0.438	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	741	0.0	Demonia () 20246	91 10 99.00	02.00	2	1 5.0007	0.9160		169 57 20.50	09.90	2		15.997	0.548	
2743 4 $\cdot 0$ $\zeta$ Capricorni 21 20 23 $\cdot 21$ 89 $\cdot 26$ 11 + 3 $\cdot 4346$ - 0 $\cdot 0166$ - 0 $\cdot 002$ 112 5 3 14 $\cdot 33$ 88 $\cdot 72$ 915 $\cdot 333$ - 0 $\cdot 33$ 2744 9 $\cdot 0$ 21 21 1 $\cdot 33$ 92 $\cdot 70$ 3 + 5 $\cdot 5290$ - 0 $\cdot 1771$ 158 9 48 $\cdot 48$ 92 $\cdot 70$ 315 $\cdot 419$ - 0 $\cdot 607$ 2745 9 $\cdot 1$ M.Z. 43800		1	D M 100 5000			2							••			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										and the second sec				1		-0.0
27459.1M.Z. 43800212111.3392.703 $+ 5 \cdot 2038$ $- 0 \cdot 1422$ 158948.4892.703 $-15 \cdot 428$ $-0 \cdot 4328$ 27468.7D.M. $-13^{\circ} \cdot 5939$ 212243.7791.703 $+ 3 \cdot 2691$ $-0 \cdot 0106$ 10343·3391.703 $-15 \cdot 428$ $-0 \cdot 4328$ 27479.2D.M. $-10^{\circ} \cdot 5681$ 212322·4791.673 $+ 3 \cdot 2327$ $-0 \cdot 00094$ 1004438.9391.673 $-15 \cdot 514$ $-0 \cdot 226$ 27489.1M.Z. 42859212449.7992.703 $+ 4 \cdot 6806$ $-0 \cdot 01094$ 1051															-0.509	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$															-0.478	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					02 10		1 0 2000				01 00	Ŭ		10 100		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	746	8.7	D.M 13° · 5939	21 22 43.77	91.70	3	+ 3.2691	- 0.0106		103 4 3.33	<b>91</b> · 70	3		- 15.514	-0.295	
27489·1M.Z. 4285921 24 49·7992·703 $+ 4 \cdot 8836$ $- 0 \cdot 1149$ 155 10 51 0392·703 $$ $-15 \cdot 630$ $-0 \cdot 44$ 27499·0M.Z. 1876721 25 1 \cdot 1585·763 $+ 4 \cdot 6606$ $- 0 \cdot 0951$ 155 10 51 0392·703 $-15 \cdot 640$ $-0 \cdot 44$ 27508·2Indi G. 2947721 25 5 \cdot 7893·753 $+ 5 \cdot 2905$ $- 0 \cdot 1564$ 155 10 51 0392·703 $-15 \cdot 640$ $-0 \cdot 44$ 27508·2Octantis B.A.C. 702021 25 29·9887·9445 $+ 78 \cdot 0084$ $-104 \cdot 3436$ $-0 \cdot 024$ 179 21 42·9987·832631 $-15 \cdot 664$ $-0 \cdot 44$ 27523·3 $\beta$ Aquarii21 25 46 \cdot 0789·1256 $+ 3 \cdot 1609$ $- 0 \cdot 0071$ $-0 \cdot 001$ 96 $3 \cdot 15 \cdot 92$ $87 \cdot 75$ 14 $-15 \cdot 681$ $-0 \cdot 28$ 27536·9Gruis L. 884021 26 47·92 $86 \cdot 74$ $3$ $+ 3 \cdot 9640$ $-0 \cdot 0447$ $137 \cdot 54 \cdot 52$ $86 \cdot 74$ $3$ $- 15 \cdot 754$ $-0 \cdot 57$ 27558·0D.M. $-14^{\circ} \cdot 6063$ 21 27 4 \cdot 67 $91 \cdot 75$ $3$ $+ 3 \cdot 2201$ $-0 \cdot 0091$ $100 \cdot 8 \cdot 48 \cdot 75$ $91 \cdot 75$ $3$ $- 15 \cdot 785$ $-0 \cdot 28$ 7757D.M. $-10^{\circ} \cdot 5705$ 21 27 4 \cdot 67 $91 \cdot 75$ $3$ $+ 3 \cdot 2201$ $-0 \cdot 0091$ $100 \cdot 8 \cdot 48 \cdot 75$				21 23 22.47		3						3		-15.550	-0.291	
27499.0M.Z. 1876721 25 1.1585.763 $+ 4.6606$ $- 0.0951$ 152 13 0.5085.763 $-15.640$ $-0.44$ 27508.2Indi G. 2947721 25 5.7893.753 $+ 5.2905$ $- 0.1564$ 152 13 0.5085.763 $-15.640$ $-0.44$ 27516.1Octantis B.A.C. 702021 25 29.9887.9445 $+78.0084$ $-104.3436$ $-0.024$ 179 21 42.9987.832631 $-15.644$ $-0.47$ 27523.3 $\beta$ Aquarii21 25 46.0789.1256 $+ 3.1609$ $-0.0071$ $-0.024$ 179 21 42.9987.832631 $-15.644$ $-0.47$ 27536.9Gruis L. 884021 25 46.0789.1256 $+ 3.1609$ $-0.0071$ $-0.001$ 96 3 15.9287.7514 $-15.681$ $-0.28$ 27536.9Gruis L. 884021 27 6.9692.753 $+ 6.4567$ $-0.3134$ $166 15 56.87$ 92.753 $-15.754-0.5727558.0D.M. -10^{\circ}.570521 27 41.6791.753+ 3.2201-0.0091100 8 48.7591.753-15.785-0.2827569.2M.Z. 4422721 28 2.9991.733 + 3.2201-0.0091100 8 48.7591.753-15.805-0.28$			31 17 19020												-0.440	
7508·2Indi G. 2947721 25 5·7893·753 $+ 5 \cdot 2905$ $- 0 \cdot 1564$ 159 20 22 \cdot 8193·753 $-15 \cdot 644$ $-0 \cdot 47$ 7516·1Octantis B.A.C. 702021 25 29·9887·9445 $+78 \cdot 0084$ $-104 \cdot 3436$ $-0 \cdot 024$ 179 21 42·9987·832631 $-15 \cdot 666$ $-7 \cdot 026$ 7523·3 $\beta$ Aquarii21 25 46 \cdot 0789·1256 $+ 3 \cdot 1609$ $- 0 \cdot 0071$ $-0 \cdot 001$ 963 15 \cdot 9287 \cdot 7514 $-15 \cdot 686$ $-0 \cdot 28$ 7536·9Gruis L. 884021 26 47 \cdot 9286 \cdot 743 $+ 3 \cdot 9640$ $- 0 \cdot 0447$ 137 5 45 \cdot 5286 \cdot 743 $-15 \cdot 754$ $-0 \cdot 57$ 7549·521 27 6 \cdot 9692 \cdot 753 $+ 6 \cdot 4567$ $- 0 \cdot 3134$ 166 15 56 \cdot 8792 \cdot 753 $-15 \cdot 734$ $-0 \cdot 57$ 7558·0D.M. $-14^{\circ} \cdot 6063$ 21 27 41 \cdot 6791 \cdot 753 $+ 3 \cdot 2201$ $- 0 \cdot 0091$ 100 8 48 \cdot 7591 \cdot 753 $-15 \cdot 785$ $-0 \cdot 28$ 7567·7D.M. $-10^{\circ} \cdot 5705$ 21 28 2 \cdot 9391 \cdot 733 $+ 3 \cdot 2201$ $- 0 \cdot 0091$ 100 8 48 \cdot 7591 \cdot 753 $-15 \cdot 785$ $-0 \cdot 28$ 7578·9D.M. $-12^{\circ} \cdot 6030$ 21 28 2 \cdot 9391 \cdot 733 $+ 3 \cdot 2513$ $- 0 \cdot 01012$	749	9.0	15 12 1 1 1 1 1 1	21 25 1.15		3									-0.419	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	750	8.2	T 1: CL 00 (EF			3		- 0.1564			93.75	}		-15.644	-0.476	
752 $3 \cdot 3$ $\beta$ Aquarii        21       25 $46 \cdot 07$ $89 \cdot 12$ $56$ $+ 3 \cdot 1609$ $- 0 \cdot 0071$ $-0 \cdot 001$ $96$ $3$ $15 \cdot 92$ $87 \cdot 75$ $14$ $-15 \cdot 681$ $-0 \cdot 28$ 7753 $6 \cdot 9$ Gruis L. 8840 $21$ $26$ $47 \cdot 92$ $86 \cdot 74$ $3$ $+ 3 \cdot 9640$ $- 0 \cdot 0447$ $137$ $5$ $45 \cdot 52$ $86 \cdot 74$ $3$ $-15 \cdot 737$ $-0 \cdot 3134$ $166$ $15$ $56 \cdot 87$ $92 \cdot 75$ $3$ $-15 \cdot 737$ $-0 \cdot 57$ $755$ $8 \cdot 0$ D.M. $-14^{\circ} \cdot 6063$ $21$ $27$ $4 \cdot 34$ $91 \cdot 70$ $3$ $+ 3 \cdot 2201$ $-0 \cdot 0111$ $103$ $56$ $10 \cdot 59$ $91 \cdot 75$ $3$ $$ $-15 \cdot 785$ $-0 \cdot 28$ $756$ $7 \cdot 7$ D.M. $-10^{\circ} \cdot 5705$ $21$ $27$ $41 \cdot 67$ $91 \cdot 75$ $3$ $+ 3 \cdot 2201$ $-0 \cdot 0091$ $100$ $8$ $8 \cdot 75$ $91 \cdot 75$																
$3\cdot3$ $\beta$ Aquarii $21$ $25$ $46\cdot07$ $89\cdot12$ $56$ $+$ $3\cdot1609$ $ 0\cdot0071$ $-0\cdot001$ $96$ $3$ $15\cdot92$ $87\cdot75$ $14$ $-15\cdot681$ $-0\cdot28$ $7753$ $6\cdot9$ Gruis L. 8840 $21$ $26$ $47\cdot92$ $86\cdot74$ $3$ $+$ $3\cdot9640$ $ 0\cdot0447$ $137$ $5$ $45\cdot52$ $86\cdot74$ $3$ $-15\cdot737$ $-0\cdot33$ $7755$ $8\cdot0$ D.M 14° \cdot 6063 $21$ $27$ $6\cdot96$ $92\cdot75$ $3$ $+$ $6\cdot4567$ $ 0\cdot3134$ $166$ $15$ $56\cdot87$ $92\cdot75$ $3$ $-15\cdot754$ $-0\cdot57$ $7755$ $8\cdot0$ D.M 10° \cdot 6705 $21$ $27$ $41\cdot67$ $91\cdot75$ $3$ $+$ $3\cdot2201$ $ 0\cdot0091$ $100$ $8$ $8\cdot75$ $91\cdot75$ $3$ $-15\cdot785$ $-0\cdot28$ $7757$ $8\cdot9$ <	751	6.1	Octantis B.A.C. 7020	21 25 29.98	87.94	45	+78.0084	-104.3436	-0.024	179 21 42.99	87-83	26	31	-15.666	-7.096	+0.0
$7753$ $6 \cdot 9$ $Gruis$ L. 8840 $21$ $26$ $47 \cdot 92$ $86 \cdot 74$ $3$ $+$ $3 \cdot 9640$ $ 0 \cdot 0447$ $$ $137$ $5$ $45 \cdot 52$ $86 \cdot 74$ $3$ $$ $-15 \cdot 737$ $-0 \cdot 337$ $754$ $9 \cdot 5$ $$ $$ $21$ $27$ $6 \cdot 66$ $92 \cdot 75$ $3$ $+$ $6 \cdot 4567$ $ 0 \cdot 3134$ $$ $166$ $15$ $56 \cdot 87$ $92 \cdot 75$ $3$ $$ $-15 \cdot 737$ $-0 \cdot 33$ $755$ $8 \cdot 0$ $D.M 14^{\circ} \cdot 6063$ $$ $21$ $27$ $34 \cdot 34$ $91 \cdot 70$ $3$ $+$ $3 \cdot 2273$ $ 0 \cdot 0111$ $$ $103$ $56$ $1059$ $91 \cdot 70$ $3$ $$ $-15 \cdot 737$ $-0 \cdot 33$ $756$ $7 \cdot 7$ $D.M 10^{\circ} \cdot 5705$ $$ $21$ $27$ $41 \cdot 67$ $91 \cdot 75$ $3$ $+$ $3 \cdot 2201$ $ 0 \cdot 0091$ $$ $100$ $8$ $48 \cdot 75$ $91 \cdot 75$ $3$ $$ $-15 \cdot 785$ $-0 \cdot 28$ $757$ $B$ $D.M 12^{\circ} \cdot 6030$ $$ $21$ $27$ $41 \cdot 67$ $91 \cdot 75$ $3$ $+$ $3 \cdot 2201$ $ 0 \cdot 0091$ $$ $100$ $8$ $48 \cdot 75$ $91 \cdot 75$ $3$ $$ $-15 \cdot 785$ $-0 \cdot 28$ $757$ $B$ $M$	752	3.3	0 A			1				96 3 15.92				-15.681	-0.281	0.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	753	6.9	Q T 0040	21 26 47.92	86.74	3	+ 3.9640	- 0.0447		137 5 45.52	86.74	3		-15.737	-0.352	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	754	9.5		21 27 6.96	92.75	3	+ 6.4567	- 0.3134			92.75	3		-15.754	-0.576	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	755	8.0	D.M14°.6063	21 27 34.34	91.70	3	+ 3.2773	- 0.0111		103 56 10.59	91.70	3		-15.779	-0.288	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										and the second second						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	756	7.7		21 27 41.67	91.75	3	+ 3.2201	- 0.0091		100 8 48.75	91.75	3		-15.785	-0.283	
$759  4 \cdot 2  \nu  \text{Octantis}  \dots  21  29  13 \cdot 10  93 \cdot 78  3  +  6 \cdot 8783  -  0 \cdot 3886  + \\ 0 \cdot 004  167  52  37 \cdot 83  93 \cdot 78  3  \dots  -15 \cdot 867  -0 \cdot 603  -0  -0 \cdot 603  -0  -0  -0  -0  -0  -0  -0  $	757	8.9		21 28 2.93	91.73	3	+ 3.2513	- 0.0102		102 15 25.56	91.73	3		-15.805	-0.285	
	758	9.2	M.Z. 44227	21 28 25.60	92.71	3	+ 5.2070	- 0.1517		158 57 35.26	92.71	3		-15.825	-0.460	
	759	4.2	$\nu$ Octantis	21 29 13.10	93.78	3	+ 6.8783	- 0.3886	+0.004	167 52 37.83	93.78	3		-15.867	-0.607	+0.2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	760	6.4	Indi L. 8842	21 29 15 67	93 . 75	3	+ 4.8506	- 0.1161	-0.002	155 18 56.42	93.75	3	•••	-15.870	-0.426	0.0

No.	Mag.	Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Varlation.	Annual Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annuai Precession in N.P.D.	Secular Variation	Annua Proper Motio
					Mea	Nur Obs					Mea	-	S.P.			. 2
				h. m. s.			8.	8.	8.	0 / //				"	N	"
2761	9.2	M.Z. 33241		21 29 59 47	92.70	3	+ 5.0132	- 0.1331		157 14 50.81	<b>92</b> ·70	3		-15.909	-0.438	
2762	9.3	$D.M 13^{\circ} \cdot 5974$		21 30 57 36	91.68	3	+ 3.2603	- 0.0106		103 3 39.09	91.68	3		-15.960	-0.281	
2763	8.9	$D.M 11^{\circ} \cdot 5634$		21 32 13.26	91.72	3	+ 3.2277	- 0.0095		100 55 57 . 29	91.72	3		-16.027	-0.276	
2764	5.0	74 Cygni	•••	$21 \ 32 \ 32 \cdot 35$	89.14	5	+ 2.4014	+ 0.0072	-0.001	50 4 47.98	89.14	5		-16.043	-0.503	-0.01
2765	8.9	M.Z. 18781	••	21 32 45.82	85.76	3	+ 4.5833	- 0.0945		152 4 5.76	85.76	3		-16.052	-0.394	
2766	7.3	Octantis L. 8797	•••	21 33 2·40	93.80	3	+ 9.5265	- 1.0120		172 56 11.83	93.80	3		-16.070	-0.824	
2767	9.0			21 33 5.15	92.74	3	+ 5.5228	- 0.1958		161 55 47.78	92.74	3		-16.072	-0.475	
2768	7.2	Gruis L. 8868		21 33 25.47	86.74	3	+ 3.9973	- 0.0492		139 12 44.28	86.74	3		-16.090	-0.341	
2769	6.0	$\lambda^1$ Octantis		21 33 58.88	87.93	26	+ 9.7651	-1.0895	0.000	173 13 24.48	87 . 53	12	11	- 16 • 119	-0.840	0.00
2770	4.0	$\gamma$ Capricorni	•••	21 33 59.74	89.75	7	+ 3.3181	- 0.0130	+0.012	107 9 31.55	89 · 27	6		-16.119	-0.281	+0.01
2771	8.8	$\lambda^2$ Octantis		<b>21 34 0·3</b> 5	87.43	13	+ 9.7643	- 1.0897		173 13 24.81	87.50	2	1	-16.120	-0.840	
2772	8.0	$D.M 10^{\circ} \cdot 5728$		21 34 18.07	91.72	3	+ 3.2166	- 0.0091		100 17 12.81	91.72	3		-16.135	-0.272	
2773	9.1	$D.M 14^{\circ} \cdot 6099$		21 34 50.66	91.67	3	+ 3.2713	- 0.0112		104 6 8.98	91.67	3		-16.164	-0.276	
2774	9.4	M.Z. 32564		21 35 13.53	92.70	3	+ 4.8418	- 0.1213		155 57 13.03	92.70	3		-16.183	-0.410	
2775	8.6	$D.M 12^{\circ} \cdot 6062$	•••	21 35 46.41	91.74	3	+ 3.2431	- 0.0102	••	$102 \ 13 \ 45.63$	91.74	3		-16.211	-0.271	
2776	8.5	Indi B. 7058		21 36 28.88	93.81	1	+ 5.4261	- 0.1894		161 35 13·88	93.81	1		-16.248	-0.457	
2777	7.6	Indi G. 29721		21 37 35.14	93.77	3	+ 5.0087	- 0.1417		158 6 3.33	93.77	3		-16.304	-0.418	
2778	8.5	$D.M 11^{\circ} \cdot 5657$		21 38 23.34	91.70	8	+ 3.2270	- 0.0097		101 16 46.66	91.70	3		-16.345	-0.266	
2779	2.5	$\epsilon$ Pegasi		21 38 46.96	89.51	76	+ 2.9450	- 0.0005	+0.001	80 37 43.58	87.80	16		-16.365	-0.241	-0.01
2780	$7 \cdot 1$	Gruis S. 11475	••	21 39 5.61	86.12	8	+ 3.9262	- 0.0466	••	137 54 31.09	86.15	8	••	-16.381	-0.323	
2781	6.8	D.M 13° · 6008		21.39 23.89	91.72	4	+ 3.2543	- 0.0108		103 17 17.94	91.73	3		-16.396	-0.266	
2782	7.0	Indi B. 7075		21 40 3.88	93.81	3	+ 4.9750	- 0.1216		156 0 40.97	93.81	3		-16.430	-0.394	
2783	9.1			21 40 4.22	92.72	3	+ 5.7433	- 0.2389	1	163 59 15.15	92.72	3		-16.430	-0.473	
2784	3.2	δ Capricorni		21 40 58.14	91.38	34	+ 3.3001	- 0.0127	+0.012	106 37 33.72	89.16	10		-16.475	-0.267	+0.30
2785	5.4	Gruis L. 8912		21 41 6.37	86.19	7	+ 3.9124	- 0.0464	+0.016	137 48 12.46	86.19	7	••	-16.482	-0.318	+0.31
2786	8.3	M.Z. 18801		21 41 23.92	85.76	3	+ 4.5005	- 0.0939		151 58 25.53	85.76	3		-16.496	-0.366	
2787	6.1	Indi L. 8903		21 41 27.98	93.79	3	+ 4.7184	- 0.1152		155 13 18.96	93.79	3		-16.500	-0.384	
2788	9.0			21 41 50.12	92.70	3	+ 7.7932	- 0.6303		170 52 39.76	92.70	3		-16.518	-0.637	
2789	8.2	$D.M 10^{\circ} \cdot 5764$		21 42 3.00	91.69	3	+ 3.2111	- 0.0091		100 22 20.76	91.69	3		-16.529	-0.258	
2790	7.3*	Indi G. 29827		21 42 49.28	93.76	3	+ 5.2680	- 0.1798	- • •	161 3 46.58	93.76	3		-16.567	-0.426	
2791	9.5	D.M -10°·5768		21 43 0.64	91.74	3	+ 3.2041	- 0.0089		99 55 11·33	91.74	3		-16.576	-0.256	
2792	8.5	D.M14°·6133		21 43 28.96	91.77	3	+ 3.2610	- 0.0112		104 6 18.24	91.77	7		-16.599	-0.260	
2793	8.3	$D.M 12^{\circ} \cdot 6103$		21 44 9.62	91.73	3	+ 3.2329	- 0.0101		102 7 8.70	91.72	4		-16.632	-0.256	
2794	8.4	Octantis L. 8738	•••	21 45 50.90	93.78	3	+17.2129	- 4.8741		177 0 36.15	93.78	3		-16.714	-1.379	
2795	7.0	Octantis L. 8909		21 46 4.92	93.81	3	+ 6.1998	- 0.3261		166 43 50.76	93.81	3	•••	-16.726	-0.492	
2796	7.1	Gruis L. 8943		21 46 16·35	86.15	8	+ 3.8721	- 0.0456		137 20 55.68	86·15	8		-16.735	-0.304	
2797	6.8	<b>D.M.</b> – 11 · 5690		21 47 7.50	91.69	3	+ 3.2159	- 0.0095		101 4 39.28	91.69	3		-16.776	-0.250	
2798	3.2	y Gruis		21 47 16.02	88.77	10	+ 3.6418	- 0.0310	+0.005	127 52 53.81	88.43	9		-16.783	-0.283	+ 0.03
2799	5.1	16 Pegasi		21 48 3.35	88.00	40	+ 2.7267	+ 0.0053	0.000	64 35 30.92	87.77	14		-16.820	-0.209	0.00
2800	9.1	D.M 13° · 6045		21 48 8.94	91.73	4	+ 3.2455	- 0.0108		103 22 31.15	91.73	4		-16.825	-0.250	
																271

\* Gou 1875.

70

.

.

No.	Mag.	Star's Name.		Mean R.A., 1890·0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.	Numb Obse tio	rva-	Annual Precession in N.P.D.	Secular Variation.	Aonual Proper Motion.
					Mear Obse	Num Obse					Mean Obse	_	S.P.			
					-											
				h. m. s.			S.	8.	в.	0 / //				"	"	"
2801	9.0	·· · ·		21 49 38.11	92.71	3	+ 5.4417	- 0.2155		163 5 35.88	92.71	3	••	-16.895	-0.420	••
2802	6.8	Gruis L. 8963		21 49 46.83	86.20	1	+ 3.8440	- 0.0449		136 59.59.05	86.20	7	••	-16.902	-0.294	
2803 2804	$9 \cdot 3 \\ 6 \cdot 0^*$	M.Z. 33282 Octantis L. 8927	•••	21 49 47·36 21 50 21·18	92.70 90.77	3	+ 4.7870 + 6.4988	-0.1317 -0.3949		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	92.70	3	••	-16.903	-0.368	•••
2804	8.3	D.M 10° · 5795		21 50 21 13 21 50 33.32	91.69	3	$+ 3 \cdot 2001$	-0.0089		$100 \ 6 \ 24 \cdot 88$	90·77 91·69	4	••	-16.929 -16.939	-0.501 -0.243	
2000	0.0	D.M 10 0100	••	21 00 00 02	51 05	0	T 0 2001	- 0 0005		100 0 24 00	91.09	0	•••	-10 555	-0 243	
2806	8.5	D.M 14°.6169		21 50 57.94	91.73	3	+ 3.2487	- 0.0110		103 52 17.68	91.73	4		-16.958	-0.246	
2807	8.8	Indi G. 30013		21.51 3.20	93.78	3	+ 4.9636	- 0.1543		159 20 21.09	93.78	3		-16.962	-0.379	••
2808	8.3	Indi G. 30018		21 51 13.34	93.76	3	+ 5.1449	- 0.1776		161 1 54.95	93.76	3		-16.970	-0.393	
2809	9.4	D.M 12° · 6132		21 51 40.19	91.74	3	+ 3.2244	- 0.0100		102 4 23.73	91.74	3		-16.990	-0.243	
2810	8.7	D.M 11° · 5720		21 52 12.80	91.77	3	+ 3.2185	- 0.0097		101 39 21.73	91.77	3		-17.016	-0.241	
																1.
2811	7.0	Gruis L. 8974		21 52 22.07	86.20	7	+ 3.8268	- 0.0446		136 52 3.51	86.14	8		-17.023	-0.288	
2812	7.7	Octantis L. 8897		21 53 35.06	87.45	17	+ 9.6184	- 1.2574		173 53 27.56	87.62	8	11	-17.079	-0.728	
2813	7.6*	Indi L. 8970		21 53 44.30	93.82	1	+ 4.6271	- 0.1183		155 45 54.31	93.82	1		-17.086	-0.346	
2814	8.9	$\mathrm{D.M.}-13^{\circ}\cdot6069$		21 54 10.11	91.71	3	+ 3.2365	- 0.0106		103 13 40.73	91.71	3		-17.106	-0.239	
2815	8.1	Indi G. 30087		21 54 14.57	93.79	3	+ 5.3924	- 0.2177		163 16 13·50	93.79	4		-17.109	-0.403	
2816	8.6	D.M 11° • 5729		21 54 27.56	91.74	3	+ 3.2081	- 0.0093		$101 \ 1 \ 5.24$	91.74	3		-17.119	-0.236	
2817	4.4	$\epsilon$ Indi	•••	21 54 56.53	88.02	13	+ 4.1507	- 0.0719	+0.475	147 14 13.17	88.13	10	5	-17.141	-0.307	+2.61
2818	7.7	M.Z. 18835	• •	21 56 20.50	85.84	3	+ 4.3864	- 0.0953		152 24 10.02	85.84	3	••	-17.204	-0.321	
2819	7.0	Gruis L. 8999	•••	21 56 38.85	86.20	7	+ 3.7986	-0.0442		136 39 24.83	86.20	7		-17.218	-0.277	
2820	9.1		••	21 57 21.44	92.72	3	+ 5.4362	-0.2310		163 54 39.31	92.72	3	•••	-17.250	-0.391	
							1			and the second						
2821	9.3	M.Z. 43480	••	21 57 45.74	92.70	3	+ 4.7498	- 0.1373	••	157 56 23.10	92.70	3	•••	-17.267	-0.345	
2822	9.1	Indi G. 30167	••	21 57 54.44	93.81	3	+ 4.9875	- 0.1676	•••	160 28 38.45	93.81	3		-17.274	-0.362	
2823	8.9	 D.11. 100.0100	••	21 58 14.24	92.76	3	+ 5.1768	- 0.1943		162 9 28·01	92.76	3		-17.289	-0.375	•••
2824	9.1	$D.M 12^{\circ} \cdot 6169$	••	21 58 35.86	91.71	3	+ 3.2155	- 0.0098		101 56 53.96	91.71	3		-17.305	-0.230	
2825	9.6	•• ••	••	21 59 38.22	92.71	4	+ 7.8814	- 0.7717		172 3 53.57	92.71	3		-17.350	-0.569	
2826	9.0	D.M 10° · 5829		21 59 39.66	01.74	3	+ 3.1917	- 0.0088	2.11	100 4 50.70	01.74	3		-17.352	0.996	
2827	3.2		•••		91.74				0,001	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.74		•••		-0.226	0.00
2828	6.8	a Aquarii Octantis L. 8991	••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	88.90 93.76	67	+ 3.0825 + 5.8333	-0.0041 - 0.3047	-0.001	90 51 13·76 166 25 5·54	87 · 87 93 · 76	16	•••	-17.372 -17.379	$ -0.217 \\ -0.417$	0.00
2829		ι Aquarii	•••	22 0 29.74	89.29	6	+ 3.2436	-0.0112	0.000	100 23 3 34 104 24 10.45	89.28		•••	-17.388	-0.55	+ 0.05
2830		a Gruis	•••	22  0  20  14 $22  1  17 \cdot 90$	88.74		+ 3.7947	-0.0456		137 29 35.02	87.86			-17.423	-0.267	
					00 11		I O IVII	0 0100	1 0 010	10. 20 00 02	0.00			1, 100	0 201	1 0 10
2831	9.0			22 1 58·34	92.78	3	+ 4.8896	- 0.1611		160 4 54.30	92.78	3		-17.452	-0.344	
2832	9.0			22 2 13.54	92.72	3	+ 6.1339	- 0.3676		167 53 4.98	92.72			-17.463	-0.432	
2833	6.1	Gruis L. 9032		22 3 0.32	86.74	3	+ 3.8146	- 0.0479		138 38 40.44	86.74	3		-17.496	-0.264	
2834	8.7	D.M 11° · 5765		22 3 16.27	91.72	3	+ 3.2000	- 0.0092		101 3 48.19	91.72	1		-17.508	-0.220	
2835	8.9			22 3 24.93	92.73	3	+ 6.7260	- 0.4996		169 53 42·00	92.73	3		-17.514	-0.470	
												1.1				
2836	8.5	D.M 13° · 6119		22 4 22.52	91.73	4	+ 3.2202	- 0.0102		102 52 31.03	91.74	3		-17.555	-0.220	
2837	8.2	Toucani G. 30305		22 4 23.19	93.75	3	+ 4.4669	- 0.1119		155 8 11.88	93.75	3		-17.555	-0.307	
2838	3.0	heta Pegasi		22 4 39.07	89.34	7	+ 3.0087	- 0.0011	+0.018	84 20 34.09	89.34	7		-17.566	-0.204	-0.04
2839	3.8	$\pi$ Pegasi		22 5 6.10	89.31	6	+ 2.6610	+ 0.0089	-0.002	57 21 40.04	89.31	6		-17.585	-0.179	0.00
2840	9.0	M.Z. 18854		22 5 10.98	85.84	3	+ 4.2982	- 0.0940		152 21 8.08	85.84	3		-17.589	-0.294	
								1					1		1	

71

.

No.	Mag.	Star's Name.		Mean R.A., 1890 <sup>.</sup> 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motiou.	Mean N.P.D. 1890 • 0.	Mean Year of Observations.	Obs	oer of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annua Prope Motion
					Mear Obse	Num Obse					Mean Obsei	-	S.P.			
				h. m. s.			8.	8.	8,	0 / //					"	
2841	8.7	D.M 10° · 5860		22 5 59.77	91.72	4	+ 3.1883	- 0.0087		100 17 12.24	91.72	3		-17.623	-0.214	
2842	7.2	Indi L. 9035		22 6 23.43	93.77	3	+ 4.9400	- 0.1753		161 11 44.96	93.77	3		-17.639	-0.335	
2843	5.9	4 Octantis		22 7 6.63	93.79	3	+ 6.0617	- 0.3714		168 3 29.94	93.79	3		-17.669	-0.410	
2844	7.8	D.M 14° · 6233		22 7 10.84	91.74	3	+ 3.2349	- 0.0111		104 24 48.67	91.74	3		-17.672	-0.215	
2845	5.4	$\epsilon$ Octantis		22 7 39.10	92 · 29	6	+ 7.0403	- 0.6003	+0.008	170 59 10.50	92.29	6		-17.691	-0.476	+0.0
0.40		TO M. 199, 6910		99 7 41.00	01 70		1 9,0044	0.0005		101 50 5 00				15 000	0.010	
2846	9.0	D.M. $-12^{\circ} \cdot 6210$		22 7 41.96 22 8 28.49	91.73	3	+ 3.2044	- 0.0095		101 50 7.08	91.73	3	•••	-17.693 -17.725	-0.212	
2847	$9 \cdot 0$ $9 \cdot 1$	Octantis G. 30373 Octantis G. 30376		22 8 28 · 49 22 8 32 · 01	93 · 83 93 · 83	3	+ 7.0203 + 7.0188	-0.6003 -0.6004		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	93.83	3 2	••	-17.723 -17.728	-0.471 -0.470	
2848 2849	8.5	Octantis L. 9023	•••	22 8 45.78	93.76	3	+ 6.5540	-0.4867	••	169 50 36.66	93.83	3	••	-17.728 -17.737	-0.439	
2850	6.0	Gruis L. 9068	•••	22 8 40 18 22 8 50.88	86.74	3	+ 3.6957	-0.4807 - 0.0409		134 59 51.03	93·76 86·74	3	•••	-17.740	-0.439 -0.244	
	00	GIUIS LI COOO			00.11		1 0 0001	0 0.00		101 00 01 00	00 /1			11 710		
2851	5.9	v Octantis		<b>22</b> 10 25 · 51	87.84	48	+13.2044	- 3.3260	-0.04	176 31 33.18	88.26	20	20	-17.804	-0.878	-0.0
852	9.8	M.Z 33324		22 10 27.54	92.77	3	+ 4.5233	- 0.1257		157 1 45.74	92.77	3	•••	-17.806	-0.296	
853	8.7	D.M 11° · 5792		22 10 52.07	91.73	3	+ 3.1924	- 0.0090		101 3 56.98	91.73	3		-17.822	-0.206	
854	2.9	a Toucani		22 10 58			+ 4.1684	- 0.0853	-0.013	150 48 24.53	92.25		1	-17.826	-0.271	+0.0
855	4.3	heta Aquarii	••	22 11 1.76	89.97	35	+ 3.1621	- 0.0076	+0.006	98 19 50.10	87 · 92	13	••	-17.829	-0.203	+0.0
856	9.0	M.Z. 32940		22 12 32.61	92.70	3	+ 4.4157	- 0.1150		155 47 1.84	92.70	3		-17.889	-0.283	
857	9.0			22 13 0.94	92.79	3	+ 4.8425	- 0.1730		161 13 37.44	92.79	3		-17.907	-0.310	
858	9.0	M.Z. 18875		22 13 11.65	85.84	3	+ 4.2130	- 0.0921		$152 13 22 \cdot 41$	85.84	3		-17.914	-0.268	
2859	8.8	Octantis L, 9070		22 13 41.57	93.78	3	+ 5.7497	- 0.3324		167 24 24.07	93.78	3		-17.934	-0.367	
2860	9.2			22 14 43.85	92.70	3	+ 5.2637	- 0.2444		164 51 51.20	92.70	3		-17.975	-0.333	
0.01		10.0004		00.15 0.95	01 71		1 9,0014	0.0107		104 0 4 10	01 71			17.000	0.000	
2861	9.0	D.M. $-14^{\circ} \cdot 6264$ $\nu$ Indi	•••	22 15 2.35	91.71	3	+ 3.2214 + 4.9787	- 0.0107		$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91.71	3	••	-17.986 -17.992	-0.200	
2862	5.3		•••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	93·76 88·67	3		-0.1980 -0.0041	+0.286 +0.007	91 56 28.40	93·76 87·89		••	-17.992 -18.022	-0.313	+0.7 -0.0
2863 2864	3·9 7·8	γ Aquarii Toucani G. 30518	•••	$\begin{array}{c} 22 & 13 & 58 \cdot 45 \\ 22 & 16 & 0 \cdot 78 \end{array}$	93.81	96	+ 3.0924	-0.0041 - 0.1121		155 54 31.99		15 3	•••	-18.022 -18.024	-0.190	
2865	8.8	D.M. $-10^{\circ} \cdot 5896$	••	22 16 0·78 22 16 3·90	93.81	3	+ 4.3827 + 3.1775	-0.0084		100 9 49.51	93·81 91·74	3	•••	-18.024 -18.026	-0.273 -0.195	
											×.		2			
2866	8.7	D.M 11° · 5818		22 16 58.07	91.73	3	+ 3.1938	- 0.0093		101 47 37.58	91.73	3	•••		-0.192	
867	1.00	$D.M 10^{\circ} \cdot 5904$	•••	22 18 18.46		3	+ 3.1815	- 0.0087	••	100 45 11.17		3	••	-18.111		•
2868	8.9	D.M 13° · 6182	••	22 19 3.50	91.72	3	+ 3.2035	- 0.0099	••	102 56 22.16	91.72	3	••	-18.139	-0.191	
2869		Octantis L. 9095	••	22 19 20.72	93.79	3	+ 5.9363	- 0.3945		168 46 23.18	93.79	3	••	-18.150	-0.360	
2870	6.0	Indi L. 9117	••	22 20 31.17	93.76	4	+ 4.4674	- 0.1319	+0.025	158 2 49.21	93.76	3	•••	- 18 · 193	- 0 · 266	+0.0
871	9.0	M.Z. 18887		22 20 43.64	85.84	3	+ 4.1318	- 0.0900		152 5 20.15	85.84	3		-18.201	-0.245	
2872	8.8	M.Z. 33520	•••	22 20 56·93	92.72	3	+ 4.2814	- 0.1082		155 8 43.39	92.72	3		-18.209	-0.254	
2873	8.3			22 21 0.37	92.70	3	+ 4.6101	- 0.1528		159 59 54.33	92.70	3		-18.211	-0.274	
2874	9.1			22 21 10.92	92.76	4	+ 5.0561	- 0.2246		164 16 6.29	92.76	4		-18.218	-0.300	
2875	9.0	D.M. – 12° · 6275	•••	22 22 40.92	91.79	3	+ 3.1888	- 0.0092		101 55 9.29	91.79	3	••	-18.272	-0.184	
2876	8.8	D.M 14° · 6290		22 23 11.56	91.74	3	+ 3.2118	- 0.0106		104 15 41.10	91.74	3		-18.290	-0.184	
2877		D.M 10° · 5925		22 23 16.13	91.73	3	+ 3.1720	- 0.0083		100 17 59.59	91.73	4		-18.293	-0.182	
2878	9.1			22 24 38.69	92.75	4	+ 4.7188	- 0.1761		161 49 47.78	92.75	4		-18.342	-0.270	
2879	9.0	Octantis L. 9105		22 25 51.05	93.77	3	+ 7.6736	- 0.9480		173 22 55.97	93.77	3		-18.385	-0.439	
2880	9.1			22 25 54.75	92.79	3	+ 5.2324	- 0.2705	E	166 7 28.36	92.79	3		-18.387	-0.297	

in miles

72

-

No.	Mag.	Star's Name.		Mean R.A., 1890 · 0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 <sup>.</sup> 0.	Mean Year of Observations.	1	erva-	Annual Precession in N.P.D.	Secular Variation.	Annuai Proper Motion.
					- OK	NO					ÖŘ	-	S.P.			
								Contraction of the		15						
105				h. m. s.			- 8.	8.	8.	0 / #				~	~	•
2881	8.3	D.M 11 · 5864	••	22 27 52·37	91.73	3	+ 3.1750	- 0.0086		101 5 12.62	91.73	3	•••	-18.454	-0.173	
288		D.M 13° · 6215	••	22 27 58.22	91.74	3	+ 3.1927	- 0.0096		102 57 11.40	91.74	3	••	-18.458	-0.174	••
2883		M.Z. 18903	••	22 28 3.15	85.84	3	+ 4.0630	- 0.0890		152 12 30.00	85.84	3	•••	-18.461	-0.224	
2884		Indi G. 30767	••	22 28 26.59	93.80	3	+ 4.6907	- 0.1793	•••	162 11 4.85	93.80	3		-18.474	-0.258	••
288	9.5	M.Z. 33362	• •	22 29 12-88	92.74	3	+ 4.3017	- 0.1215	••	157 14 .4.57	92.74	3	•••	-18.500	-0.234	•••
288	4.1	$\eta$ Aquarii		22 29 42.21	89.37	76	+ 3.0786	- 0.0030	+ 0.004	90 41 2·59	87.89	15		- 18.516	-0.164	+0.05
288		M.Z. 44292	•••	22 30 15.86	92.78	3	+ 4.4199	- 0.1402		159 15 56.40	92.78	3		-18.535	-0.238	
288	-	D.M 10° · 5954		22 31 8.48	91.73	3	+ 3.1613	- 0.0078		99 57 31.18	91.73	3		-18.564	-0.166	
288		D.M12°.6315		22 31 16·10	91.80	3	+ 3.1826	- 0.0092		102 17 58.94	91.79	2		-18.569	-0.167	
2890	8.0	D.M 14° · 6315		22 31 21.23	91.76	4	+ 3.2005	- 0.0103		104 14 10.77	91.76	4		-18.571	-0.168	
289	7.7	Octantis L. 9123	••	22 31 50.49	87.32	24	+ 8.1131	- 1.1956		174 18 58.03	87.77	8	14	-18.588	-0.436	
289	9.3			22 33 51.92	92.80	4	+ 5.3972	- 0.3344		168 4 50.59	92.80	3		-18.653	-0.281	
289		Indi L. 9192	• •	22 34 17.38	93.77	3	+ 4.3430	- 0.1352		158 58 23.76	93.77	3		-18.667	-0.223	
289		10 Lacertæ	• •	22 34 19.54	89.19	7	+ 2.6845	+ 0.0142	+0.001	51 31 19.31	89.19	7		-18.668	-0.135	0.00
289	5 4.7	$\beta$ Octantis	**	22 34 46.68	87.75	35	+ 6.5105	- 0.6417	-0.034	171 57 27.76	88.17	12	13	-18.682	-0.337	+0.01
2896	9.0			22 35 20·25	92.75	3	+ 4.6476	- 0.1873		162 57 44.14	92.75	3	17	-18.700	-0.237	
289		M.Z. 18919	•••	$22 \ 35 \ 20 \ 25$ $22 \ 35 \ 26 \cdot 58$	85.84	3	+ 3.9953	-0.0882		$152 \ 24 \ 57 \cdot 19$	85.84	3		-18.704	-0.201	
2898		$D.M 12^{\circ} \cdot 6327$		22 35 36.05	91.73	3	+ 3.1819	- 0.0093		$102 \ 48 \ 11 \cdot 89$	91.73	3		-18.709	-0.159	
2899		ζ Pegasi		22 35 58.50	89.01	43	+ 2.9857	+ 0.0023	+0.004	79 44 32.55	87.77	14		-18.720		+0.02
2900				22 36 2.66	92.78	3	+ 4.4713	- 0.1587		161 6 7.97	92.78	3		-18.722	-0.226	
															-	1.1.1
290!	2.6	$\beta$ Gruis		22 36 5.80	88.33	10	+ 3.5940	- 0.0434	+0.012	137 27 33.77	88.33	10		-18.724	-0.180	+0.02
2903		$D.M 10^{\circ} \cdot 5973$	• •	22 36 12.59	91.75	3	+ 3.1628	- 0.0081		100 41 58.97	91.75	3	•••	-18.728	-0.157	•••
2903		Toucani G. 30914	pre.	22 36 12.85	93.82	2	+ 4.1080	- 0.1041		155 13 28.24	93.82	2		-18.728	-0.506	
290	1.0	Toucani G. 30914	seq.	22 36 14.48	93.82	3	+ 4.1077	- 0.1041	••	155 13 25.10	93.82	3		-18.729	-0.206	
290	5 7.7	Octantis L. 9023	••	22 37 32.74	93.79	3	+ 4.9599	- 0.2531	•••	165 59 58·31	93.79	3		-18.769	-0.247	
2906	3.2	η Pegasi		22 37 50.75	89 . 26	6	+ 2.8056	+ 0.0109	0.000	60 21 13.46	89.26	6		-18.778	-0.135	+0.03
2907		$\eta$ Pegasi D.M 14° · 6337		22 39 8.05	91.73	3	+ 3.1896	-0.0100		104 12 51.08	91.73	3	•••	-18.818	-0.153	
2908		D.M 10° · 5982		22 39 33·97	91.77	3	+ 3.1554	- 0.0077		100 13 17.66	91.77	3		-18.831	-0.120	
2909		Indi L. 9220		22 39 43.92	93.76	3	+ 4.3365	- 0.1437		160 3 14.05	93.76	3		-18.836	-0.209	
2910	1 2 2 2	D.M 12° · 6342		22 40 18.97	91.74	3	+ 3.1703	- 0.0087		102 7 0.24	91.74	3		-18.853	-0.120	
								10 2 2					-	-	-	
2911		M.Z. 43952		22 40 47.08	92.75	3	+ 4.1940	- 0.1231		158 0 28·13	92.75	3		-18.867	-0.199	••
2912		$\lambda$ Pegasi	••	22 41 13.94	89.36	7	+ 2.8814	+ 0.0083	+0.003	67 0 47.04	89.36	7	•••	-18.880	-0.134	0.00
2913		Indi L. 9247	••	22 43 11.30	93.78	3	+ 4.4264	- 0.1661		162 0 26.87	93.78	3	•••	-18.937	-0.204	
2914		M.Z. 18927	- **	22 43 22·52	85.84	3	+ 3.8940	- 0.0836		151 53 42·57	85.84	3		-18.942	-0.178	••
2915	8.8	D.M 13° · 6282	•••	22 44 41.33	91.73	3	+ 3.1723	- 0.0091		$103 \ 1 \ 21 \cdot 35$	91.73	3	•••	-18.980	-0.141	••
2910	10.01			22 44 57.10	92.79	3	+ 4.7031	- 0.2238		165 13 39·18	92.79	3		-18.987	-0.213	
2917		Octantis L. 9228		22 45 10.71	93.81	3	+ 5.5817	-0.4392		170 18 12.67	93.81	3		-18.994	-0.253	
2918				22 45 48.13	92.75	3	+ 4.9008	- 0.2694		166 54 17.48	92.75	3		- 19.011	-0.219	
2919		$D.M 10^{\circ} \cdot 6006$		22 46 42.49	91.77	3	+ 3.1476	- 0.0073		100 7 35.95	91.77	3		-19.036	-0.136	
2920	3.9	$\lambda$ Aquarii		22 46 52.51	88.83	85	+ 3.1327	- 0.0062	-0.002	98 9 52.35	87.76	14		-19.041	-0.135	-0.04
		Action of the second									-					
									•			47	0		1.7.2.7	

\* Cape 1880. † Wa. Z. 1850.

•

I

.

No.	Mag.	Star's Name.		Mean R.A. 1890.0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890.0.	Mean Year of Observations.	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation	Annua Proper Motion
					Mea	Nur Obs					Mea	-	S.P.			
5				h. m. s.			s.	s.	s.	0 • / //				"		*
2921	8.0	$D.M 13^{\circ} \cdot 6292$		22 47 0.81	91.81	3	+ 3.1744	- 0.0094		103 40 58.25	91.81	3	•••	-19.045	-0.137	
2922	8.0	Toucani G. 31142		22 47 41.24	93.77	3	+ 4.0006	- 0.1042		155 54 57.56	93.77	3		-19.063	-0.123	
2923	3.2	8 Aquarii		22 48 48.74	89.17	5	+ 3.1928	- 0.0110	-0.002	106 24 19.92	89.26	6		- 19.093	-0.134	+0.01
2924	8.3	Indi L. 9291	•••	22 48 57.51	93.83	3	+ 4.1557	- 0.1312		159 22 13.04	93.83	3	•••	-19.097	-0.122	
2925	$8 \cdot 2$	Indi L. 9293	••	22 50 19.79	93.81	3	+ 4.5024	- 0.1991		164 21 54.33	93.81	3	••	- I9·133	- 0.188	
2926	9.1	$D.M 13^{\circ} \cdot 6303$		22 50 22·10	91.73	3	+ 3.1648	- 0.0088		102 59 18.52	91.73	3		-19.134	-0.130	
2927	7.6	M.Z. 33391	•••	22 50 48·35	92.75	3	+ 4.0055	- 0.1098		$156 55 24 \cdot 37$	92.75	3	••	-19.134 -19.146	-0.166	
2928	8.6	Octantis	•••	22 50 59.92	89.42	6	+ 18.7892	-12.7104		178 33 18·30	89·42	1	··· 2	-19.140 -19.151	-0.801	
2929	8.1	D.M 11° · 5953		22 50 53 52 22 51 3.34	91.76	3	+ 3.1484	- 12 1104 - 0.0076		100 50 57.75	91.76	4		$-19 \cdot 151$ $-19 \cdot 152$	-0.128	••
2930	7.2	Octantis L 9260	••	22 51 23.77	85.41	7	+ 6.4251	-0.7757		173 17 37.29	85.41	3	2	-19.161	-0.268	
	• -	Octantis 11 0200		22 01 20 11	00 41		T 0 1201	- 0 1101	•••	110 11 31 25	00.41	0	4	-15 101	-0 208	
2931	13	a Piscis Australis		22 51 34.27	88.65	72	+ 3.3014	- 0.0210	+0.023	120 12 16.83	87.76	14		- 19.166	-0.134	+0.16
2932	8.6	M.Z. 18941		22 52 37.07	85.84	3	+ 3.8191	- 0.0839		152 34 30.70	85.84	3		-19.193	-0.153	
2933	9.4			22 54 32.18	92.80	3	+ 4.8502	-0.2942		168 2 9.71	92.80	3		-19.240	-0.191	
934	7.4	Toucani L. 9325		22 55 15:73	93.80	3	+ 3.8675	- 0.0948		154 53 14.28	93.80	3		-19.258	-0.149	
2935	7.5	D.M 10° · 6038		22 55 23.09	91.74	3	+ 3.1391	- 0.0070		100 8 28.46	91.74	3		-19.261	-0.119	
2936	$9 \cdot 3$			22 56 8.68	92.82	3	+ 4.2757	- 0.1697		163 0 29.20	92.82	3		-19.280	-0.163	
2937	8.5	$D.M 12^{\circ} \cdot 6402$		22 56 37.47	91.78	3	+ 3.1495	- 0.0079		101 54 8.67	91.78	3		-19.291	-0.117	
2938	3.6	o Andromedæ		22 56 51.57	89.24	6	+ 2.7481	+ 0.0189	+0.001	48 15 52.61	89.24	6		-19.297	-0.101	0.0
2939	9.1	D.M 14° · 6395		22 56 55.72	91 · 81	3	+ 3.1626	- 0.0091		103 55 28.39	91·8I	3		-19.298	-0.117	
2940	9.0	M.Z. 43983		22 58 0.02	92.79	3	+ 3.9586	- 0.1144		158 2 24.93	92.78	3		-19.324	-0.146	
	•						Dates									
2941	3.0	$\beta$ Pegasi	•••	22 58 26.51	89 · 27	6	+ 2.8880	+ 0.0118	+0.013	62 30 49.20	89 · 27	6		-19.334	-0.104	-0.13
2942	8.2	D.M 12.6413		22 58 43.91	91.73	3	+ 3.1526	- 0.0083	•••	102 46 15.47	91.73	2	•••	-19.341	-0.113	
2943	8.7			<b>22</b> 58 49·30	92.81	4	+ 4.1014	-0.1422		161 4 52.82	$92 \cdot 81$	3		-19.343	-0.149	
2944	8.9			22 58 50.48	92.75	3	+ 4.8692	-0.3208		$168 53 57 \cdot 38$	92.75	3	•••	-19.343	-9.179	
2945	2.6	a Pegasi		22 59 16·83	88.87	55	+ 2.9812	+ 0.0057	+0.003	75 23 10.34	88.29	12	•••	-19.353	-0.106	+0.03
2946	5.6*	Octantis L. 9332	-	22 59 24·30	00.79	9	1 5.0000	0.9911		170 4 25.94	90.78	3		- 19 · 356	-0.185	
2947	7.3	D.M 11° · 5997			99.78	3	+ 5.0689	-9.3811		$100 \ 4 \ 25^{\circ} 54$ $101 \ 1 \ 50^{\circ} 28$		3			-0.183 -0.110	••
2948	9.0		•••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.74 92.81	3	+ 3.1398	-0.0072	••	165 50 46.58	$91 \cdot 74$ $92 \cdot 81$	3		- 19 - 412	- 0.153	
2949	9.1	•• ••		$23 \ 1 \ 33 \ 80$ $23 \ 2 \ 14 \cdot 80$	92.81	3	+ 4.4021	- 0.2158	* *	103 50 40.58 159 56 32.74	92.01	3	••	- 19 412	-0.132	••
2950	8.5	D.M 12° · 6429	•••	23 2 35.35	91.73	3	+ 3.9855 + 3.1441	-0.1280 -0.0078	••	$103 \ 50 \ 32 \ 74$ $102 \ 11 \ 33 \cdot 66$	91.73	3		- 19 420	-0.105	••
		Dink In Olao	••	20 2 00 00	51 15	0	T 0 1771	- 0 0010		102 11 35 00	51 10		•••	10 14,	0 100	
2951	8.9	D.M 9° · 6133		23 3 34.33	91.74	3	+ 3.1287	- 0.0064		99 46 56·59	91.74	3		-19.448	-0.103	
2952	3.9	$C^2$ Aquarii		23 3 34.83	89.26	6	+ 3.2026		+ 0.002	111 46 8.77	89.25	6		-19.448	-0.106	- 0.03
2953				23 3 57.87	92.78	4	+ 6.2341	- 0.8950		174 15 49.73	92.78	3		-19.456	-0.214	
2954	8.84	Octantis G. 31440		23 4 27.13	93.81	3	+ 5.1527	- 0.4447		171 13 55.03	93.81	3		- 19.467	-0.172	
2955		D.M 14° · 6413		23 4 34.03	91.78	3	+ 3.1538	- 0.0089		104 14 28.76	91.78	3		-19.469	-0.102	
		and the second sec														
2956	7.7	M.Z. 6764		23 5 38.20	85.86	3	+ 3.6654	- 0.0773		152 5 4.05	85.86	3		- 19 • 491	-0.117	
2957	7.9	Indi G. 31486		23 6 53.11	93.87	3	+ 3.8679	- 0.1157		158 53 21.18	93-87	3		- 19 . 517	-0.121	
2958	8.7	D.M 13° · 6365		23 7 3.84	91.73	3	+ 3.1443	- 0.0082		103 11 40.11	91.73	3		-19.520	-0.097	
2959	8.3	Octantis L. 9378		23 7 29.73	93.86	2	+ 5.0143	- 0.4234		171 6 49.17	93.86	2		-19.529	-0.158	
2960	8.0	D.M 11° · 6027		23 7 57.70	91.75	3	+ 3.1306	- 0.0068		100 54 58.01	91.75	3		-19.538	-0.092	
	-	and the second se			1			1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and produced with the		1	1	and the Day of		1

\* Cape 1880. † Gou 1875.

.

.


No.	Mag.	Star's Name.		Mean R.A., 1890°0.	Mean Year of Observations.	Number of Observations.	Annnal Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D 1890-0.	Mean Year of Observations.		erva-	Annual Precession in N.P.D.	Secular Variation.	Annua Prope Motio
				Sec. 1	Mee	Nu					Mes Obs	-	8.P.			
											-					
	-			h. m. s.			8.	s.	s.	0 1 11	1010			"	17	"
2961	9.3			23 9 53.59	92.83	3	+ 4.0975	- 0.1733		164 12 12.97	92.83	3		-19.576	-0.121	
2962	9.1	M.Z. 33430		23 10 13.74	92.80	3	+ 3.7450	- 0.0990		156 48 46.90	92.80	3		-19.582	-0.109	
2963	6.7	Octantis L. 9399		<b>23 10 50 · 29</b>	$93 \cdot 82$	3	+ 4.6986	- 0.3449		170 4 24.48	93.82	3		-19.593	-0.138	
2964	8.2	Octantis L. 9408		23 11 2.90	93.88	3	+ 4.1388	- 0.1875		165 6 58.11	93.88	3	••	-19.597	-0.150	
2965	5.2	au Octantis	• • •	23 11 17.58	88.18	-68	+11.5101	- 5.6755	+0.019	178 5 9.33	87.93	24	22	-19.602	-0.346	-0.0
1000	2.0	Di l		00 11 07 74	00.00	20	1 2.0504	1 0.0000		07 10 4.01	00.00	10	÷.	10 005	0.005	
2966 2967	3.8	$\gamma$ Piscium	••	23 11 27.74	89.38	30	+ 2.0594	+ 0.0006	+0.049	87 19 6.21	88·30	12		- 19.605	-0.085	-0.0
2968	<b>7.5</b> 4.9	D.M 14°.6438	••	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	91.85	3 10	+ 3.1435 + 3.2506	-0.0086 -0.0221	-0.003	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	91.85	9	•••	-19.610 -19.631	-0.088 -0.088	+0.0
2969	9.0	γ Sculptoris M.Z. 33596		$\begin{array}{c} 23 & 12 & 52 \cdot 99 \\ 23 & 13 & 43 \cdot 04 \end{array}$	88.85 92.80	3	+ 3.6538	-0.0884		$125 7 51^{\circ}54$ 155 14 1.61	88.52 92.80	3		-19.631 -19.645	-0.038 -0.099	
2970	7.6	Indi G. 31626	•••	23 13 43 04 23 14 37.91	93.85	3	+ 3.8903	-0.1407		162 10 35.07	93.85	3	•••	-19.043 -19.661	-0.103	
		Indi di otobo		20 11 01 01	00 00		1 0 0000	0 1101		102 10 00 01	00 00			10 001	0 100	
2971	8.0	D.M 11° · 6053		23 15 9.25	91.78	3	+ 3.1237	- 0.0066		101 8 2.63	91.78	4		-19.670	-0.080	
2972	4.4	au Pegasi		23 15 11.45	89.27	6	+ 2.9615	+ 0.0111	+0.001	66 51 41.71	89.26	6		- 19.671	-0.076	+0.0
2973	9.0	M.Z. 6778		23 15 14.44	85.86	3	+ 3.5690	- 0.0750		152 24 44.12	85.86	4		-19.672	-0.092	
974	9.7			23 15 18.44	92.84	4	+ 4.2034	- 0.2232		167 5 50.53	92.84	3		-19.673	-0.110	
2975	7.8	D.M 13° · 6391		23 16 7.46	91.74	3	+ 3.1315	- 0.0076		103 3 4.22	91.74	3		-19.687	-0.078	
														1.1.1		
2976	6.8	Indi L. 9450		23 17 23.02	93.82	3	+ 3.8694	- 0.1445		162 46 3·19	93.82	3		-19.707	-0.096	
2977	9.0			23 17 25.24	92.87	3	+ 4.8039	- 0.4393		171' 52 56.74	92.87	3		-19.708	-0.121	
2978	$9\cdot 4$			23 17 31.61	92.78	4	+ 3.7536	- 0.1179		$160 \ 6 \ 58.48$	92.77	3		-19.710	-0.092	
2979	7.6	Indi G. 31692		23 18 4.34	93.80	3	+ 3.9140	- 0.1580		163 52 40.67	93.80	3		- 19 . 718	-0.092	
2980		Octantis L. 9401		23 18 4.55	90.81	4	+ 6.8476	- 1.5774		176 18 50.23	90.81	4		-19.718	-0.123	
					1.00			2	15.2	A DOWN OF THE PARTY						
2981	9.7	- M.Z. 44016	••	23 18 8.48	92.80	3	+ 3.6779	- 0.1027	••	158 8 37.14	92.80	3	•••	-19.719	-0.089	
2982	9.5	D.M 10° · 6108	•••	23 18 46.82	91.78	3	+ 3.1157	- 0.0059		100 14 11.93	91.78	4	•••	-19.729	-0.073	
2983	8.9	D.M 14° · 6466	••	23 19 9.24	91.83	3	+ 3.1320	- 0.0081		104 5 35.87	91.83	3		-19.735	-0.073	
2984	4.6	v Pegasi		23 19 53·32	90.85	3	+ 2.9747	+ 0.0113	+0.011	67 12 5·23	90.85	3	•••	-19.747	-0.067	-0.
2985	8.5	D.M 11° · 6071	•••	23 20 4.98	91.87	3	+ 3.1208	- 0.0067		101 45 34.96	91.86	3	•••	-19.750	-0.020	•
2986	5.0	κ Piscium		23 21 17.54	89.37	97	+ 3.0699	+ 0.0001	1.0.004	89 20 46.91	87.81	14		-19.768	-0.067	+0.
2987	7.7		••			3		-0.0001	-	$102 \ 49 \ 1 \cdot 20$	91.78	3		-19.784	-0.066	1
2988	8.8	D.M. – 13° · 6408	•••	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$91 \cdot 78$ $92 \cdot 80$	3	+ 3.1222 + 3.7967	-0.1448		163 16 9.43	92.80	3	••	-19 784	-0.082	
2989	4.7	 70 Pegasi		23 22 30 83	89.33	6	+ 3.0270		+0.001	77 50 45.32	89.33	6	••	-19.800	-0.001	-0.
2990	9.6	M.Z. 34033	••	23 23 39.50	92.87	3	+ 3.5476	- 0.0872		156 2 22.67	92.87	3		-19.801	-0.073	
	-									and in the second						
2991	7.2	Toucani L. 9492		23 24 26.25	93.84	3	+ 3.6304	- 0.1090		159 40 45.48	93.84	3		-19.812	-0.073	
2992	9.3			23 24 31.05	92.78	3	+ 3.6734	- 0.1200		161 3 54.33	92.78	3		-19.813	-0.074	
2993	8.5	D.M11°.6088		23 24 32.61	91.83	4	+ 3.1128	- 0.0060		101 3 20.90	91 · 83	4		-19.813	-0.061	
2994	9.2	M.Z. 34034		23 24 54.20	92.83	3	+ 3.5298	- 0.0861		155 57 54.76	92.83	3		-19.818	-0.070	
995	6.5	$D.M 12^{\circ}.6510$		23 26 30.40	91.74	3	+ 3.1144	- 0.0065		102 9 2.93	91.74	3		-19.839	-0.028	
	-	The Decore		The second second	-		15-1-1-	THE.		1.100 1.000 -0.20	-			-Junty		
2996	8.5	D.M 14° · 6485		23 26 40.04	91.82	3	+ 3.1205	- 0.0075		103 54 5.10	91.82	3	••	-19.841	-0.057	
2997	4.4	$\beta$ Sculptoris		23 27 4.33	88.84	6	+ 3.2244	- 0.0258	+0.002	128 25 34.30	88.84	6		-19.846	-0.029	+0.
998	8.8	D.M 10° · 6130		23 27 23.19	91.85	3	+ 3.1059	- 0.0052		99 58 28·26	91.85	3	••	-19.850	-0.056	
999	8.0	M.Z. 6797		23 27 41.32	85.86	3	+ 3.4297	- 0.0694		152 15 34.21	85.86	3		-19.854	-0.065	
000	7.2	Piscium Lal. 46137		23 27 48.68	85.83	4	+ 3.0889	- 0.0025		95 0 29.68	85.83	4		-19.855	-0.055	

•

No.	Mag.	Star's Name.		Mean R.A. 1890°0.	an Year of servations.	Number of Observations,	Annnai Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D. 1890 <sup>.</sup> 0.	Mean Year of Observations,	Obs	ber of erva- ons.	Annual Precession in N.P.D.	Secular Variation.	Annu Prope Motlo
					Mean Observ	Nul					Mea	-	S.P.			
					- 31											
				h. m. s.			8.	8.	ß.	0 / 11				"	"	"
3001	7.9	Octantis L. 9464		23 28 40.52	92.35	6	+ 6.5561	- 1.8496		177 0 23.70	92.13	7		-19.866	-0.122	
3002	6.5*	Toucani L. 9518		23 28 55.95	93.90	3	+ 3.4653	- 0.0808		155 17 51.50	93.90	3		-19.869	-0.060	
3003	4.1	ι Phœnicis		23 29 9.30	86.83	3	+ 3.2411	- 0.0308	0.000	133 13 22.97	86.83	3		-19.872	-0.055	0.0
3004	8.0	D.M11°.6111		$23 \ 30 \ 15.84$	91.74	3	+ 3.1071	- 0.0028		101 17 43.42	91.74	3		-19.834	-0.50	
3005	9.4	M.Z. 44371	••	23 30 16.27	92.79	3	+ 3.5212	- 0.0993		158 55 19.95	92.79	3		-19.885	-0.028	
3006	9.1	D.M 13° · 6436		23 30 49.91	91.79	3	+ 3.1120	- 0.0068		103 6 36,63	91 . 79	3		- 19 .891	-0.049	
3007	9.4			23 31 27.13	92.83	4	+ 5.0243	- 0.7914		175 8 8.97	92.83	4		-19.898	-0.083	
3008	8.9	M.Z. 33627		23 32 35.26	92.87	3	+ 3.4150	- 0.0777		155 1 21.00	92.87	3		-19.910	-0.021	
3009	3.7	¿ Andromedæ		23 32 44.51	88.89	11	+ 2.9264	+ 0.0252	+0.001	47 20 26.36	88.89	11		-19.911	-0.042	+0.0
<b>3</b> 010	9.0			23 33 17.86	92.80	3	+ 3.6891	- 0.1648		165 51 8.35	92.80	3		-19.917	-0.054	
3011	7.1	Toucani M. 1200		23 33 27.65	93.84	3	+ 3.4340	- 0.0855		156 51 42.81	93.84	3		- 19 . 919	-0.049	
3012	4.3	e Piscium		23 34 17.50	89.92	87	+ 3.0593	+ 0.0031	+0.023	84 58 10.96	87.80	14		-19.927	-0.042	+0.4
3013	6.1	D.M 12° · 6535		23 35 27.30	91.79	3	+ 3.1037	- 0.0061		102 17 24.88	91.78	4		-19.938	-0.040	
3014	9.2	D.M10°.6155		23 35 32.88	91.84	3	+ 3.0978	- 0.0048		100 2 58.94	91.84	3		-19.939	-0.040	
3015	8.3	D.M 14° · 6523	•••	23 35 36.75	91.85	3	+ 3.1082	- 0.0071		104 5 4.24	91.85	3		- 19 • 940	-0.040	
3016	9.6	Aquarii		23 35 55·64	85.83	3	+ 3.0861	- 0.0024		95 32 2.89	85.83	3		-19.942	-0.039	
3017	7.5	Octantis L. 9546		23 36 47.03	93.89	1	+ 4.1846	- 0.4243		173 6 58.44	93.89	1		-19.952	-0.023	•
3018	4.7	$\omega^2$ Aquarii		23 37 1.04	89.25	6	+ 3.1088	- 0.0077	+ 0.005	105 9 11.04	89.32	7		-19.952	-0.032	+0.
3019	9.9	M.Z. 44044		23 37 33.81	92.79	3	+ 3.3943	- 0.0881		157 54 0.18	92.79	3		-19.957	-0.040	
3020	7.1	M.Z. 6811		23 37 48.08	85.86	3	+ 3.3192	- 0.0653		152 20 22.53	85.86	4		- 19 .959	-0.038	
3021	6.1	Octantis L. 9560		23 37 58.65	92.11	7	+ 3.7580	- 0.2293		169 24 6.96	92.10	7		-19.960	-0.044	
3022	9.1			23 38 18.24	92.83	4	+ 3.5066	- 0.1306		163 46 4.92	92.83	4		-19.963	-0.040	
3023	9.2	Toucani G· 32091		23 39 32.41	93.85	3	+ 3.4053	- 0.1002		160 17 39.76	93.86	3		-19.973	-0.036	
3024	7.0*	Octantis L. 9563		23 40 17.65	90.86	3	+ 4.2591	- 0.5449		174 28 25.41	90.86	3		-19.979	-0.045	
<b>302</b> 5	8.3	D.M11°.6135		23 40 19.37	91.77	3	+ 3.0951	- 0.0052		101 8 6.81	91 • 77	3		-19.979	-0.030	
3026	8.5	D.M 13° · 6461		23 40 53·58	91.80	3	+ 3.0990	- 0.0064	1033	103 21 55.12	91.80	3		- 19 . 983	-0.029	
3027	7.5	Toucani B. 7327		23 41 40.10	93.85	3	+ 3.3108	- 0.0760		155 51 7.26	93.85	3		-19.989	-0.030	•
3028	9.1			23 42 14.54	92.87	3	+ 3.5187	- 0.1648		166 56 29.01	92.87	3		- 19 .993	-0.031	
3029		D.M10°.6170		23 42 44.66	91.88	3	+ 3.0900	- 0.0043		99 51 39.77	91.88	3		- 19 .996	-0.025	
3030	8.0	D.M12°.6565		23 42 48.06	91.90	3	+ 3.0940	- 0.0056		102 7 10.96	91 • 89	3		- 19 • 997	-0.022	
3031	4.6	δ Sculptoris		23 43 11.72	88.96	97	+ 3.1262	- 0.0160	+0.009	118 45 17.43	87 .92	15		- 19 .999	-0.025	+0.
3032	8.5	D.M 14°.6558		23 43 35.58	91.85	3	+ 3.0962	- 0.0065		103 54 54.89	91.85	3	••	-20.002	-0.024	
3033	9.1			23 43 51.97	92.84	3	+ 3.4270	- 0.1374		165 8 36 .45	92.84	3		- 20.003	-0.027	
3034	8.7	M.Z. 6824		23 45 9.24	85.86	3	+ 3.2345	- 0.0607		151 53 19.50	85.86	3		-20.011	-0.022	
3035	7.8	Octantis L. 9596		23 45.25.19	93.84	3	+ 4.4652	- 0.9305		176 30 28.26	93.84	3	•••	-20.012	-0.033	
3036	5.5	$\gamma^1$ Octantis		23 45 38.07	87.85	34	+ 3.7202	- 0.3267	-0.030	172 37 48.24	88.08	15	13	-20.014	-0.025	+0.0
3037	9.5	D.M 11° · 6150		23 46 23.56	91.79	3	+ 3.0882	- 0.0048	-0 000	101 10 30.56	91.79	3		-20.018	-0.018	1.0.0
3038		Toucani L 9627		23 46 48.61	93.87	3	+ 3.3242	- 0.1126		163 0 41.00	93.87	3		-20.020	-0.019	
3039		φ Pegasi		23 46 53.46	89.24	6	+ 3.0469	+ 0.0110	-0.003	71 29 24 .85	89.24	6		-20.020		+0.0
3040		D.M 12° · 6579		23 47 8.11	91.82		+ 3.0893			102 37 40.60		1		-20.021	-0.017	


\* Cape 1880.

No.	Mag.	Star's Name.		Mean B.A., 1890-0.	Mean Year of Observations.	Number of Observations.	Annual Precession in R.A.	Secular Variation.	Annual Proper Motion.	Mean N.P.D., 1890 · 0.	Mean Year of Observations.	Numb Obse tio		Annuai Precession in N.P.D.	Secular Variation	Annual Proper Motion.
					Me	Nu		1			Me	-	S.P.			
			-													
				h. m. s.	-		8.	8.	8.	0 / #						
3041	6.6	Octantis L. 9614		23 47 9.58	86.46	4	+ 3.7420	- 0.3820		173 37 11.22	86.47	1	2	-20.021	-0.022	
3042	8.6	Octantis L. 9621		23 47 18.72	93.80	2	+ 3.5371	- 0.2430		170 57 11.27	93.81	3		-20.022	-0.020	
3043	9.0	M.Z. 44401		23 47 25.72	92.79	3	+ 3.2631	- 0.0861		158 57 33.14	92.79	3		- 20.023	-0.012	
3044	7.9			23 47 53.05	92.82	5	+ 3.2811	- 0.0989		161 17 27.37	92.82	5		-20.025	-0.012	
3045	9.2	M.Z. 33474		23 49 30.86	92.86	3	+ 3.2154	- 0.0750		156 50 22.64	92.86	3		- 20.032	-0.013	
							S. C.L.									
3046	7.5	Octantis G. 32286		23 50 31.18	93.90	2	+ 3.5651	- 0.3501		173 35 47 . 25	93.90	. 2		-20.036	-0.013	
3047	8.7	D.M 14° · 6581		23 50 36.24	91.78	3	+ 3.0863	- 0.0062		104 7 21.35	91.78	3		-20.036	-0.010	
3048	6.0	$\gamma^2$ Octantis		23 51 29.83	87.41	31	+ 3.4641	- 0.2944	-0.012	172 46 53 .46	87.58	11	12	-20.039	-0.010	+0.03
3049	7.8	M.Z. 6837		23 51 42.55	85.86	3	+ 3.1649	- 0.0591		152 22 28.50	85.86	3		-20.040	-0.008	
3050	4.8	$\eta$ Toucani	••	23 51 48.43	93.87	3	+ 3.1746	- 0.0666	+0.012	154 54 30.99	93.87	3		- 20 .040	-0.008	+0.03
			3													
3051	7.8	D.M 10° · 6206	••	23 51 51.51	91.83	3	+ 3.0811	- 0.0040		100 15 18 27	91.82	3	•••	- 20 .040	-0.002	
3052	8.0	D.M 12° · 6592		23 52 37.91	91.89	3	+ 3.0817	- 0.0049		102 4 9.41	91.89	3	•••	-20.043	-0.000	
3053	4.0	ω Piscium	••	23 53 39.71	89.79	91	+ 3.0685	+ 0.0048	+0.008	83 44 43.35	88.04	13	•••	- 20.045	-0.004	+0.11
3054	8.0	D.M 11° · 6175		23 54 45.48	91.86	3	+ 3.0785	- 0.0043	••	101 4 31.47	91.87	3		-20.048	-0.005	
3055	9.2			23 55 23.41	92.82	4	+ 3.1662	- 0.1087	••	163 58 32.11	92.82	3		-20.049	-0.001	
3056	8.9	··· ··	••	23 55 39.17	92.80	3	+ 3.3194	- 0.3355	•••	174 8 7.13	92.80	3	•••	-20.049	-0.001	
3057	9.0	D.M 13° · 6505		23 55 41-27	91.83	4	+ 3.0783	- 0.0052		102 56 32.54	91.82	3	•••	- 20.049	+0.000	
3058	5.6	$\theta$ Octantis	••	23 55 55.96	93.87	3	+ 3.1811 + 3.0750	-0.1447 - 0.0018	-0.029	167 40 21 .74	93.87	3		-20.050	+0.000	+0.16
3059	4·5 8·9	30 Piscium	••	23 56 19.06 23 56 23.10	90·86 92·86	3	+ 3.0750 + 3.1301	-0.0018 - 0.0829	+0.005	96 37 30.69 159 52 55.06	.90.86 92.86	3	•••	-20.050 -20.050	+0.001	+0.03
3060	9.9	•• ••	•••	20 00 20 10	92.80	0	+ 3.1301	- 0 0029	••	109 02 00 00	94.80	0	•••	- 20 030	+0.001	
3061	4.5	2 Ceti		23 58 6.29	90.86	3	+ 3.0761	- 0.0079	0.000	107 56 53.29	90.86	3		-20.052	+0.005	0.00
3062	9.0	2 Ceti D.M 14°·6611		23 58 0.29	91.80	3	+ 3.0701 + 3.0751	-0.0028		107 30 33 29	91.80	3		-20.052	+0.005	
3063	9.0	$D.M 11^{\circ} \cdot 6193$	••	23 58 50.05	91.86	3	+ 3.0740	- 0.0044		101 48 2.24	91.86	3	•••	-20.02	+0.000	
3064	5.4	Toucani L. 9710		23 59 6.19	93.85	3	+ 3.0886	- 0.0914	+0.003	162 2 55.44	93.85	3		-20.053	+0.000	+ 0.03
3065	9.5			23 59 14.08	92.86	3	+ 3.0904	- 0.1193		165 58 29.39	92.86	3		- 20 .053	+0.007	
0000						-										
3066	9.2	M.Z. 34368		23 59 37.71	92.88	3	+ 3.0774	- 0.0651		155 57 46.32	92.89	4		-20.053	+0.008	
3067	8.2			23 59 52.04	92.80	3	+ 3.0769	- 0.1653		169 52 5.30	92.80	3		-20.053	+0.008	
3068	7.0	D.M 10° · 6227		23 59 52.74	91.84	3	+ 3.0727	- 0.0035		100 13 39.61	91.83	3		-20.053	+0.008	
3.11																









#### UNIVERSITY OF CALIFORNIA LIBRARY BERKELEY

Return to desk from which borrowed. This book is DUE on the last date stamped below.

ASTRONOMY	LIBRARY
INTERLIBRARY LOAN	
NUV 2 1071	
UNIV. OF CALIF., BERK.	
DEC 1 8 1974NCS	

LD 21-100m-11,'49 (B7146s16)476

670953 QB6 M4 1890 Astron. UNIVERSITY OF CALIFORNIA LIBRARY

